

# PRIAMUS

## Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 39

15 11 2015

ISSN 1015-8243

“I think, therefore I am”  
René Descartes (1596-1650)

<http://zoobank.org/urn:lsid:zoobank.org:pub:9F341A5B-977F-4F03-AC3F-9463B094EF86>

### New evaluations, distributional maps, including addenda and corrigenda to “Hymenoptera of Turkey” –I

Ahmet Ömer Koçak Muhabbet Kemal

**Abstract:** New evaluations, distributional maps, including addenda and corrigenda to “Hymenoptera of Turkey” – I. *Priamus* (Suppl.) 39: 1-88 +[90], 90 maps, 2 Tables.

In this paper, the list of the 930 *Ichneumonidae* species of Turkey, and the list of the 5858 Hymenoptera species of Turkey are given. Totally 90 global maps of the *Ichneumonidae* species are presented. Faunal numbers in the Pterygota of Turkey are updated. According to this total number of species reach to 25289. Evaluations of the rates of success of 62 hymenopterists are discussed.

**Key words:** *Hymenoptera*, *Ichneumonidae*, success of taxonomist, fauna, Turkey.

“Hymenoptera of Turkey” as the first comprehensive faunal list has been published within the enormous private project Pterygota of Turkey (Koçak & Kemal, 2015). This is of course an extraordinary task for the authors<sup>1</sup>; therefore, some minor technical arrangement of the database files, spelling problems, or incomplete literary evaluating are inevitable. A great number of faunistical and taxonomical information have been added or corrected by the authors in the database programs. The present information used in the paper is filtered from the relevant database programs.




In the present paper, especially three selected topics are emphasized: (1) Updating numerical values, updating and expanding numerical evaluations on rate of success of the hymenopterists; (2) Expanded annotated list of the *Ichneumonidae* of Turkey, together with newly prepared global maps of 90 *Ichneumonid* species, (3) Updated species list of the Hymenoptera of Turkey.

<sup>1</sup> The authors defend always the importance and necessity of free will, and mind's ability at all scientific subjects to be studied.

**Table 1** - Updated numerical values of the major orders within the Pterygota fauna of Turkey (cf. Koçak & Kemal,2015).

Orders	Number of the family group taxa	Number of the genus group taxa	Number of the species	Number of the subspecies	Total taxa
<i>Coleoptera</i>	439	1403	6419	448	8709
<i>Hymenoptera</i>	301	1277	5858	80	7516
<i>Lepidoptera</i>	597	1850	5440	1554	9441
<i>Diptera</i>	311	1030	3364	39	4744
rest of the Pterygota	466	1325	4208	207	6206
<b>Total taxa</b>	<b>2114</b>	<b>6885</b>	<b>25289</b>	<b>2328</b>	<b>36616</b>

Within the project on the Pterygota fauna of Turkey, the total number of the species in Turkey reaches to 25289. The number of all the taxa of the family-, genus-, and the species-groups is now 36616 (**Table 1**). Among them, the species of the Hymenoptera of Turkey is 5858. This is listed at the end of the paper.

**Table 2** - Tentative numerical evaluations of 62 hymenopterists, based upon **16230** taxa (rate of success= b.100/a). a= total number of described taxa, b= valid scientific names, c= invalid scientific names, % rate of success. Previous numerical evaluations are given in grey (cf. Koçak & Kemal,2015). Our present evaluations of the authors: successful rate of success 75<  - enough  - unsuccessful 50> 

Authors	a	b	c	%	success
Ashmead	154	67	87	43.50	
Berthoumieu	177	70	107	39.54	
	67	12	55	17.91	
	106	13	93	12.26	
Blüthgen	251	186	65	74.10	
	261	186	75	71.26	
Boheman	17	6	11	35.29	
	124	97	27	78.22	
Brullé	79	73	6	92.40	
	263	191	72	72.62	
Cameron	323	173	150	53.56	
	338	178	160	52.66	
Constantineanu	58	3	55	05.17	
	101	5	96	04.95	
Cresson	132	115	17	87.12	
	161	130	31	80.74	
Dahlbom	110	84	26	76.36	
	121	93	28	76.85	
Fabricius	415	310	105	74.69	
	1636	1183	453	72.31	
Fahringer	32	8	24	25	
	35	10	25	28.57	
Fonscolombe	43	25	18	58.13	
	55	33	22	60	
Förster	594	246	348	41.41	
	788	280	508	35.53	
Friese	438	314	124	71.68	
	448	323	125	72.09	
Giraud	62	45	17	72.58	
	69	47	22	68.11	
Girault	320	84	236	26.25	
	338	96	242	28.40	
Gmelin	50	20	30	40	
	177	41	136	23.16	
Gravenhorst	329	243	86	73.86	
	574	393	181	68.46	




**Table 2** (continues)

Habermehl	50	7	43	14	
	<b>102</b>	<b>6</b>	<b>96</b>	<b>05.88</b>	
Haliday	107	93	14	86.91	
	<b>208</b>	<b>163</b>	<b>45</b>	<b>78.36</b>	
Handlirsch	46	35	11	76.08	
	<b>47</b>	<b>36</b>	<b>11</b>	<b>76.59</b>	
Haupt	56	34	22	60.71	
	<b>164</b>	<b>119</b>	<b>45</b>	<b>72.56</b>	
Heinrich	66	36	30	54.54	
	<b>77</b>	<b>37</b>	<b>40</b>	<b>48.05</b>	
Herrich-Schäffer	20	15	5	75	
	<b>180</b>	<b>126</b>	<b>54</b>	<b>70</b>	
Holmgren	108	65	43	60.18	
	<b>172</b>	<b>75</b>	<b>92</b>	<b>43.60</b>	
Kieffer	85	45	40	52.94	
	<b>593</b>	<b>359</b>	<b>234</b>	<b>60.53</b>	
Kohl	110	97	13	88.18	
	<b>112</b>	<b>99</b>	<b>13</b>	<b>88.39</b>	
Kokujev	62	27	35	43.54	
	<b>72</b>	<b>30</b>	<b>42</b>	<b>41.66</b>	
Konow	97	42	55	43.29	
	<b>98</b>	<b>42</b>	<b>56</b>	<b>42.85</b>	
Kriechbaumer	116	55	61	47.41	
	<b>169</b>	<b>60</b>	<b>109</b>	<b>35.50</b>	
Lepeletier	214	182	32	85.04	
	<b>231</b>	<b>190</b>	<b>41</b>	<b>82.25</b>	
Linnaeus	187	173	14	92.51	
	<b>980</b>	<b>933</b>	<b>47</b>	<b>95.20</b>	
Marshall	56	33	23	58.92	
	<b>83</b>	<b>39</b>	<b>44</b>	<b>46.98</b>	
Mocsary	152	106	46	69.73	
	<b>151</b>	<b>105</b>	<b>46</b>	<b>69.53</b>	
Morawitz	516	467	49	90.50	
	<b>527</b>	<b>476</b>	<b>51</b>	<b>90.32</b>	
Morley	31	9	22	20.03	
	<b>45</b>	<b>9</b>	<b>36</b>	<b>20</b>	
Nees	138	108	30	78.26	
	<b>141</b>	<b>109</b>	<b>32</b>	<b>77.30</b>	
Nowicki	12	9	3	75	
	<b>23</b>	<b>22</b>	<b>1</b>	<b>95.65</b>	
Pérez	310	232	78	74.83	
	<b>323</b>	<b>243</b>	<b>80</b>	<b>75.23</b>	
Radoszkowski	204	165	39	80.88	
	<b>204</b>	<b>165</b>	<b>39</b>	<b>80.88</b>	
Ratzeburg	123	53	70	43.08	
	<b>154</b>	<b>61</b>	<b>93</b>	<b>39.61</b>	
Rohwer	18	6	12	33.33	
	<b>20</b>	<b>6</b>	<b>14</b>	<b>30</b>	
Rondani	35	8	27	22.85	
	<b>531</b>	<b>268</b>	<b>263</b>	<b>50.47</b>	
Rudow	54	4	49	09.25	
	<b>92</b>	<b>5</b>	<b>87</b>	<b>05.43</b>	
Saunders	28	28	0	100	
	<b>42</b>	<b>35</b>	<b>7</b>	<b>83.33</b>	
Saussure	108	83	25	76.85	
	<b>388</b>	<b>267</b>	<b>121</b>	<b>68.81</b>	
Schiedeknecht	86	70	16	81.39	
	<b>116</b>	<b>71</b>	<b>45</b>	<b>61.20</b>	
Schulthess	19	15	4	78.94	
	<b>46</b>	<b>34</b>	<b>12</b>	<b>73.91</b>	
Seyrig	20	7	13	35	
	<b>31</b>	<b>8</b>	<b>23</b>	<b>25.80</b>	

**Table 2** (continues)

Szépligeti	198	66	132	33.33	
	260	81	179	31.15	
Telenga	79	45	34	56.96	
	81	46	35	56.79	
Thomson	356	163	193	45.78	
	630	295	335	46.82	
Thunberg	74	46	28	62.16	
	239	95	144	39.74	
Tschek	29	19	10	65.51	
	41	19	22	46.34	
Uchida	40	9	31	22.5	
	59	9	50	15.25	
Ulbricht	20	1	19	05	
	41	1	40	02.43	
Viereck	70	18	52	25.71	
	89	19	70	21.34	
Walker	480	238	242	49.58	
	1454	1248	206	85.83	
Warncke	543	434	109	79.92	
	543	433	110	79.74	
Wesmael	172	136	36	79.06	
	196	149	47	76.02	
Westwood	79	66	13	83.54	
	228	214	14	93.85	
Zetterstedt	37	17	20	45.94	
	475	240	235	50.52	
Number of evaluated taxa	9039				
	16230			3350.83/62 = 54.04	



Tentative numerical evaluations of 62 hymenopterists, based upon **16230** taxa are given above (**Table 2 & the graph**). According to these, rate of success of 26 authors (42%) are accepted here as unsuccessful, while the rate of success of the 18 authors(29%) are considered as successful. The rates of success of the rest of the authors (29%) were between 74-50%; therefore their successes are acceptable as enough. The average rate of success of the 62 hymenopterists is 54.04%; therefore this is admissible as an enough success.

It was not hitherto observed such an evaluation on success of the taxonomists in the literature.

## Expanded annotated list of the 930 Ichneumonidae species of Turkey

Distributional codes have been used for preparing maps. The maps prepared are listed below. The maps are added at the end of this publication.

### List of the global maps of the Ichneumonid species of Turkey

Map 1 (8) - <i>Acrodactyla quadrisculpta</i> (Gravenhorst,1820)	Map 46 (462) - <i>Hoplismenus axillatorius</i> (Thunberg,1822)
Map 2 (12) - <i>Acroricnus stylator</i> (Thunberg,1822)	Map 47 (475) - <i>Hyposoter didymator</i> (Thunberg,1822)
Map 3 (20) - <i>Agrypon flaveolatum</i> (Gravenhorst,1807)	Map 48 (481) - <i>Hypsicera femoralis</i> (Geoffroy,1785)
Map 4 (35) - <i>Aneucelis melanaria</i> (Holmgren,1860)	Map 49 (508) - <i>Ichneumon sarcitorius</i> Linnaeus,1758
Map 5 (44) - <i>Anomalon cruentatum</i> (Geoffroy,1785)	Map 50 (520) - <i>Idiolispa analis</i> (Gravenhorst,1807)
Map 6 (62) - <i>Aritranis nigripes</i> (Gravenhorst,1829)	Map 51 (523) - <i>Ischnus inquisitorius</i> (Müller,1776)
Map 7 (85) - <i>Barycnemis harpura</i> (Schränk,1802)	Map 52 (525) - <i>Iseropus stercorator</i> (Fabricius,1793)
Map 8 (89) - <i>Barylypa propugnator</i> (Förster,1855)	Map 53 (526) - <i>Itoplectis alternans</i> (Gravenhorst,1829)
Map 9 (99) - <i>Bathyplectes anurus</i> Thomson,1887	Map 54 (528) - <i>Itoplectis maculator</i> (Fabricius,1775)
Map 10 (102) - <i>Bathyplectes curculionis</i> (Thomson,1887)	Map 55 (560) - <i>Lissonota</i> (s.str.) <i>clypeator</i> (Gravenhorst,1820)
Map 11 (116) - <i>Buathra laborator</i> (Thunberg,1822)	Map 56 (591) - <i>Mesochorus discitergus</i> (Say,1835)
Map 12 (120) - <i>Campoletis cognata</i> Tschek,1871	Map 57 (605) - <i>Mesochorus vittator</i> (Zetterstedt,1839)
Map 13 (130) - <i>Casinarina tenuiventris</i> (Gravenhorst,1829)	Map 58 (613) - <i>Mesostenus grammicus</i> Gravenhorst,1829
Map 14 (145) - <i>Coelichneumon comitator</i> (Linnaeus,1758)	Map 59 (636) - <i>Netelia</i> (Bessobates) <i>virgata</i> (Fourcroy,1785)
Map 15 (151) - <i>Coelichneumon leucocerus</i> (Gravenhorst,1820)	Map 60 (643) - <i>Netelia</i> (s.str.) <i>dilatata</i> (Thomson,1888)
Map 16 (165) - <i>Coelichneumon subviolaceiventris</i> (Pic,1908)	Map 61 (645) - <i>Netelia</i> (s.str.) <i>testacea</i> (Gravenhorst,1829)
Map 17 (167) - <i>Collyria coxator</i> (Villers,1789)	Map 62 (654) - <i>Opheltes glaucopertus</i> (Linnaeus,1758)
Map 18 (178) - <i>Cratichneumon viator</i> (Scopoli,1763)	Map 63 (661) - <i>Ophion luteus</i> (Linnaeus,1758)
Map 19 (202) - <i>Cryptus spiralis</i> (Geoffroy,1785)	Map 64 (662) - <i>Ophion minutus</i> Kriechbaumer,1879
Map 20 (205) - <i>Cryptus tuberculatus</i> Gravenhorst,1829	Map 65 (665) - <i>Ophion obscuratus</i> Fabricius,1798
Map 21 (207) - <i>Cryptus vitreofrontalis</i> Schwarz,2015	Map 66 (678) - <i>Pantorhaestes xanthostomus</i> (Gravenhorst,1829)
Map 22 (214) - <i>Ctenichneumon panzeri</i> (Wesmael,1845)	Map 67 (681) - <i>Parania geniculata</i> (Holmgren,1857)
Map 23 (220) - <i>Cylloceria melancholica</i> (Gravenhorst,1820)	Map 68 (691) - <i>Perithous scurra</i> (Panzer,1804)
Map 24 (224) - <i>Delomerista mandibularis</i> (Gravenhorst,1829)	Map 69 (692) - <i>Perithous septemcinctorius</i> (Thunberg,1822)
Map 25 (226) - <i>Diadegma armillatum</i> (Gravenhorst,1829)	Map 70 (698) - <i>Phaenolobus saltans</i> (Gravenhorst,1829)
Map 26 (232) - <i>Diadegma fenestralis</i> (Holmgren,1860)	Map 71 (716) - <i>Pimpla aquilonia</i> Cresson,1870
Map 27 (257) - <i>Dichrogaster longicaudata</i> (Thomson,1884)	Map 72 (726) - <i>Pimpla spuria</i> Gravenhorst,1829
Map 28 (262) - <i>Diphyus amatorius</i> (Müller,1776)	Map 73 (727) - <i>Pimpla turionellae</i> (Linnaeus,1758)
Map 29 (276) - <i>Diplazon laetatorius</i> (Fabricius,1781)	Map 74 (742) - <i>Polyblastus varitarsus</i> (Gravenhorst,1829)
Map 30 (287) - <i>Ctenichneumon mesocentrus</i> (Gravenhorst,1829)	Map 75 (762) - <i>Promethes sulcator</i> (Gravenhorst,1829)
Map 31 (288) - <i>Dolichomitus messor</i> (Gravenhorst,1829)	Map 76 (770) - <i>Rhyssa persuasoria</i> (Linnaeus,1758)
Map 32 (317) - <i>Endromopoda arundinator</i> (Fabricius,1804)	Map 77 (773) - <i>Scambus</i> (s.str.) <i>brevicornis</i> (Gravenhorst,1829)
Map 33 (318) - <i>Endromopoda detrita</i> (Holmgren,1860)	Map 78 (775) - <i>Scambus</i> (s.str.) <i>calobatus</i> (Gravenhorst,1829)
Map 34 (326) - <i>Enichemum ornatum</i> (Gravenhorst,1829)	Map 79 (816) - <i>Syrphoctonus tarsatorius</i> (Panzer,1809)
Map 35 (338) - <i>Erromenus punctulatus</i> Holmgren,1857	Map 80 (818) - <i>Syrphophilus bizonarius</i> (Gravenhorst,1829)
Map 36 (349) - <i>Euryproctus mundus</i> (Gravenhorst,1820)	Map 81 (855) - <i>Therion circumflexum</i> (Linnaeus,1758)
Map 37 (355) - <i>Eutanyacra picta</i> (Schränk,1776)	Map 82 (857) - <i>Theronia atalantae</i> (Poda,1761)
Map 38 (362) - <i>Exeristes roborator</i> (Fabricius,1793)	Map 83 (881) - <i>Tromatobia ovivora</i> (Boheman,1821)
Map 39 (368) - <i>Exetastes fornicator</i> (Fabricius,1781)	Map 84 (882) - <i>Tromatobia variabilis</i> (Holmgren,1856)
Map 40 (373) - <i>Exetastes nigripes</i> Gravenhorst,1829	Map 85 (893) - <i>Tryphon</i> (s.str.) <i>latrator</i> (Fabricius,1781)
Map 41 (380) - <i>Exochus castaniventris</i> Brauns,1896	Map 86 (896) - <i>Tryphon</i> (s.str.) <i>relator</i> (Thunberg,1822)
Map 42 (390) - <i>Exochus lictor</i> Haliday,1838	Map 87 (897) - <i>Tryphon</i> (s.str.) <i>rutilator</i> (Linnaeus,1761)
Map 43 (392) - <i>Exochus mitratus</i> Gravenhorst,1829	Map 88 (906) - <i>Venturia canescens</i> (Gravenhorst,1829)
Map 44 (460) - <i>Homotropus nigratarsus</i> (Gravenhorst,1829)	Map 89 (926) - <i>Zaglyptus varipes</i> (Gravenhorst,1829)
Map 45 (461) - <i>Homotropus signatus</i> (Gravenhorst,1829)	Map 90 (930) - <i>Zatypota percontatoria</i> (Müller,1776)

- Absyrtus vernalis Bauer,1961** (Ichneumonidae) Synonym(s): *vernalis* Bauer,1961 Range (in code): **TR BG FR DE NO PL CH UA GB**
- Absyrtus vicinator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *vicinator* Thunberg,1822; *luteus* Holmgren,1859; *exareolatus* Ulbricht,1926 Range (in code): **AT AZ Cc BY BE BG CZ FI FR DE HU IE JP LT LV NL NO PL RO RU Kmt Sh YU ES SE CH TR GB**
- Acaenitus dubitator (Panzer,1800)** (Ichneumonidae) Synonym(s): *dubitator* Panzer,1800; *nigriventris* Constantineanu,1958 Range (in code): **TR AL AT BY BE BG CN Ui CZ SK FR DE HU IT LT MD MA NL PL PT RO RU At Ao Us YU ES SE CH UA GB o3 36**
- Aclastus gracilis (Thomson,1884)** (Ichneumonidae) Synonym(s): *gracilis* Thomson,1884; *furcifer* Hellén,1967 Range (in code): **TR AT AZ Cc BE BG Cn CZ SK DK FI FR Co DE Gr HU IS IE IT Md NL NO PL RU Kmt ES SE CH GB 32**

5. **Aclastus micator (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *micator* Gravenhorst,1807; *caudator* Aubert,1963; *caudator* Hellén,1967 Range (in code): **AT TR AZ Cc BE BG CA Abt On CZ SK FI FR DE HU IR IE IT LT NL NO PL RU Kmt Pt Voo ES SE US Mai GB**
6. **Aclastus solutus (Thomson,1884)** (Ichneumonidae) Synonym(s): *solutus* Thomson,1884 Range (in code): **AT TR BE BG CZ SK FI FR DE GR HU IR IE IT Md NL PL ES SE GB**
7. **Aclastus transversalis Horstmann,1980** (Ichneumonidae) Synonym(s): *transversalis* Horstmann,1980 Range (in code): **BG TR FI SE GB**
8. **Acrodactyla quadrisculpta (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *quadrisculpta* Gravenhorst,1820; *laevigata* Holmgren,1859; *kincaidii* Ashmead,1894; *albocoxalis* Ashmead,1902; *mellithorax* Cushman,1920 Range (in code): **AU QAU AT BY BE BG CA Abt BCo On Ssk CN CZ SK DK FI FR DE HU IE IT LT NO PL RO RU Us Sh Pt Ya Yr ES SE CH US Als Arz Cf Col Ny Org Ws GB TR 53 67 53M**
9. **Acropimpla didyma (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *didyma* Gravenhorst,1829; *jezoensis* Matsumura,1926 Range (in code): **AT BY BE CN CZ SK FI FR DE HU IE IT JP LT PL RO RU Ao Us Sh Yr SE CH UA GB TR**
10. **Acropimpla pictipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pictipes* Gravenhorst,1829; *gravenhorstii* Taschenberg,1863; *stenostigma* Thomson,1877; *ratzeburgii* Kriechbaumer,1887; *proxima* Förster,1888 Range (in code): **AT AZ Cc BY BE BG CN Mc CZ SK FI FR DE HU IE IT JP LT LV MD MN NL NO PL RO RU Am Kmt Us Ro Sh Pt Tv Ya Yr YU ES SE CH UA GB YU TR 25**
11. **Acroricus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 Range (in code): **TR GR CY SY LB IL Pa 16 22 32 33 34 46**
12. **Acroricus stylator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *stylator* Thunberg,1822; *macrobat* Gravenhorst,1829; *schaumii* Ratzeburg,1852; *clavator* Holmgren,1856; *exannulatus* Kriechbaumer,1894 Range (in code): **TR AT AZ Cc BY BG CA Abt BCo Nfl Lbr On HV CZ SK DK FI FR Co DE HU IR IE IT KP KR LT LV MK NL NO PL RO RU Ao Da Us Sh Pt ES SE CH US Arz Cf Col Nje Ny Oh Org Ut Ws Wy UA GB YU 34**
13. **Acrotomus lucidulus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *lucidulus* Gravenhorst,1829; *sexcinctus* Gravenhorst,1829; *auriculatus* Thomson,1883 Range (in code): **TR AT AZ Cc BY BE BG CZ SK FI FR Co GG DE HU GR IT JP KG KP KR LV MN NL NO PL RO RU Kr Us Pt St Ya Yr ES CH UA GB**
14. **Acrotomus succinctus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *succinctus* Gravenhorst,1829 Range (in code): **TR AT AZ Cc BY BE BG CA On CZ SK FI FR Co GG DE GR HU IN IR IE JO KG KP KR LV MD MN NL NO PL RO RU Da Kb Kr Mo Us Pt Tv Ty Voo Ya Yr ES SE TJ TN US Nje GB YU 11 15 17 22 25 32 34 53 59**
15. **Aderaeon hamatum Kasparyan,1971** (Ichneumonidae) Synonym(s): *hamatum* Kasparyan,1971 Range (in code): **TR AM AZ Cc GG BG IR RU VI UA**
16. **Agrothereutes abbreviatus (Fabricius,1793)** (Ichneumonidae) Synonym(s): *abbreviatus* Fabricius,1793; *breviator* Thunberg,1822; *incubitor* Gravenhorst,1829; *hopei* Gravenhorst,1829; *marginellus* Gravenhorst,1829; *pygoleucus* Gravenhorst,1829; *tibiator* Gravenhorst,1829; *ocellator* Zetterstedt,1838; *leucomerus* Ratzeburg,1852;... Range (in code): **TR AT AZ Cc BE BG CA Abt BCo On Yuk CN CZ DK FI FR Co DE HU IT KP KR LT LV NL NO PL RO RU ES SE US Als Cf Col NMx Ny Oh Ut Wy 37**
17. **Agrothereutes fumipennis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fumipennis* Gravenhorst,1829; *filipendulae* Boie,1855; *zygaenarum* Thomson,1873; *hymotomadum* Rudow,1883; *nigricans* Kiss,1915; *gracilentus* Habermehl,1929 Range (in code): **TR AT AZ Cc BE BG HV CZ DK FI FR DE HU IT LT LV MK NL NO PL RO RU Kmt SS ES SE CH TN UA GB YU 25 32 37**
18. **Agrothereutes hospes (Tschek,1871)** (Ichneumonidae) Synonym(s): *hospes* Tschek,1871; *solitarius* Tschek,1871; *intermedius* Verhoeff,1890 Range (in code): **TR AT BE BG CZ FI FR Co DE HU IR IT LT MD NO PL RO YU ES SE CH GB 28 32**
19. **Agrothereutes parvulus (Habermehl,1926)** (Ichneumonidae) Synonym(s): *parvulus* Habermehl,1926 Range (in code): **TR FR BG Co IR ES 28 32 52**
20. **Agrypon flaveolatum (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *flaveolatum* Gravenhorst,1807; *cribrator* Thunberg,1822; *laedator* Thunberg,1822; *arquat* Gravenhorst,1829; *septentrionale* Holmgren,1857; *aggressorium* Förster,1860; *confusum* Förster,1860; *elegantulum* Förster,1860; *rubricatum* Förster,1860 Range (in code): **TR AT AZ Cc BY BE BG CA Abt BCo Mnt Nfl Lbr On Qb Ssk Yu CZ SK DK FI FR DE HU IS IE IT JP KG KP KR KK LT LV MD NL NO PL RO RU Am Sh Pt VI ES SE CH US Als Arz Cf Col Ge Id Io Mai Meh Mon Ne Nh Nje NMx Ny NCa Oh Org Pns SCa Ws Mns Tnn UA GB 06**
21. **Agrypon flexorium (Thunberg,1822)** (Ichneumonidae) Synonym(s): *flexorium* Thunberg,1822; *tenuicorne* Gravenhorst,1829; *subclavatum* Förster,1860; *anaitidis* Szépligeti,1899; *sibiricum* Shestakov,1923; *moravicum* Gregor,1940 Range (in code): **TR AT BY BE BG CN IMn HV CZ SK DK FI FR DE GR HU IE IL IT Sa Si LT LV MD MN NL NO PL RO RU At Ir Kr Us Ro Sh Pt St To Ya ES SE CH TN UA GB UZ 22 25 32 34 69**



22. **Agrypon gracilipes (Curtis,1839)** (Ichneumonidae) **Synonym(s):** *gracilipes* Curtis,1839; *debilis* Wesmael,1849; *meridionator* Aubert,1964 Range (in code): **TR AT BY BE BG CZ SK EE FI FR Co DE HU KP KR LT MD PL RO RU Ao Kr Us Ro To ES UA GB 06 69**
23. **Agrypon varitarsum (Wesmael,1849)** (Ichneumonidae) **Synonym(s):** *varitarsum* Wesmael,1849; *cognatum* Förster,1860; *nigripes* Bridgman,1887; *variitarsum* Dalla Torre,1901 Range (in code): **TR AT BY BE BG CA Abt BCo Nfl Lbr On Qb Ssk CZ EE FI FR DE HU IN IE JP KG LT MD MM NL PL RO RU Am Ao Us Pt SK ES SE CH US Alb Ge Id Ilm Mrl Mch Mns NMx Ny NCa Oh Org Pns Sca Tnn Vi Ws Wc GB 25 39 76**
24. **Alcima pictor Aubert,1971** (Ichneumonidae) **Synonym(s):** *pictor* Aubert,1971 Range (in code): **TR**
25. **Alexeter niger (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *niger* Gravenhorst,1829; *femoralis* Ulbricht,1916 Range (in code): **AT BE BG CZ FI FR DE GR HU IE LT LV NL NO PL RU Kmt Ya Yr ES SE CH TR GB**
26. **Alexeter segmentarius (Fabricius,1787)** (Ichneumonidae) **Synonym(s):** *segmentarius* Fabricius,1787; *fraternarius* Thunberg,1822; *maxillarius* Thunberg,1822; *sectator* Thunberg,1822; *ruficornis* Gravenhorst,1829; *mutator* Zetterstedt,1838; *comptus* Holmgren,1857; *lugubris* Woldstedt,1874; *rufomaculatus* Pfankuch,1906; *sibricus* Kiss,1926; *rufopetiolatus* Kiss,1933 Range (in code): **AT BY BE BG CN Gn CZ SK EE FI FR GG Cc DE HU IE IT LT LV MN NL NO PL RO RU Ir Kmt Kr Sh Pt YU ES SE CH TR UA GB ME**
27. **Alloplasta piceator (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *piceator* Thunberg,1822; *creditor* Thunberg,1822; *albitarsus* Gravenhorst,1829; *lata* Gravenhorst,1829; *murina* Gravenhorst,1829; *albitarsoria* Zetterstedt,1838; *genucincta* Rudow,1886; *variipes* Szépligeti,1899 Range (in code): **TR Cc AT BE BG CA Abt BCo Qb CN Gn Lng CZ SK DK FI FR DE HU IE IT JP LT MD NL NO PL RO RU At Ao Ir Kr Us Pt Sr Yr ES SE CH US Arz Cf Col Id Knt Mrl Mch Mon Nh NMx Ny Org Pns Ut Ws UA GB 32**
28. **Alloplasta plantaria (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *plantaria* Gravenhorst,1829; *rufilegus* Meyer,1922 Range (in code): **AT BE CN Lng IMn FI FR DE HU PL RO RU Ao Us ES TR GB**
29. **Alloplasta tomentosa (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *tomentosa* Gravenhorst,1829; *grisea* Gravenhorst,1829; *similis* Habermehl,1917 Range (in code): **TR AT BE BG CN Hnn Lng CZ SK FR DE HU IT MD PL RO 25 62 62C**
30. **Alomya debellator (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *debellator* Fabricius,1775; *ovator* Fabricius,1793 Range (in code): **TR AT BE BG HV CZ SK DK FI FR GG Cc DE HU IE IT Si LT LV NL NO PL RO RU Pt ES SE CH GB 34 77**
31. **Amblyjoppa fuscipennis (Wesmael,1845)** (Ichneumonidae) **Synonym(s):** *fuscipennis* Wesmael,1845; *bimaculata* Constantineanu,1954; *raouli* Constantineanu,1954 Range (in code): **DZ AT AZ Cc BE BG CZ FI FR DE HU IR IE IT Si KG LT MN NL NO PL RO RU Om ES SE CH YU TR GB 08 25 51 76 08H 25C 25Ca 25F 25K 25L 25N 25O 76B 76Bh 76Bf**
32. **Amblyteles armatorius (Forster,1771)** (Ichneumonidae) **Synonym(s):** *armatorius* Forster,1771; *bidentorius* Fabricius,1775; *fasciatorius* Fabricius,1775; *notatorius* Villers,1789; *dimicatorius* Gmelin,1790; *signatorius* Olivier,1792; *diversorius* Stephens,1835; *regius* Tischbein,1868 Range (in code): **Cn MA DZ TN PT ES FR BE NL GB IE SE FI RU DE PL CZ CH IT Sa Si SS YU HU RO BG CY AZ Cc Da RU TR CN Ui Gn JP Sh 03 16 22 44 59 65 44Lc 65F 65Fb 65N 65Nc**
33. **Aneucelis anterior Horstmann,1971** (Ichneumonidae) **Synonym(s):** *anterior* Horstmann,1971 Range (in code): **BG MD TR RU KG AT DE PL Voo 01 07 35**
34. **Aneucelis incidens (Thomson,1889)** (Ichneumonidae) **Synonym(s):** *incidens* Thomson,1889 Range (in code): **TR AT AZ Cc BG HV CZ SK DK FI FR GG DE GR Cr HU IR IT KG KK LV Md MD MN PL RO RU Ao Da Kr Us St Vl ES SE TJ TM UA UZ 01 02 03 07 15 22 27 33 37 43 65**
35. **Aneucelis melanaria (Holmgren,1860)** (Ichneumonidae) **Synonym(s):** *melanaria* Holmgren,1860; *diversa* Szépligeti,1899; *petiolaris* Szépligeti,1899 Range (in code): **TR KG AF Cc RU AT BE BG HV CZ SK DK FI FR GG DE HU IE MK MD MN NL PL RO Ao Pt St Yr ES SE TJ TN TM UA GB YU 06 17 18**
36. **Anisobas brombacheri Heinrich,1933** (Ichneumonidae) **Synonym(s):** *brombacheri* Heinrich,1933; *ventouxensis* Pic,1936; *martinae* Riedel,2004 Range (in code): **AT HV FR DE GR IT Si KK NO PL ES TR 25 55**
37. **Anisobas cephalotes Kriechbaumer,1882** (Ichneumonidae) **Synonym(s):** *cephalotes* Kriechbaumer,1882 Range (in code): **BG HV FR GR HU IT YU ES CH TR TM Kp**
38. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) **Synonym(s):** *cingulatorius* Gravenhorst,1820 (*praeocc.*); *cingulatellus* Horstmann,1997 Range (in code): **ES IT DE CZ TR Cc RU KG IR GB DK BE CZ SK AT IT SS BG AZ Cc IR KG AF UZ TM 01 35 38 42 62 62G**
39. **Anisobas gusenleitneri Heinrich,1980** (Ichneumonidae) **Synonym(s):** *gusenleitneri* Heinrich,1980 Range (in code): **TR 42**

40. **Anisobas hostilis (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *hostilis* Gravenhorst,1820; *scutelloniger* Pic,1897; *nigroscutellatus* Constantineanu etl al.,1957; *maroccanus* Heinrich,1980 **Range (in code):** **MA DZ AT BE BG CN Ui HV CZ DK FI FR DE GR HU IT Sa Si TR Cc KG RU KK LT NL PL RO Kr Cc YU SK SS ES SE CH GB 25 59**
41. **Anisobas rebellis Wesmael,1845** (Ichneumonidae) **Synonym(s):** *rebellis* Wesmael,1845 **Range (in code):** **MA DZ TR TM 62 62G**
42. **Anisobas seyrigi Heinrich,1934** (Ichneumonidae) **Synonym(s):** *seyrigi* Heinrich,1934 **Original reference:** *Anisobas seyrigi* Heinrich,1934, Mitt. zool. Mus. Berlin 19: 158. **Range (in code):** **BG FI FR GR IT Si KG KK RU Sb ES TR 62 62C**
43. **Anisobas turcator Horstmann,2007** (Ichneumonidae) **Synonym(s):** *turcator* Horstmann,2007 **Original reference:** *Anisobas turcator* Horstmann,2007, Entomofauna 28: 112-113. Holotype ♀: Türkiye: "Turcia centr., Acigel env. [Acıgöl], 19.5.19999 K.Denes sen. lgt. (Linz)". **Range (in code):** **TR 03**
44. **Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae) **Synonym(s):** *cruentatum* Geoffroy,1785; *petiolatum* Geoffroy,1785; *foliator* Fabricius,1798; *humerales* Brullé,1832; *nigerrimum* Strobl,1904; *rufoorbitale* Cameron,1906; *flavoorbitale* Cameron,1906 **Range (in code):** **TR AF AT AZ Cc BY BE BG Cn CN Ui HV CY CZ SK EG FI FR Co DE GR HU IN IR IL Pa IT Sa Si JP JO KG KP KR LT LB LV LY MT MD MN MM NL PK PL PT RO RU Sb Ao Da Or Ro Pt St ES LK SE CH TN TM UA GB UZ YU 03 02 06 07 12 21 23 24 25 31 32 34 36 38 44 46 47 59 62 66 69 72 76 62G 76B**
45. **Anomalon foliator (Fabricius,1798)** (Ichneumonidae) **Synonym(s):** *foliator* Fabricius,1798 **Range (in code):** **TR KG RU Sb 06 34 38 59 66**
46. **Aoplus castaneus (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *castaneus* Gravenhorst,1820; *rufoniger* Tischbein,1881; *mesopyrrhus* Kriechbaumer,1893; *flaviger* Berthoumieu,1896; *subniger* Berthoumieu,1896; *fieschensis* Pic,1926; *royatensis* Pic,1926 **Range (in code):** **TR AT BY BE BG CZ SK FI FR DE HU IS IE IT Si LT NL NO PL RO RU Ao Sh SE CH TN UA GB**
47. **Apaeleticus bellicosus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *bellicosus* Wesmael,1845; *inclutus* Wesmael,1853; *cautus* Berthoumieu,1898; *rufipes* Constantineanu,1951 **Range (in code):** **TR BY BE BG HV FI FR DE IE IT LT NL PL PT RO RU ES UA GB YU**
48. **Apaeleticus inimicus (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *inimicus* Gravenhorst,1820; *haematodus* Gravenhorst,1829; *flammeolus* Wesmael,1845; *balearicus* Kriechbaumer,1894; *amoenus* Habermehl,1917; *ibericus* Seyrig,1927; *muelleri* Kiss,1929 **Range (in code):** **TR AD BE BG HV CZ FI FR Co DE HU IT Sa Md NL PL RO RU ES SE CH GB YU**
49. **Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *compunctor* Linnaeus,1758; *brassicariae* Poda,1761; *cunctor* Scopoli,1763; *annulosa* Gmelin,1790; *cylindrica* Gmelin,1790; *melanoxantha* Gmelin,1790; *vigilans* Christ,1791; *imminutor* Christ,1791; *varicator* Thunberg,1822; *varicornis* Fabricius,1793; *conjunctor* Panzer,1804; *lativentris* Rudow,1881; *rufipes* Rudow,1883; *flavoscutellata* Constantineanu,1958 **Range (in code):** **TR AM Cc AT AZ BY BE BG CN Mc Lng HV CZ SK EE FI FR Co GG DE HU IE IT Si JP KG KP KR KK LT LV MK MD NL NO PL RO RU At Sb Am Ao Da Ir Kmt Kc Kr Mgd Mo Us Sh Pt To Vi Voo Ya Yr YU SS ES SE CH UA GB 16 53 53M**
50. **Apechthis quadridentata (Thomson,1877)** (Ichneumonidae) **Synonym(s):** *quadridentata* Thomson,1877; *dendrolimi* Matsumura,1926; *dendrolimusi* Matsumura,1926 **Range (in code):** **TR AL AM Cc AT AZ BY BE BG CN Mc HV CZ SK IT JP KG LV MK MD MN FI FR GG DE HU GR NL NO PL RO RU Am Ao Ir Kb Kmt Kc Mo Us Sh Pt St Voo Yr YU ES SE CH UA GB YU 19**
51. **Aphanistes bellicosus (Wesmael,1849)** (Ichneumonidae) **Synonym(s):** *bellicosus* Wesmael,1849 **Range (in code):** **TR AT BE CZ SK FI FR DE HU JP NO PL RU Sh ES GB SE**
52. **Aphanistes gliscens (Hartig,1838)** (Ichneumonidae) **Synonym(s):** *gliscens* Hartig,1838; *armatus* Wesmael,1849 **Range (in code):** **TR BY BE BG CZ SK FI FR DE HU IT Si KG KK LT LV MD NL NO PL RO RU Ao Or Us Sr Voo ES SE CH UA GB**
53. **Apophua bipunctoria (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *bipunctoria* Thunberg,1822; *cubitaria* Thunberg,1822; *flavolineata* Gravenhorst,1829; *baltica* Habermehl,1926 **Range (in code):** **TR AT AZ Cc BY BE BG CN Mc Jn Lng Ui CZ SK DK EE FI FR DE HU IE IT Sa JP KP KR LT LV MD MN NL NO PL RO RU Us Pt ES SE CH US Iln Nje UA GB 32**
54. **Aptesis cavigena Kolarov & Gürbüz,2009** (Ichneumonidae) **Synonym(s):** *cavigena* Kolarov & Gürbüz,2009 **Original reference:** *Aptesis cavigena* Kolarov & Gürbüz,2009, Ent. News 120 (1): 91-94. **Range (in code):** **TR**
55. **Aptesis cretata (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *cretata* Gravenhorst,1829 **Range (in code):** **AT AZ Cc BG FI FR Co DE HU LT MD NL NO PL RO SS ES SE CH TR GB**
56. **Aptesis nigrocincta (Gravenhorst,1815)** (Ichneumonidae) **Synonym(s):** *bimaculata* Christ,1791 (preocc.); *nigrocincta* Gravenhorst,1815; *sudetica* Gravenhorst,1815; *duplicatoria* Thunberg,1822; *flaveolata* Gravenhorst,1829; *hostilis* Gravenhorst,1829; *jucunda* Gravenhorst,1829; *ephippia* Rudow,1914; *fulvipes* Rudow,1914; *analys* Rudow,1917; *Rudow*,1917; *clythrae* Rudow,1917; *haemorrhoidalis* Rudow,1917;

- nigrocincta* Rudow,1917 \_ Range (in code): TR AT AZ Cc BE BG CZ SK DK EE FI FR Co DE HU IE IT LT LV MD NL NO PL RO RU Ao Pt ES SE CH GB YU 62 62C
57. **Aptesis senicula** (Kriechbaumer,1893) (Ichneumonidae) Synonym(s): *senicula* Kriechbaumer,1893 \_ Range (in code): TR AZ Cc NO BG MD DE 62 62C
58. **Aritranis claviventris** (Kriechbaumer,1894) (Ichneumonidae) Synonym(s): *claviventris* Kriechbaumer,1894 \_ Range (in code): TR BG HV HU IR PL RO ES YU 07 63
59. **Aritranis director** (Thunberg,1822) (Ichneumonidae) Synonym(s): *director* Thunberg,1822; *monotona* Ratzeburg,1844; *varipes* Brischke,1881; *leucopygoides* Strand,1920; *hungarica* Kiss,1924; *postfurcalis* Constantineanu,1960 \_ Range (in code): AT AZ Cc BE BG CA On CZ FI FR Co DE HU IR IL Pa IT LT MK MD NO PL RO RU ES SE TR US Nje Ny Oh GB YU 07 15 32 53 61
60. **Aritranis longicauda** (Kriechbaumer,1873) (Ichneumonidae) Synonym(s): *longicauda* Kriechbaumer,1873; *obscurata* Kriechbaumer,1873; *corcyraea* Schmiedeknecht,1890; *heraldica* Kriechbaumer,1894; *hungarica* Szépligeti,1916; *corsicator* Aubert,1968 \_ Range (in code): DZ TR AT BG HU HV CZ SK FR Co GR IT MD RO RU SS ES YU 32
61. **Aritranis nigrifemur** (Szépligeti,1916) (Ichneumonidae) Synonym(s): *nigrifemur* Szépligeti,1916; *rara* Habermehl,1920; *difficilis* Habermehl,1926; *gerstaeckeri* Habermehl,1926 \_ Range (in code): TR BG CZ SK DE HU IR PL RO YU 32
62. **Aritranis nigripes** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *nigripes* Gravenhorst,1829; *fuscmarginata* Gravenhorst,1829; *insectator* Tschek,1871; *jonica* Tschek,1872; *procera* Brischke,1881; *nigripes* Kriechbaumer,1894 \_ Range (in code): TR AF DZ AT AZ BG Cc HV CZ SK DK FI FR Co DE GR HU IL IT Sa Si LV MK MD MA NO PL PT RO SS ES CH TN GB UZ YU 31
63. **Aritranis occisor** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *occisor* Gravenhorst,1829; *gracilis* Taschenberg,1865; *fuscicornis* Tschek,1871; *punguri* Kiss,1915; *notabilis* Habermehl,1926 \_ Range (in code): TR DZ AT BG HV CZ SK FI FR Co DE GR HU IR IT Si JP KG PL RO RU Ao St ES SE CH TN YU 32
64. **Arotes albicinctus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *albicinctus* Gravenhorst,1829; *bifasciatus* Kriechbaumer,1878 \_ Range (in code): TR AL AM Cc AT AZ BY CN Mc Jn Lng CZ SK FI FR GG HU IR Ak IT KP KR NL PL PT RU At Ir Us ES UA GB
65. **Astiphromma aggressor** (Fabricius,1804) (Ichneumonidae) Synonym(s): *aggressor* Fabricius,1804; *marginellum* Holmgren,1860 \_ Range (in code): AT BG CZ DK FI FR DE LT LV NL NO PL RO SE UA TR GB CH BY
66. **Astiphromma nigriceps** (Brischke,1880) (Ichneumonidae) Synonym(s): *nigriceps* Brischke,1880 \_ Range (in code): BG GR RO YU TR SK UZ KG RU Da Cc
67. **Astiphromma nigrocoxatum** (Strobl,1904) (Ichneumonidae) Synonym(s): *nigrocoxatum* Strobl,1904; *mimulum* Hedwig,1955; *interstitiale* Constantineanu & Mustata,1969 \_ Range (in code): AT DE NO RO CH TR BG CZ FR
68. **Astiphromma splenium** (Curtis,1833) (Ichneumonidae) Synonym(s): *splenium* Curtis,1833; *strenum* Holmgren,1860; *pleurale* Provancher,1875; *plagiatum* Thomson,1885; *provancheri* Dalla Torre,1901; *orcae* Ashmead,1902; *kiotense* Uchida,1933; *sachalinensis* Uchida,1933 \_ Range (in code): TR AT BE BG CA Abt BC On Ssk CZ SK FI FR Co GG Cc DE HU IE JP KP KR LT LV MD NL NO PL RO RU Ao Kmt Sh To SE CH US Als Cf Col Nje Ny Oh Org Ws GB
69. **Astiphromma varipes** (Holmgren,1860) (Ichneumonidae) Synonym(s): *varipes* Holmgren,1860; *variipes* Dalla Torre,1901 \_ Range (in code): TR AT AZ Cc FI DE IT PL RO SE 53
70. **Atrometoides winkleri** Fahringer,1922 (Ichneumonidae) Synonym(s): *winkleri* Fahringer,1922 \_ Range (in code): TR 01
71. **Banchopsis crassicornis** Rudow,1886 (Ichneumonidae) Synonym(s): *crassicornis* Rudow,1886 \_ Range (in code): TR RU Cc 06 34
72. **Banchus crefeldensis** Ulbricht,1916 (Ichneumonidae) Synonym(s): *crefeldensis* Ulbricht,1916; *croaticus* Hensch,1928 \_ Range (in code): TR TN BE HV CY FR DE HU IE IT ES CH GB YU
73. **Banchus falcatorius** (Fabricius,1775) (Ichneumonidae) Synonym(s): *falcatorius* Fabricius,1775; *variegator* Fabricius,1775; *tricolor* Schrank,1776; *intersectus* Geoffroy,1785; *aries* Christ,1791; *notatorius* Olivier,1792; *histrio* Schrank,1802; *labiatus* Schrank,1802; *falcator* Fabricius,1804; *luteofasciatus* Ulbricht,1911; *sachalinensis* Matsumura,1911; *nobilitor* Morley,1915; *sanguinator* Meyer,1922; *lavrovi* Meyer,1927; *propitius* Kuslitzky,1979 \_ Range (in code): TR AT BY BE BG CN Lng IMn Ui HV CZ DK FI FR Cc GG DE GR HU IL IT KG LT LV MD MN NL NO PL RO RU Am Ao Kmt Mo Om Pe Us Sh Pt Sr Tt VI Voo ES SE CH UA GB YU 34 80
74. **Banchus palpalis** Ruthe,1859 (Ichneumonidae) Synonym(s): *palpalis* Ruthe,1859; *spinosus* Cresson,1865; *formidabilis* Provancher,1874; *groenlandicus* Aurivillius,1890; *alticola* Ashmead,1901 \_ Range (in code): TR CA On Qb CN Jn DE GR Grl IS IE LT RU Ir Kmt Mgd Sh Ya TR US Col NMx Wy
75. **Banchus pictus** Fabricius,1798 (Ichneumonidae) Synonym(s): *cultratus* Gmelin,1790 (preocc.); *mutillatus* Christ,1791 (preocc.); *pictus* Fabricius,1798; *bipunctatus* Hensch,1928; *zagoriensis* Hensch,1928



Range (in code): TR TJ Pm AL DZ AT AZ Cc BE CN Gn HV CZ SK FR GG DE GR HU IE IT Si KG LT MD NL PL RO RU Ao Da ES SE CH TN UA GB YU o3

76. **Banchus tuncator Aubert, 1981** (Ichneumonidae) Synonym(s): *tuncator* Aubert, 1978; *tuncator* Aubert, 1981 Original reference: Banchus tuncator Aubert, 1981, Bull. Soc. ent. Mulh. 1981: 17-22. Range (in code): AZ Cc TJ TR o6 o7 25 34 50 58 69 o6R 58G
77. **Banchus volutatorius (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): *volutatorius* Linnaeus, 1758; *venator* Linnaeus, 1758; *umbellatarum* Schrank, 1786; *certator* Thunberg, 1822; *monileatus* Gravenhorst, 1829; *farrani* Curtis, 1836; *moniliatus* Marshall, 1872; *calcaratus* Szépligeti, 1910; *alticola* Schmiedeknecht, 1910 Range (in code): TR AT BY BE BG CA Abt CN Ui HV CZ SK FI FR DE HU IE IT JP KP KR KK LT LV MN NL NO PL RO KG Aa RU Ya Ao Da Cc Mo Us Sh Yr Pe ES SE CH US Als GB Grl
78. **Baranisobas ridibundus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *ridibundus* Gravenhorst, 1829; *hassicus* Ratzeburg, 1848; *variegator* Tischbein, 1881; *polystictus* Kriechbaumer, 1887; *annulatus* Berthoumieu, 1896; *instabilis* Berthoumieu, 1897; *insperatus* Dalla Torre, 1902; *fallaciosus* Berthoumieu, 1903; *nigritegulis* Constantineanu, Andriescu & Ciochia, 1956 Range (in code): AD AT BY BE BG HV CZ SK DK FI FR Co DE GR HU IE IT LT NL NO PL RO RU Kr Cc ES SE CH TR TN GB
79. **Barichneumon albicaudatus (Fonscolombe, 1847)** (Ichneumonidae) Synonym(s): *albicaudatus* Fonscolombe, 1847; *angustatus* Wesmael, 1848 Range (in code): TR AT AZ Cc BE BG HV FR DE HU IR IT KG LV MK PL RO RU Kmt ES GB YU
80. **Barichneumon bilunulatus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *bilunulatus* Gravenhorst, 1829; *sexlineatus* Gravenhorst, 1829; *piniperdae* Hartig, 1838; *trocheli* Ratzeburg, 1844; *imitator* Kriechbaumer, 1882; *moraguesi* Kriechbaumer, 1894; *punctus* Berthoumieu, 1895; *subannulatus* Berthoumieu, 1895; *triplex* Berthoumieu, 1895 Range (in code): TR DZ AD AT AZ Cc BY BE BG HV CZ SK FI FR Co GG GR HU IR IE IT Si KG LT MA NL PL PT RO RU At Ao Pt ES CH TN GB YU
81. **Barichneumon chionomus (Wesmael, 1845)** (Ichneumonidae) Synonym(s): *chionomus* Wesmael, 1845; *rufifemur* Constantineanu, 1951 Range (in code): TR AD AT BE BG CZ SK FI FR DE GR HU IE IL IT Sa MA NL NO PL RO RU Ao St ES CH UA GB
82. **Barichneumon manni (Kriechbaumer, 1888)** (Ichneumonidae) Synonym(s): *manni* Kriechbaumer, 1888 Range (in code): TR PL RO 16
83. **Barichneumon plagiarius (Wesmael, 1848)** (Ichneumonidae) Synonym(s): *plagiarius* Wesmael, 1848; *merkli* Kiss, 1915; *hortobagyiensis* Kiss, 1929; *seminiger* Kiss, 1929 Range (in code): TR BY BE BG FI FR DE HU PL PT RO YU ES GB
84. **Barycnemis alpina (Strobl, 1901)** (Ichneumonidae) Synonym(s): *alpina* Strobl, 1901; *alpina* Strobl, 1904 Range (in code): SE TR AT BG FI IR IT NO PL CH 69
85. **Barycnemis harpura (Schrank, 1802)** (Ichneumonidae) Synonym(s): *harpura* Schrank, 1802; *bedeguaris* Panzer, 1809; *angularis* Provancher, 1874; *micans* Provancher, 1875; *elongata* Provancher, 1886; *polita* Ashmead, 1890; *canaliculata* Viereck, 1913; *fusca* Constantineanu, 1939; *clypeonigro* Constantineanu, 1941 Range (in code): TR AM AT BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CZ SK DK EE FI FR GG DE GR HU IE IT Si KG LT LV MD MN NL NO PL RO RU Da Kmt Mgd Mo Us Sh Pt Ty VI Voo Ya Yr ES SE CH US Als Arz Cf Col NMx Ny Org Ut Ws Wy UA GB YU o8 25 53 65 75 75F 75Fe
86. **Barylypa amabilis (Tosquinet, 1900)** (Ichneumonidae) Synonym(s): *amabilis* Tosquinet, 1900; *variabilis* Greese, 1927; *chlorotica* Meyer, 1935; *shach* Meyer, 1935; *taurica* Meyer, 1935 Range (in code): TR AF AZ Cc CZ SK EG IR IL KG PL RO RU Ao TN UA UZ 25 55
87. **Barylypa delictor (Thunberg, 1822)** (Ichneumonidae) Synonym(s): *delictor* Thunberg, 1822; *perspicillator* Gravenhorst, 1829; *affinis* Lucas, 1845; *menyanthidis* Boie, 1855; *genalis* Thomson, 1892; *temporalis* Meyer, 1935 Range (in code): DZ AZ Cc BG Cn HV CZ SK FI FR DE GR HU IR IT JO KG KK MD MA NO PL RU Ao Sr ES SE TJ TR GB 22 25 32 49
88. **Barylypa pallida (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *pallida* Gravenhorst, 1829; *melanocneme* Vollenhoven, 1878; *exquisita* Tosquinet, 1889; *laticeps* Thomson, 1892; *discrepans* Brauns, 1895; *renidens* Tosquinet, 1896; *elegantula* Schmiedeknecht, 1900; *persicator* Aubert, 1966 Range (in code): DZ AZ Cc BG HV CZ SK EG FR DE HU IR KG MD PL RU Am St ES SE TN TR UA
89. **Barylypa propugnator (Förster, 1855)** (Ichneumonidae) Synonym(s): *propugnator* Förster, 1855; *insidiator* Förster, 1878; *carinata* Brischke, 1880; *cylindrica* Bridgman & Fitch, 1884; *ruficornis* Szépligeti, 1899; *insidiatrix* Schulz, 1906; *roborowskii* Kokujev, 1915; *rufa* Habermehl, 1920; *sibirica* Meyer, 1930; *monticola* Meyer, 1935; *semenovi* Meyer, 1935 Range (in code): TR AF AT BY BE BG CN Ui Hnn Shs HV CZ SK FI FR GG Cc DE HU IE KG KP KR LT LV MN NL PL RO RU Da Kr Us ES SE UA GB YU 53
90. **Barylypa torquata Atanasov, 1975** (Ichneumonidae) Synonym(s): *torquata* Atanasov, 1975 Range (in code): TR AZ Cc KG TJ 25
91. **Barylypa uniguttata (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst, 1829; *nigrifacies* Constantineanu, 1932; *orbitalis* Constantineanu, 1942 Range (in code): TN TR Cc AM IR AF RU Sb Us AT BE BG CZ SK FR Co DE GR HU LT LV MD PL RO RU Ao Da Ro ES SE CH UA GB o7 17 25 36 44 62 62C



92. **Barytarbes flavicornis (Thomson,1892)** (Ichneumonidae) Synonym(s): *flavicornis* Thomson,1892; *segmentarius* Perkins,1962 Range (in code): **TR AF AT BG CZ SK FR DE HU NL PL RU Kr Cc Ro ES CH UA GB 33**
93. **Barytarbes laeviusculus (Thomson,1883)** (Ichneumonidae) Synonym(s): *laeviusculus* Thomson,1883 Range (in code): **CZ SK FR DE HU IT PL RU SE TR GB**
94. **Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913 Original reference: Barytarbes superbus Schmiedeknecht,1913, Opusc. Ichneum. 5: 2911. Range (in code): **TR BG RU IL Pa DZ CZ SK FR DE GR HU IR LV RO ES TN YU**
95. **Barytarbodes tenebrator (Aubert,1987)** (Ichneumonidae) Synonym(s): *tenebrator* Aubert,1987 Range (in code): **TR 30 30D 30Du**
96. **Barytarbodes turcator Aubert,1996** (Ichneumonidae) Synonym(s): *turcator* Aubert,1996 Range (in code): **TR**
97. **Barytatocephalus mocsaryi (Brauns,1895)** (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1895; *seminiger* Brauns,1895; *amoenus* Tosquinet,1900 Range (in code): **HU RU Ao VI TR UA**
98. **Bathyplectes algericus (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *algerica* Smit van Burgst,1913; *algericus* Habermehl,1922 Range (in code): **DZ TN TR IT 34**
99. **Bathyplectes anurus Thomson,1887** (Ichneumonidae) Synonym(s): *anurus* Thomson,1887; *contractus* Thomson,1887; *graecator* Aubert,1970 Range (in code): **TR AT BE BG CA On EG FI FR DE GR HU IR IE JP MK MD NO PL YU ES SE TM US Cf Col Ilm Inp Io Knt Mrl Mch Mon Nh Nje Ny NCa Ok Oh Pns SCa SDk Tnn Vi Wc Wy GB**
100. **Bathyplectes carinatus Horstmann,1974** (Ichneumonidae) Synonym(s): *carinatus* Horstmann,1974 Range (in code): **DE HU YU BG TR AT MD PL 07**
101. **Bathyplectes carthaginensis (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *carthaginensis* Smit van Burgst,1913 Range (in code): **TR TN 06 34**
102. **Bathyplectes curculionis (Thomson,1887)** (Ichneumonidae) Synonym(s): *curculionis* Thomson,1887; *carthaginiensis* Smits van Burgst,1913 Range (in code): **TR AF AT BG CA Abt On Qb CZ SK EG FI FR DE GR IN IR IQ IE IT JP MK MD PL RO ES SE TJ TN US Ark Cf Col Ge Id Ilm Idp Io Kan Knt Mrl Mch Mss Neb Ne Nje NMx Ny Oh Ok Org Pns SDk Tnn Ut Vi Wc Wy GB UZ YU 06 34**
103. **Bathyplectes exiguus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *exiguus* Gravenhorst,1829; *subcinctus* Gravenhorst,1829; *etemankiakorum* Viereck,1917; *phytonomi* Viereck,1925 Range (in code): **TR AT AZ Cc BG CA Abt BCo On Qb FI FR DE GR HU IE IT LT NO PL RO RU Ro Pt St ES SE TN TM US Cnt Ny Org GB UZ YU 34**
104. **Bathyplectes rufipes Horstmann,1974** (Ichneumonidae) Synonym(s): *rufipes* Horstmann,1974 Range (in code): **TR BG DE GR PL 34**
105. **Bathyplectes rufiventrationator (Aubert,1979)** (Ichneumonidae) Synonym(s): *rufiventrationator* Aubert,1979 Range (in code): **TR AM Cc GG RU St 25**
106. **Bathythrix claviger (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *claviger* Taschenberg,1865; *atra* Brischke,1881; *tibialis* Cushman,1917 Range (in code): **TR AT BG CA Abt BCo CZ FI FR DE IN IT IE JP KP KR NL NO PL RU Ao Kmt Sh ES SE US Col Tx Ws GB 34**
107. **Bathythrix decipiens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decipiens* Gravenhorst,1829; *gyrini* Parfitt,1881; *signata* Habermehl,1919; *meridionator* Aubert,1960 Range (in code): **TR AT CZ FR Co DE HU IE IT Si MD PL RU Mo Ro ES SE GB 57**
108. **Bathythrix lamina (Thomson,1884)** (Ichneumonidae) Synonym(s): *lamina* Thomson,1884 Range (in code): **TR AT BE BG CZ FI FR Co DE HU IE IT LT NL PL RU Pt YU ES SE CH UA GB 32 37 61 61L**
109. **Bathythrix linearis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *linearis* Gravenhorst,1829; *heteropus* Thomson,1886 Range (in code): **TR AT BE BG CZ DK FR Co DE IT LT NO PL Kmt SE UA GB 53 53M**
110. **Bathythrix pellucidator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pellucidator* Gravenhorst,1829; *ruficaudata* Bridgman,1883 Range (in code): **TR AT AZ Cc BE BG CZ DK FI FR Co DE HU IR IT MD NL NO PL ES SE CH UA GB 52 53 61 53M 61L**
111. **Benjaminia horstmanni Wahl,1989** (Ichneumonidae) Synonym(s): *horstmanni* Wahl,1989 Range (in code): **TR RU 06**
112. **Blapsidotes vicinus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *vicinus* Gravenhorst,1829; *melanarius* Gravenhorst,1829; *pimplarius* Berthoumieu,1904 Range (in code): **TR AT BG HV CZ SK DK FI FR DE HU IR IE LT MK NL NO PL RO RU Pt Sr ES SE CH GB YU 37**
113. **Brachycyrtus ornatus Kriechbaumer,1880** (Ichneumonidae) Synonym(s): *ornatus* Kriechbaumer,1880 Range (in code): **TR MX 78**

114. **Brachyzapus tenuiabdominalis (Uchida,1941)** (Ichneumonidae) Synonym(s): *tenuiabdominalis* Uchida,1941 - Range (in code): RU Us JP TR JP 14 37 74
115. **Bremiella pulchella (Kriechbaumer,1890)** (Ichneumonidae) Synonym(s): *pulchella* Kriechbaumer,1890; *australis* Schmiedeknecht,1913 - Range (in code): DZ AT BG HU IL Pa MD RU Cc CH UA TR 25
116. **Buathra laborator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *laborator* Thunberg,1822; *fabricii* Schiodte,1839; *proxima* Cresson,1864; *turkestanica* Kriechbaumer,1882; *fulvipes* Magretti,1884; *altonii* Dalla Torre,1902; *fulvipes* Habermehl,1902; *sachalinensis* Matsumura,1911; *satoi* Townes,1962 - Range (in code): TR AT AZ Cc BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Ui CZ FI FR DE GrI HU IR IT JP KG KP KR KK LT LV MD MN NL NO PL RO RU Ao Kmt Sh ES SE CH TJ TM US Als Arz Cf Col NMx Ny Org Ut Ws Wy GB UZ 15 32 61
117. **Buathra tarsoleucos (Schränk,1781)** (Ichneumonidae) Synonym(s): *tarsoleucos* Schränk,1781; *leucopus* Gmelin,1790; *leucotarsos* Gmelin,1790; *curvicauda* Thomson,1896 - Original reference: Ichneumon tarsoleucos Schränk,1781, Enum. Insect. Austr.: 359. Range (in code): TR AF AT BE BG HV CZ DK FI FR DE HU IR IE IT KP KR LT LV MN NL NO PL RO RU Sh ES SE CH TJ UA GB 16 25 32
118. **Caenocryptus rufiventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufiventris* Gravenhorst,1829; *eborinus* Ratzeburg,1852 - Range (in code): TR AF AT BY CZ SK DK FI FR DE HU LV MD PL RO RU SE GB 22
119. **Campodorus agarcin Kasparyan,2005** (Ichneumonidae) Synonym(s): *agarcin* Kasparyan,2005 - Range (in code): TR AM Cc GR 32
120. **Campoletis cognata Tschek,1871** (Ichneumonidae) Synonym(s): *cognata* Tschek,1871 - Range (in code): TR AF AT BE BG CZ SK FR Co DE GR HU MD NL PL PT RO RU Pt Yr ES CH UA GB UZ
121. **Campoletis crassicornis (Tschek,1871)** (Ichneumonidae) Synonym(s): *crassicornis* Tschek,1871; *brachycera* Thomson,1887 - Range (in code): AT AZ Cc BG CZ SK FI FR Co DE GR HU IS IE IT LT NO PL RO RU Yr ES SE TR GB
122. **Campoletis latrator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *latrator* Gravenhorst,1829; *assimilis* Gravenhorst,1829; *latratrix* Schulz,1906; *bicingulata* Szépligeti,1916 - Range (in code): TR AT BE BG CZ SK FI FR Co DE GR HU IE IT Si LT NO PL RO RU Ao Pt Yr SE UA GB 25 62 62G
123. **Campoletis viennensis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *viennensis* Gravenhorst,1829; *annulator* Zetterstedt,1838; *vexans* Holmgren,1860; *maculipes* Strobl,1904; *subdentata* Hellén,1949 - Range (in code): TR AT BE BG Cn DK FI FR DE HU IS IE IT Si Md NO PL RU Ir Pt SE CH UA GB
124. **Campoplex capitator Aubert,1960** (Ichneumonidae) Synonym(s): *capitator* Aubert,1960 - Range (in code): FR Co IT PT TR CH
125. **Campoplex difformis (Gmelin,1790)** (Ichneumonidae) Synonym(s): *difformis* Gmelin,1790; *lineolatus* Ratzeburg,1844; *mutabilis* Holmgren,1860 - Range (in code): TR AT AZ Cc Az BE BG Cn HV CZ SK FI FR Co DE HU IE IT Sa LT LV Md MD NL NO PL RO RU Ao Pt ES SE CH TN UA GB UZ YU 50
126. **Campoplex granditor Aubert,1972** (Ichneumonidae) Synonym(s): *granditor* Aubert,1972 - Range (in code): TR 23
127. **Campoplex melanostictus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *melanostictus* Gravenhorst,1829 - Range (in code): TR AT BY BE CZ SK FI FR DE HU NO PL SE GB 38
128. **Campoplex ramidulus (Brischke,1880)** (Ichneumonidae) Synonym(s): *ramidulus* Brischke,1880 - Range (in code): TR AT BE CZ SK EE FR DE NL PL RU Pt CH GB 06
129. **Campoplex tridentator Aubert,1972** (Ichneumonidae) Synonym(s): *tridentator* Aubert,1972 - Range (in code): TR 33
130. **Casitaria tenuiventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tenuiventris* Gravenhorst,1829; *conica* Ratzeburg,1844; *latifrons* Holmgren,1860; *protensa* Thomson,1887 - Range (in code): TR AT AZ Cc BY BE BG CN Mc Jn Lng HV CZ SK EG FI FR DE GR HU IR IL IT LT MD PL RU Kr Pe Ro Sr Yr ES SE TM GB YU 80
131. **Ceratophygadeuon anurus (Thomson,1884)** (Ichneumonidae) Synonym(s): *anurus* Thomson,1884; *parvicauda* Thomson,1885 - Range (in code): TR FR DE IT SE 65 65E
132. **Charops cantator (De Geer,1778)** (Ichneumonidae) Synonym(s): *cantator* De Geer,1778; *tenuitarsus* Gravenhorst,1829; *decipiens* Gravenhorst,1829; *nigropetiolatus* Strobl,1904; *nigrifacies* Kiss,1924 - Range (in code): AT BE BG HV CZ FI FR GG Cc DE HU IL Pa IT KG KP KR LT MD NO PL RO RU Am Us Ro To YU SK ZA ES SE CH TR UA GB
133. **Chirotica decorator (Villers,1789)** (Ichneumonidae) Synonym(s): *decorator* Villers,1789 - Range (in code): TR UA 34

134. **Chirotica orientalis** Horstmann,1983 (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1983 Range (in code): TR 21 27
135. **Chirotica ruficeps** Horstmann,1983 (Ichneumonidae) Synonym(s): *ruficeps* Horstmann,1983 Range (in code): TR IR 36
136. **Chirotica terebrator** Horstmann,1983 (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983 Range (in code): FR IT Si DZ TR IL Pa IR 21 33
137. **Chromoplex picticollis** (Thomson,1887) (Ichneumonidae) Synonym(s): *picticollis* Thomson,1887; *aegyptiacus* Schmiedeknecht,1909; *egregius* Schmiedeknecht,1909 Range (in code): TR FR IT AT HU HV B-H GR BG UA EG IL Pa 17 25 31 35 48 61
138. **Cidaphus alarius** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *alarius* Gravenhorst,1829; *thuringiacus* Brauns,1889 Range (in code): TR AT BE BG CZ SK FR DE IR IT JP LT MK NP NL PL RO RU Da Cc Sh ES GB YU 25
139. **Cidaphus areolatus** (Boie,1850) (Ichneumonidae) Synonym(s): *areolatus* Boie,1850; *gigas* Kriechbaumer,1897; *brischkei* Szépligeti,1911 Range (in code): TR FI DE HU IT NO PL RU Us GB 53
140. **Clistopyga rufator** Holmgren,1856 (Ichneumonidae) Synonym(s): *rufator* Holmgren,1856; *rufatrix* Schulz,1906 Range (in code): TR AT BG CZ SK FI FR DE HU IR LT NL NO PL RO RU SE GB 25 36 36F 36Fb
141. **Clypeocampulum tibiale** Gauld,1976 (Ichneumonidae) Synonym(s): *tibiale* Gauld,1976 Range (in code): TR AT 01 48 51
142. **Coelichneumon biannulatus** (Gravenhorst,1820) (Ichneumonidae) Synonym(s): *fasciatus* Gmelin,1790 (preocc.); *biannulatus* Gravenhorst,1820; *nothus* Holmgren,1880; *specularis* Tischbein,1881; *leucopis* Berthoumieu,1894 Range (in code): TR AT AZ Cc BY BE BG CZ SK FI FR DE IR NL NO PL RU SE CH UA GB 25
143. **Coelichneumon biguttorius** (Thunberg,1789) (Ichneumonidae) Synonym(s): *biguttorius* Thunberg,1789; *restaurator* Fabricius,1793; *serenus* Gravenhorst,1820; *restitutor* Thunberg,1824; *rufopicalis* Pic,1914; *transsylvanicus* Kiss,1924; *concolor* Heinrich,1949 Range (in code): TR DE FI FR GR GB IT KK Co MN NO AT PL RO SE CH ES CZ UA 04 06
144. **Coelichneumon bohemani** (Holmgren,1864) (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1864; *chevrieri* Pic,1902 Range (in code): TR AT BE BG HV CZ FI FR DE HU PL RO RU Cc Da SE CH UA GB YU 25
145. **Coelichneumon comitator** (Linnaeus,1758) (Ichneumonidae) Synonym(s): *comitator* Linnaeus,1758; *auspex* Müller,1776; *biguttatus* Thunberg,1784; *tripunctorius* Thunberg,1789; *nigrator* Fabricius,1793; *narrator* Fabricius,1804; *ferreus* Gravenhorst,1829; *resturator* Gravenhorst,1829; *coerulescens* Tischbein,1879; *rufescens* Berthoumieu,1894; *numeratus* Berthoumieu,1894; *minor* Kriechbaumer,1894; *nigratus* Habermehl,1916; *basirufus* Constantineanu,1942; *purpurissatus* Perkins,1953 Range (in code): TR AF AD AT AZ Cc BY BE HV CZ EE FI FR DE HU IR IL Pa IT Sa Si JP KG KK LT MD NL NO PL PT RO RU Kr Us Sh ES SE CH UA GB YU 06 25 32 62 65 62G 65F
146. **Coelichneumon consimilis** (Wesmael,1845) (Ichneumonidae) Synonym(s): *consimilis* Wesmael,1845; *caelareator* Tischbein,1881 Range (in code): TR ES FR GB NO EE RU HU RO BE NL DE CH IT 62 62C
147. **Coelichneumon dorsosignatus** (Berthoumieu & Eversmann,1894) (Ichneumonidae) Synonym(s): *dorsosignatus* Berthoumieu & Eversmann,1894; *aureipes* Berthoumieu,1896; *commenticius* Kokujev,1908; *wormatiensis* Habermehl,1916; *bessarabiensis* Constantineanu,1929 Range (in code): TR DZ AT AZ Cc DE IR KG PL RO RU Ro ES 04 08 13 25 36 65 76 13G 65F 76B 76Bh
148. **Coelichneumon erythromerus** (Rudow,1888) (Ichneumonidae) Synonym(s): *erythromerus* Rudow,1888; *warnckeii* Heinrich,1980 Range (in code): TR BE DE FR GB IT KK NL AT PL SE YU Si CZ 04 25
149. **Coelichneumon haemorrhoidalis** (Gravenhorst,1820) (Ichneumonidae) Synonym(s): *haemorrhoidalis* Gravenhorst,1820; *castaneiventris* Gravenhorst,1829; *castaneicauda* Tischbein,1881; *truncatulus* Thomson,1886; *strandii* Berthoumieu,1910; *binigronotatus* Pic,1925; *vulcanius* Pic,1925; *bipunctatus* Schmiedeknecht,1928 nec Gm.,1790 Range (in code): TR BE DE FI FR GR GB IT NL NO AT PL RU Us SE CH ES CZ HU
150. **Coelichneumon lacrymator** (Fonscolombe,1847) (Ichneumonidae) Synonym(s): *lacrymator* Fonscolombe,1847; *basiniger* Constantineanu & Pisica,1959 Range (in code): TR FR Co HU IL IT Sa LB MN NL RO ES SY 15 45 62 62D
151. **Coelichneumon leucocerus** (Gravenhorst,1820) (Ichneumonidae) Synonym(s): *leucocerus* Gravenhorst,1820; *solitarius* Thunberg,1822; *ligeris* Pic,1923 Range (in code): TR Cc ES FR GB NO SE FI DE BE NL HU IR IE CH AT IT LT LV MD NO RO CZ PL EE RU Ao Kmt Kr Yr YU 25 51
152. **Coelichneumon merula** (Berthoumieu,1894) (Ichneumonidae) Synonym(s): *merula* Berthoumieu,1894 Range (in code): MA TR DZ BG ES 25 42 65 65G 65Gc



153. **Coelichneumon moestus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *moestus* Gravenhorst,1829; *maestus* Dalla Torre,1902 Range (in code): **TR BY FR DE IT PL RO GB**
154. **Coelichneumon nigerrimus (Stephens,1835)** (Ichneumonidae) Synonym(s): *nigerrimus* Stephens,1835; *derasus* Wesmael,1845; *carbonator* Tischbein,1874; *minor* Kriechbaumer,1894; *annulatus* Heinrich,1929; *nigrifacies* Constantineanu,1956 Range (in code): **TR AD AZ Cc BY BE HV CZ FI FR Co DE HU IR IE IT NL NO PL RO RU ES UA GB**
155. **Coelichneumon nigritor Riedel, Çoruh & Özbek,2010** (Ichneumonidae) Synonym(s): *nigritor* Riedel, Çoruh & Özbek,2010 Range (in code): **TR AZ Tlh Cc 25 25C**
156. **Coelichneumon nudicoxator Aubert,1966** (Ichneumonidae) Synonym(s): *nudicoxator* Aubert,1966 Range (in code): **TR IL Pa KG KK 04 25 35**
157. **Coelichneumon oltenensis Constantineanu, Pirvescu & Mihalache,1979** (Ichneumonidae) Synonym(s): *oltenensis* Constantineanu, Pirvescu & Mihalache,1979 Range (in code): **TR RO BG GR GB AT Si 43**
158. **Coelichneumon ophiussae (Kriechbaumer,1890)** (Ichneumonidae) Synonym(s): *ophiussae* Kriechbaumer,1890; *tournieri* Pic,1899; *bodmanorum* Heinrich,1950 Range (in code): **TR AT DE FR IT CH 50 50G 50Ga**
159. **Coelichneumon orbitator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *orbitator* Thunberg,1822; *microstichus* Gravenhorst,1829; *melanopyrrhus* Stephens,1835; *liocnemis* Thomson,1888; *transsylvanicus* Kiss,1924 Range (in code): **TR AZ Cc BE BG HV FI FR DE HU IR IL LT NL NO PK PL PT RO ES SE GB 25**
160. **Coelichneumon pararudis Riedel,2008** (Ichneumonidae) Synonym(s): *pararudis* Riedel,2008 Original reference: *Coelichneumon pararudis* Riedel,2008, Linzer biol. Beitr. 40: 1850-1852. Holotype ♀: TR.or. 29.6.93 Gevaş/Van Gölü/leg. K.Denes (Linz). Range (in code): **TR IR KK 04 25 36 65 65C 65F**
161. **Coelichneumon paraviolaceiventris Riedel,2008** (Ichneumonidae) Synonym(s): *paraviolaceiventris* Riedel,2008 Original reference: *Coelichneumon paraviolaceiventris* Riedel,2008, Linzer biol. Beitr. 40: 1852-1853. Holotype ♀: Turkey E 49km NE Muradiye 2200m leg. M.Halada (Linz). Range (in code): **TR Cc 04 25 36 65 65C**
162. **Coelichneumon problematicus Riedel, Çoruh & Özbek,2010** (Ichneumonidae) Synonym(s): *problematicus* Riedel, Çoruh & Özbek,2010 Range (in code): **IR Th Elb TR 25**
163. **Coelichneumon rudis (Fonscolombe,1847)** (Ichneumonidae) Synonym(s): *rudis* Fonscolombe,1847; *vicinus* Fonscolombe,1847 *nec* Cuv.,1843; *kastneri* Taschenberg,1871; *dromedarius* Rudow,1888; *rufipes* Rudow,1888 Range (in code): **TR DZ AT BE BG FR DE GR HU IL IT MA PL PT RO ES TN YU**
164. **Coelichneumon rufigaster Riedel,2008** (Ichneumonidae) Synonym(s): *rufigaster* Riedel,2008 Original reference: *Coelichneumon rufigaster* Riedel,2008, Linzer biol. Beitr. 40: 1853. Holotype ♀: Turkey mer. [İçel Province]: Avgadi 30km NW Erdemli, 20.6.96, 1300m leg. P. Jelinek (Lin). Range (in code): **TR 33 33F**
165. **Coelichneumon subviolaceiventris (Pic,1908)** (Ichneumonidae) Synonym(s): *subviolaceiventris* Pic,1908; *afghanicus* Heinrich,1957 Range (in code): **FR IT TR AF Bd IR KG KK CN MN RU Sb 65 65F**
166. **Coelichneumon validus (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): *nigricornis* Wesmael,1845 (preocc.); *validus* Berthoumieu,1894 Range (in code): **TR BE HV CZ SK FI FR DE HU IR IT PL RO RU At ES GB 25**
167. **Collyria coxator (Villers,1789)** (Ichneumonidae) Synonym(s): *coxator* Villers,1789; *calcitrator* Gravenhorst,1829; *puncticeps* Thomson,1877; *calcitratrix* Schulz,1906 Range (in code): **TR Cc AF AT AZ BE BG CA Abt On Ssk CN Ts CZ SK FI FR GG DE GR HU IR IT Sa JO KG LT LV MD NL NO PL PT RO RU Ao Kmt Kr Ro Pt St ES SE CH SY US Nje Ny Mrl Pns Vi UA GB UZ 03 06 21 23 25 32 34 42 47 72 80**
168. **Collyria isparta Gürbüz & Kolarov,2006** (Ichneumonidae) Synonym(s): *isparta* Gürbüz & Kolarov,2006 Range (in code): **TR 32**
169. **Colpognathus celerator (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *celerator* Gravenhorst,1807; *procerus* Gravenhorst,1829; *femorator* Stephens,1835; *celeratorius* Zetterstedt,1838; *armatus* Thomson,1891; *atricornis* Pic,1914; *femoralis* Habermehl,1917; *sapporensis* Uchida,1926; *rufus* Kiss,1933; *petiolaris* Constantineanu,1954; *nigroscapopus* Aubert,1959 Range (in code): **TR AD AT AZ Cc BE BG HV CZ DK EE FI FR Co DE GR Cr HU IR IE IT Sa JP KG LT LV MK MN NL NO PL PT RO RU Da Kr Mo Pe Ro Yr VI ES SE CH TN UA GB YU**
170. **Colpotrochia cincta (Scopoli,1763)** (Ichneumonidae) Synonym(s): *cincta* Scopoli,1763; *elegantula* Schrank,1781; *mandator* Fabricius,1787; *mundator* Thunberg,1822; *affinis* Vollenhoven,1875; *notata* Kriechbaumer,1894; *interstitialis* Constantineanu,1929; *postfurcalis* Constantineanu,1932 Range (in code): **TR**

AT BY BE BG HV CZ SK FI FR Co GG Cc DE HU IT Si JP KG KP KR LT MK MD NL NO PL RO RU Am  
Da Kr Mo Or Sr Us Ro Sh Pt VI ES SE CH UA GB YU 52 53 62 62G

171. **Colpotrochia triclitor** (Aubert,1979) (Ichneumonidae) Synonym(s): *triclitor* Aubert,1979  
Range (in code): **TR IR 25 63**
172. **Cosmoconus ceratophorus** (Thomson,1888) (Ichneumonidae) Synonym(s): *ceratophorus* Thomson,1888  
Range (in code): **TR AL AM AT AZ Cc BY BG CZ EE FI FR GG HU IE IT LT LV MN NL NO PL RO RU Kr Us Pt Yr ES SE CH UA GB 53 53M**
173. **Cosmoconus elongator** (Fabricius,1775) (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775; *elliotti* Morley,1911  
Range (in code): **TR AL AM Cc AT AZ BY BE BG HV CZ SK DK EE FI FR DE GG HU IE IT KG Aa KP KR LT LV MD NL NO PL RO RU Sb At Mo Pe Us Pt To Yr ES SE CH UA GB 31 33**
174. **Cosmoconus meridionator** Aubert,1963 (Ichneumonidae) Synonym(s): *meridionator* Aubert,1963  
Range (in code): **TR AM Cc BY BG CN Ui CZ SK FR GG DE LT LV MN NO PL RU At Mo Pt To Yr SE CH UA GB**
175. **Cotihersiararches dirus** (Wesmael,1853) (Ichneumonidae) Synonym(s): *dirus* Wesmael,1853  
Range (in code): **TR KG 22**
176. **Cratichneumon coruscator** (Linnaeus,1758) (Ichneumonidae) Synonym(s): *coruscator* Linnaeus,1758; *luridus* Gravenhorst,1829  
Range (in code): **TR Cc IR 33 34**
177. **Cratichneumon culex** (Müller,1776) (Ichneumonidae) Synonym(s): *culex* Müller,1776; *tibialis* Geoffroy,1785; *clavipes* Gmelin,1790; *leucostoma* Gmelin,1790; *quadricolor* Gmelin,1790; *versicolor* Gmelin,1790; *fabricator* Fabricius,1793; *crassator* Thunberg,1822; *infestor* Thunberg,1822; *viator* Thunberg,1822; *fulvipes* Stephens,1835; *nigroclypeatus* Constantineanu et al.,1956; *ruficoxis* Constantineanu et al.,1956; *intermedius* Constantineanu, Andriescu & Ciochia,1956  
Range (in code): **TR AT AZ Cc BY BE BG HV CZ SK DK EE FI FR GG HU IR IE IT Si LT LV MD NL NO PL RO RU At Da Kc Kr Pt St Yr ES SE CH UA GB YU 34**
178. **Cratichneumon viator** (Scopoli,1763) (Ichneumonidae) Synonym(s): *viator* Scopoli,1763; *nigritarius* Gravenhorst,1820  
Range (in code): **TR AD AT AZ BY BE BG CA Abt BCo Nbw Nfl Lbr Nsc On Qb Yuk HV CZ SK DK FI FR GG DE HU IE IT Sa JP LT LV MD NL NO PL RO RU At Ao Kr Mo Om Pt Yr ES SE CH US Ilm Nh Nje NMx Ny GB YU 16**
179. **Cremastus bellicosus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *bellicosus* Gravenhorst,1829; *partitus* Szépligeti,1899; *meridionator* Aubert,1960  
Range (in code): **AT AZ Cc BE BG Cn CZ FI FR DE HU IT Si LT LV MD MN NO PL RO RU Us YU ES SE CH TR GB 25**
180. **Cremastus crassicornis** Thomson,1880 (Ichneumonidae) Synonym(s): *crassicornis* Thomson,1880; *dalmatinus* Strobl,1903  
Range (in code): **YU TR AT BG HV CZ FI DE IT LT MD PL RO RU ES SE 01**
181. **Cremastus geminus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *geminus* Gravenhorst,1829; *areolaris* Strand,1918  
Range (in code): **TR AT BG CN CZ DK FI FR DE HU IT LT LV MK MN NO PL RU YU ZA SE ES CH GB 39**
182. **Cremastus gigas** Heinrich,1953 (Ichneumonidae) Synonym(s): *gigas* Heinrich,1953  
Range (in code): **TR AT BG DE IR IT PL**
183. **Cremastus inflatipes** Roman,1939 (Ichneumonidae) Synonym(s): *inflatipes* Roman,1939; *ruffifemur* Constantineanu,1945  
Range (in code): **TR BG FI IT LT PL RO YU 22**
184. **Cremastus lineatus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *lineatus* Gravenhorst,1829; *radialis* Thomson,1890  
Range (in code): **TR AT DE GR ES SE UA Cm 33**
185. **Cremastus petiolaris** Kolarov & Beyarslan,1999 (Ichneumonidae) Synonym(s): *petiolaris* Kolarov & Beyarslan,1999  
Range (in code): **TR 01**
186. **Cremastus pungens** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *pungens* Gravenhorst,1829; *laeviusculus* Thomson,1890  
Range (in code): **AT BG CZ DK FI FR DE HU IR IT LT LV MN NL PL RO RU YU ES SE TR UA 59**
187. **Cremastus tristator** Aubert,1970 (Ichneumonidae) Synonym(s): *tristator* Aubert,1970  
Range (in code): **TR 33**
188. **Cryptopimpla caligata** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *caligata* Gravenhorst,1829; *armenior* Aubert,1977  
Range (in code): **TR RU KG Cc 75 75D**
189. **Cryptus armator** Fabricius,1804 (Ichneumonidae) Synonym(s): *armator* Fabricius,1804; *rusticator* Zetterstedt,1838; *filicornis* Rudow,1886  
Range (in code): **TR AT BE BG CY CZ SK DK EG FI FR DE HU IE IT KG LT LV MD NL NO PL RO RU Ao ES SE CH GB UZ 42**
190. **Cryptus bucculentus** Tschek,1871 (Ichneumonidae) Synonym(s): *bucculentus* Tschek,1871; *saidensis* Schmiedeknecht,1900  
Range (in code): **FR Co CH ES IT HV AL GR TR MA DZ TN 25 33 42 50**
191. **Cryptus diana** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *diana* Gravenhorst,1829; *gracilicornis* Gravenhorst,1829; *leucostomus* Gravenhorst,1829; *stenogaster* Gravenhorst,1829; *seticornis* Ratzeburg,1844; *solitarius* Habermehl,1909; *solitarius* Habermehl,1918  
Range (in code): **TR AF DZ AT BE BG Cn CZ EG ER FI FR DE HU IR IE IT Si JP KP KR LT MD NL NO PL RO RU Ao ES SE CH GB 32**

- 192. *Cryptus genalis* Tscheck,1872** (Ichneumonidae) Synonym(s): *genalis* Tscheck,1872  
Range (in code): **GG Cc TR AT HU PL ES UZ**
- 193. *Cryptus immitis* Tschek,1871** (Ichneumonidae) Synonym(s): *immitis* Tschek,1871; *disjunctus* Tosquinet,1896  
Range (in code): **DE BY CH ES IT GR TR AZ Cc JO 04 24 33 36 42 43 46 47 04C 04Cc 42B**
- 194. *Cryptus inculcator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *inculcator* Linnaeus,1758; *sponsor* Fabricius,1793; *regenerator* Panzer,1804; *quadrilineatus* Gravenhorst,1829; *flicornis* Ratzeburg,1844; *bicolor* Rudow,1882 (preocc.); *erythrosoma* Rudow,1882; *lippensis* Rudow,1883; *albopicta* Seyrig,1928 (preocc.)  
Range (in code): **DE CZ SK CH AT IT SS YU GR Rd KG TR AZ Cc TM UZ Tas Fe KK TJ IR Elb Dam Th AF SY JO 16 20 27 30 31 33 34 60 30D 30Dt 33O**
- 195. *Cryptus laticypeatus* Schwarz,2015** (Ichneumonidae) Synonym(s): *laticypeatus* Schwarz,2015  
Range (in code): **TR TJ Pm 25 25A**
- 196. *Cryptus leucocheir* (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *leucocheir* Ratzeburg,1844  
Range (in code): **ES IT BG TR TJ AT CZ SK FR DE HU LT NL PL RO UA 01 42**
- 197. *Cryptus minator* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *minator* Gravenhorst,1829; *bulgaricus* Gregor,1933  
Range (in code): **TR AT BG CZ SK DK FI FR DE HU IE IT LT LV NO PL RO ES SE GB 43**
- 198. *Cryptus moschator* (Fabricius,1787)** (Ichneumonidae) Synonym(s): *moschator* Fabricius,1787; *polytropus* Heinrich,1951  
Range (in code): **TR AT BE BG CA On CZ SK DK FI FR DE GR HU IE LT NL PL RO ES SE CH US Nje Ny Oh GB 62 62C**
- 199. *Cryptus notaulicus* Schwarz,2015** (Ichneumonidae) Synonym(s): *notaulicus* Schwarz,2015  
Range (in code): **TR 33**
- 200. *Cryptus schenkioides* Schwarz,2015** (Ichneumonidae) Synonym(s): *schenkioides* Schwarz,2015  
Range (in code): **TR 06 46**
- 201. *Cryptus spinosus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *armatorius* Fabricius,1804; *spinosus* Gravenhorst,1829; *leucostictus* Gravenhorst,1829  
Range (in code): **GB DE CZ SK UA FR Co Cn CH AT HU RO PT ES IT HV YU BG AL GR TR Cc CY KK UZ TJ IR Ak SY IL MA DZ TN LY 01 16 31 32 33 76 33O 76A 76Ab 76D 76Dc**
- 202. *Cryptus spiralis* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *spiralis* Geoffroy,1785; *inconspicuus* Gravenhorst,1829; *adelungi* Kokujev,1909; *hispanicus* Habermehl,1918  
Range (in code): **TR GG Akh Cc IQ Hjo CY AZ Cc UZ KK TJ MA DZ Orn TN NL BE DE CZ SK CH AT SS UA Cm FR RO PT ES IT MK BG GR IR TM Kp JP KP KR MN KG RU Ao Pe CN Ui Ti Ts 04 13 14 25 27 30 32 36 42 50 58 65 69 13G 13Gw 30B 30Be 30D 30Dt 58G 65F**
- 203. *Cryptus spissus* Schwarz,2015** (Ichneumonidae) Synonym(s): *spissus* Schwarz,2015  
Original reference: *Cryptus spissus* Schwarz,2015, Linzer biol. Beitr. 47 (1): 820-822. Holotype ♀: Turkey E, 40km NE Muradiye 2200m 5 7 2000, leg.M.Halada (Linz).  
Range (in code): **TR 04 65 04C 04Cc 65C**
- 204. *Cryptus subspinosus* Smits van Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus* Smits van Burgst,1913  
Range (in code): **TN DZ TR ES FR IT BG IL Pa CZ SK AT YU GR CY IR JO MA TN 32 63 63E**
- 205. *Cryptus tuberculatus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberculatus* Gravenhorst,1829; *investigator* Tschek,1871; *solvivagus* Rossem,1989  
Range (in code): **TR GB DE CZ SK FR CH AT HU RO PT ES IT HV YU AL MK BG GR UA Cn RU Cc KG AZ Cc TM IR Fa UZ KK TJ SY Hms MA Ifr 04 07 16 22 47 58 59 65 65F**
- 206. *Cryptus viduatorius* Fabricius,1804** (Ichneumonidae) Synonym(s): *viduatorius* Fabricius,1804; *germari* Taschenberg,1865; *nigriventris* Habermehl,1918; *exannulata* Habermehl,1920; *alboclypeatus* Ciochia,1979; *albopostscutellus* Ciochia,1979; *antefurcalis* Ciochia,1979; *bilineata* Ciochia,1979; *rufa* Ciochia,1979  
Range (in code): **TR AZ Cc CY IR TJ RU Sb NO SE IE GB BE DE CZ SK UA FR Co CH AT HU ES RO SS IT HV YU MK BG GR AD RU Ao Pe Ro Pt Sr Tt Voo KG MN GG AM Eri TM Kp UZ KK MA 04 13 14 25 34 38 42 50 53 58 13G 13Gw 53M 58G**
- 207. *Cryptus vitreifrontalis* Schwarz,2015** (Ichneumonidae) Synonym(s): *vitreifrontalis* Schwarz,2015  
Range (in code): **TR AZ Cc IR Gl 04 13 23 25 58 65 76 13G 25C 58G 65F 76D 76Da**
- 208. *Ctenichneumon castigator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *castigator* Fabricius,1793; *ruficingulus* Schrank,1802  
Range (in code): **TR AM DZ Cc AT AZ BY BE BG CL HV CZ SK DK FI FR DE GR HU IR IE IT Si KG LT LV MD NL NO PL RO RU Pt Ya ES SE CH TN UA GB**
- 209. *Ctenichneumon divisorius* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *#obsoletorius* Fabricius,1793; *divisorius* Gravenhorst,1820; *baeticus* Spinola,1843; *clipeator* Habermehl,1917  
Range (in code): **TR DZ AT AZ Cc BY BE BG CN Gn HV CZ SK DK FI FR DE HU IR IT JP KP KR LT MN MA NL NO PL RO RU At Da Sh Pt ES SE CH UA GB 03**



- 210. Ctenichneumon funereus (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *funereus* Geoffroy,1785; *funerarius* Olivier,1792 Range (in code): **TR AT BY BE CZ SK DK FI FR DE HU IT Si JP KP KR LT LV MM NL NO PL RO RU Mo Sh Pt Ya ES SE CH GB**
- 211. Ctenichneumon inspector (Wesmael,1845)** (Ichneumonidae) Synonym(s): *inspector* Wesmael,1845; *brischkei* Berthoumieu,1896; *nigriventris* Berthoumieu,1896; *rufatus* Constantineanu,1942; *brunnicans* Constantineanu,1942 Range (in code): **TR AD AT BE BG HV CZ SK FI FR DE GR HU IT KG LT MD NL PL RO RU Ao Pe ES SE CH UA GB**
- 212. Ctenichneumon melanocastanus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *melanocastanus* Gravenhorst,1829; *rubroater* Ratzeburg,1852; *erythropygus* Rudow,1888 Range (in code): **TR AD AT BE HV CZ SK FI FR DE HU IR IT NL PL ES SE CH UA GB**
- 213. Ctenichneumon nitens (Christ,1791)** (Ichneumonidae) Synonym(s): *glabratorius* Müller,1776; *nitens* Christ,1791; *vespertinus* Christ,1791; *mesocastanus* Gravenhorst,1820; *nigrocastaneus* Berthoumieu,1896; *erythrurus* Ulbricht,1913 Range (in code): **TR AD AT BE CN Lng EG FI FR DE HU IL IT KG LV NL NO PL RO RU ES SE CH GB**
- 214. Ctenichneumon panzeri (Wesmael,1845)** (Ichneumonidae) Synonym(s): *panzeri* Wesmael,1845; *flavocinctus* Desvignes,1856; *vexillarius* Tischbein,1874; *immarginatus* Berthoumieu,1896; *nigrinus* Berthoumieu,1896; *rufescens* Morley,1903; *styriacus* Strobl,1904; *denticornis* Strobl,1904; *wormatiensis* Habermehl,1909; *nigrifemur* Ulbricht,1926; *rufifemur* Ulbricht,1926; *trilineatus* Kiss,1933 Range (in code): **TR DZ AD AT AZ Cc BY BE BG CN Pkn Kwa Hnn Hun Sz Yu HV CZ SK FR GG GR Cr HU IN ID Clb IR IE JP KP KR MD NL PL PT RO RU Ao Om Pt ES CH TM UA GB UZ**
- 215. Ctenichneumon repentinus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *exspectorius* Fabricius,1794; *repentinus* Gravenhorst,1820; *menstrualis* Gravenhorst,1820; *bicolor* Rudow,1888; *seminiger* Seyrig,1927 Range (in code): **TR AT AZ Cc BY BE BG HV CZ SK FI FR DE GR HU IR IT Si NL NO PL RO RU Pt ES UA GB**
- 216. Ctenochira meridionator Aubert,1969** (Ichneumonidae) Synonym(s): *meridionator* Aubert,1969; *cavigena* Kasparyan,1976 Range (in code): **TR AM Cc BG FR Co GG PL RU Kr Sh Pt ES UA GB 52**
- 217. Ctenochira pratensis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pratensis* Gravenhorst,1829 Range (in code): **AT Cc TR AZ BE BG CZ SK FI FR GG DE HU IE MN NO PL ES SE UA GB**
- 218. Cycasis rubiginosa (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rubiginosa* Gravenhorst,1829; *insidiator* Holmgren,1857; *morio* Holmgren,1857; *binotata* Thomson,1883; *parvula* Thomson,1883 Range (in code): **TR AL AT AZ Cc BY BE BG HV CZ SK FI FR DE HU IT KG KK LT LV MD MN NL NO PL RO RU Am Da Kb Kr Sh Pt Sr Ya Yr ES SE CH TM UA GB**
- 219. Cyclolabus pactor (Wesmael,1845)** (Ichneumonidae) Synonym(s): *pactor* Wesmael,1845; *pici* Berthoumieu,1910; *septentrionalis* Berthoumieu,1910 Range (in code): **AD AZ Cc BE CZ SK FI FR DE IR IE NL NO PL RO ES SE TR GB YU**
- 220. Cylocceria melancholica (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *melancholica* Gravenhorst,1820; *caligata* Gravenhorst,1829; *defectiva* Gravenhorst,1829; *nigra* Gravenhorst,1829; *sexlineata* Say,1829; *crenicornis* Curtis,1832; *affiniz* Zetterstedt,1838; *denticornis* Haliday,1838; *fracticornis* Haliday,1838; *nuntiator* Zetterstedt,1838; *longicornis* Ratzeburg,1852; *atra* Ruthe,1855; *mancha* Ruthe,1855; *aciculata* Cameron,1905; *marginatrix* Schulz,1906; *rugulosa* Haupt,1917; *altior* Heinrich,1953 Range (in code): **TR AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN CZ SK DK EE FI FR GG DE HU IR IE IT KK LT LV MN NL NO PL RO RU At Ao Kmt Mo Us Sh Ya YU ES SE CH TR US Als Arz Cf Col F Nje NMx Ny Oh Org Tx Ut Ws Wy UA GB**
- 221. Cymodusa (s.str.) longiterebra Dbar,1985** (Ichneumonidae) Synonym(s): *longiterebra* Dbar,1985 Range (in code): **TR PL MD UA RU Cc AZ GG AM CY 62 62C**
- 222. Cymodusa (s.str.) propodeata Kolarov & Yurtcan,2008** (Ichneumonidae) Synonym(s): *propodeata* Kolarov & Yurtcan,2008 Original reference: *Cymodusa* (s.str.) *propodeata* Kolarov & Yurtcan,2008, *Biologia* 63 (4): 548-549, 4 figs. Holotype ♀: Turkey: Bursa, Suleymaniye 19.9.1992 M.Yurtcan leg. (coll. Univ. Plovdiv,BG). Range (in code): **TR 16**
- 223. Cymodusa (s.str.) yildirimi Kolarov & Çoruh,2008** (Ichneumonidae) Synonym(s): *yildirimi* Kolarov & Çoruh,2008 Original reference: *Cymodusa* (s.str.) *yildirimi* Kolarov & Çoruh,2008, *Ent. News* 119 (3): 291-293, figs. Holotype ♀: Turkey: Erzurum, 1850m 30 7 1998 E.Yıldırım leg. (coll. Univ. Plovdiv,BG). Range (in code): **TR 25 25C**
- 224. Delomerista mandibularis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mandibularis* Gravenhorst,1829; *albicinctus* Desvignes,1862; *desvignesii* Marshall,1870; *gelida* Walkley,1960 Range (in code): **TR AT BE BG CA Abt BCo On Ssk CZ SK EE FI FR DE HU IE IT JP LT NO PL RO RU Ao Sh Pt To Mgd Ty Voo Kj Bry SE CH US Arz Cf Col Ny UA GB YU 12 36 36F 36Fb**

- 225. Delomerista pfankuchi Brauns,1905** (Ichneumonidae) Synonym(s): *pfankuchi* Brauns,1905; *unicolor* Hedwig,1959 Range (in code): **TR AT BY BG FI FR DE LT NL NO PL RO RU Us SE GB**
- 226. Diadegma armillatum (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *armillatum* Gravenhorst,1829; *tibiale* Gravenhorst,1829; *pseudocombinatum* Szépligeti,1916 Range (in code): **TR AF AU AT AZ Cc BE BG CN Lng Ui HV CZ SK EG EE FI FR Co GG DE GR HU IR IE IL IT KG KP KR LT LV MD NL NO PL PT RO RU Ao Kr Om Ro Pt Sr VI YU ES SE CH TJ UA GB UZ o6 34**
- 227. Diadegma chrysostictos (Gmelin,1790)** (Ichneumonidae) Synonym(s): *chrysostictos* Gmelin,1790; *kiehtani* Viereck,1917; *woonandi* Viereck,1917; *galleriae* Cushman,1920; *bakeri* Viereck,1925; *costatum* Viereck,1925; *curtum* Viereck,1925; *petiolatum* Viereck,1925; *triangulare* Viereck,1925; *incipens* Walley,1929; *quinquerufum* Constantineanu,1950; *corsicator* Aubert,1961; *orientator* Aubert,1965 Range (in code): **TR IL Pa EG AT AZ Cc Az BE B-H BG CA On Qb Cn HV CZ SK DK FI FR Co DE HU IE IL IT LT LV Md MD MA NL NO PL RO RU Ao Kr Ro Pt Sr St ES TJ TN US Mch UA GB UZ o9**
- 228. Diadegma claripennis (Thomson,1887)** (Ichneumonidae) Synonym(s): *claripennis* Thomson,1887 Range (in code): **TR AT BE BG EG FR DE HU IE IL LT NO PL RO SE UA GB o6**
- 229. Diadegma consumptor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *consumptor* Gravenhorst,1829; *varians* Brischke,1880; *alpestrator* Aubert,1971 Range (in code): **TR AT BE BG CZ SK FI FR DE HU IT LT PL RO GB**
- 230. Diadegma crassicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *crassicornis* Gravenhorst,1829; *carnifex* Gravenhorst,1829; *brevicorne* Holmgren,1860; *normannicum* Rudow,1883 Range (in code): **TR AT AZ Cc BE BG HV DK FI FR DE GR Cr HU IR IE IL Pa IT Si KG LT MK NL NO PL ES SE CH GB YU o6 38**
- 231. Diadegma elishae Bridgman,1884** (Ichneumonidae) Synonym(s): *elishae* Bridgman,1884 Range (in code): **TR AF AT FI FR DE IE LV MD MN NL NO PL ES TJ GB**
- 232. Diadegma fenestralis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fenestralis* Holmgren,1860; *microareolatum* Constantineanu & Petcu,1960; *nigriscapus* Constantineanu & Petcu,1960; *varuna* Gupta,1974; *niponicum* Kusigemati,1993 Range (in code): **TR AF AT AZ Cc BE BG HV CY CZ SK DK FI FR Co DE HU IS IN IR IE IL IT JP KG LT LV MD MA NL NZ NO PK PH PL PT RO RU Ao Ir Kr Mo Pe Ro Pt Sr St ES LK SE CH TM UA GB YU 35**
- 233. Diadegma grisescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *grisescens* Gravenhorst,1829; *rufiventris* Gravenhorst,1829; *hydropota* Holmgren,1858 Range (in code): **TR AT BE CZ SK DK FI FR DE HU IE IT Sa Si LT NL PL RO SE GB o1**
- 234. Diadegma maculatum (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *maculatum* Gravenhorst,1829; *polyzona* Thomson,1887; *anale* Pfankuch,1914 Range (in code): **TR AT BG FI Co FR IT PL GB 21**
- 235. Diadegma mediterraneum Constantineanu,1930** (Ichneumonidae) Synonym(s): *mediterraneum* Constantineanu,1930 Range (in code): **TR BG FR JO LV MD**
- 236. Diadegma pulchripes (Kokujev,1915)** (Ichneumonidae) Synonym(s): *pulchripes* Kokujev,1915 Range (in code): **TR GR Cr AF MN**
- 237. Diadegma semiclausum (Hellén,1949)** (Ichneumonidae) Synonym(s): *semiclausum* Hellén,1949; *eucerothaphagum* Horstmann,1969; *xylostellae* Kusigemati,1988 Range (in code): **TR AM Cc AU NSw QAU TA AT AZ BG Cn CN Pkn Hnn Ui Yu TW CY CZ SK EG FJ FI FR DE GR IN IR IE IL IT JP KE KP KR Md MY MT MD NP NL NZ PK PG PH Luz PL RO ES LK SH SE CH SY TZ TH UG GB o6 35**
- 238. Diadegma velox (Holmgren,1860)** (Ichneumonidae) Synonym(s): *velox* Holmgren,1860 Range (in code): **TR BE FI FR DE IL IT Si PL RO SE o1 o6**
- 239. Diadromus collaris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *collaris* Gravenhorst,1829 Range (in code): **AF AD AU NSw QAU AT AZ Cc Az BD BE BG Cn CN Pkn IMn TW CZ SK FJ FI FR Co DE GR IN IR IL Pa IT Si JP Md MY MX MD NL NZ PK PL PT ZA ES SE TJ TR TH TN TM UA GB YU**
- 240. Diadromus subtilicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subtilicornis* Gravenhorst,1829; *imbellis* Wesmael,1845; *plutellae* Ashmead,1890 Range (in code): **AZ Cc BE BG CA On CN CZ SK EE FI FR DE HU IE IR JP KG LT MD NL NO PL RO RU Kr Mo VI Yr ES SE CH TR US Ny Oh UA GB YU**
- 241. Diaglyptellodes sculpturator (Aubert,1977)** (Ichneumonidae) Synonym(s): *sculpturator* Aubert,1977 Range (in code): **BG IT MA TN EG GR TR PL SK ES TM o6 71**
- 242. Diaparsis (Nanodiaparsis) aperta (Thomson,1889)** (Ichneumonidae) Synonym(s): *aperta* Thomson,1889 Range (in code): **TR Cc AM AT AZ BE CZ SK FI FR GG DE KK MD PL RU St SE UA o8**
- 243. Diaparsis (Nanodiaparsis) frontella (Holmgren,1860)** (Ichneumonidae) Synonym(s): *frontella* Holmgren,1860 Range (in code): **KG TR Cc RU Sb AT AZ BY BG CZ SK EE FI FR Co GG DE HU MD PL Kr St ES SE UA GB 37**



- 244. Diaparsis (s.str.) carinifer (Thomson,1889)** (Ichneumonidae) Synonym(s): *carinifer* Thomson,1889; *carinata* Bridgman,1889; *vernalis* Szépligeti,1899 Range (in code): **TR AT BG CZ SK DK FI FR DE HU IE IT LV MD PL RO RU Kc Cc Us Sh Yr YU ES SE US Mch UA GB UZ**
- 245. Diaparsis (s.str.) multiplicator Aubert,1969** (Ichneumonidae) Synonym(s): *multiplicator* Aubert,1969 Range (in code): **TR AT BG CN Lng CZ SK DK FR DE HU PL SE UA GB 24 24D**
- 246. Diaparsis (s.str.) nitida Horstmann,1981** (Ichneumonidae) Synonym(s): *nitida* Horstmann,1981 Range (in code): **UA AZ Cc TR KG RU Us HU 36 55 36F**
- 247. Diaparsis (s.str.) nutritor (Fabricius,1804)** (Ichneumonidae) Synonym(s): *nutritor* Fabricius,1804; *gemina* Hlmgren,1860; *genalis* Thomson,1889; *rugosa* Szépligeti,1905; *nutritrix* Schulz,1906 Range (in code): **TR Cc AM AT BG HV DK FI FR DE HU IE LV MD PL RO RU Mo Pe Pt SE CH UA GB 59**
- 248. Diaparsis (s.str.) rara (Horstmann,1971)** (Ichneumonidae) Synonym(s): *rara* Horstmann,1971 Range (in code): **AT TR BY CN DE HU KG LV PL RU Kc Cc Us UA 37**
- 249. Diaparsis (s.str.) temporalis Horstmann,1979** (Ichneumonidae) Synonym(s): *temporalis* Horstmann,1979 Range (in code): **TR Cc KG AT AZ BG FR GG DE HU IT MK MD PL RU Da Kr St YU ES CH US Mch UA 22**
- 250. Dicaelotus erythrogaster (Holmgren,1890)** (Ichneumonidae) Synonym(s): *erythrogaster* Holmgren,1890; *annellatus* Thomson,1891 Range (in code): **TR BG CZ SK FI FR DE GR HU IT NL PL RO ES SE**
- 251. Dicaelotus mandibulator (Aubert,1958)** (Ichneumonidae) Synonym(s): *mandibulator* Aubert,1958 Range (in code): **TR FR PL RU Cc Da ES**
- 252. Dicaelotus montanus (Destefani,1886)** (Ichneumonidae) Synonym(s): *montanus* Destefani,1886; *pinetorum* Berthoumieu,1900; *rufatorius* Berthoumieu,1900; *pici* Berthoumieu,1900; *rufescens* Pic,1914; *atlanticus* Roman,1938 Range (in code): **IT Si Cc TR DZ AD BG FR Co GG DE GR Md PT ES TN 26**
- 253. Dicaelotus morosator Aubert,1969** (Ichneumonidae) Synonym(s): *morosator* Aubert,1969 Range (in code): **TR FR Co 54**
- 254. Dicaelotus rufilimbatus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *rufilimbatus* Gravenhorst,1820 Range (in code): **TR AT BG HV CZ SK FR DE IE NL PL RO RU Mo UA GB 51**
- 255. Dichrogaster aestivalis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *aestivalis* Gravenhorst,1829; *ruficollis* Gravenhorst,1829; *geniculata* Thomson,1884 Range (in code): **AT AZ Cc BE BG CZ SK EG FI FR Co DE GR HU IR IE IT Sa Si LT MD NL NO PL RO RU Ao Mo Ro Pt Tt ES SE TR UA GB 07 32**
- 256. Dichrogaster liostylus (Thomson,1885)** (Ichneumonidae) Synonym(s): *liostylus* Thomson,1885; *schaffneri* Schmiedeknecht,1897 Range (in code): **TR AT AZ Cc BY BE BG CN TW CZ SK FI FR DE GR HU IN IE JP Oki KP KR LT NL PL RU Mo Us Pt ES GB 55 53 61 53M 61L**
- 257. Dichrogaster longicaudata (Thomson,1884)** (Ichneumonidae) Synonym(s): *longicaudata* Thomson,1884; *diatropus* Townes,1983 Range (in code): **TR AT BG CA On CZ SK EG FI FR DE GR IR IQ IL IT Md MD MN NO PL ES SE US Col Mch Oh YU 32 42**
- 258. Dichrogaster modesta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *modesta* Gravenhorst,1829; *brunnea* Kiss,1924 Range (in code): **TR IL Pa AT BG CZ FI FR DE HU IL IT MK NO PL RO RU Mo ES SE CH GB YU 37 57**
- 259. Dichrogaster saharator (Aubert,1964)** (Ichneumonidae) Synonym(s): *saharator* Aubert,1964 Range (in code): **DZ BG IL TR IR**
- 260. Dichrogaster schimitscheki (Fahringer,1935)** (Ichneumonidae) Synonym(s): *schimitscheki* Fahringer,1935; *nigrithorax* Horstmann,1976 Range (in code): **AT BG CA BCo On Ssk Yuk CZ SK FI DE NO PL RU Mo SE TR US Col Mch Mon Ny GB 32**
- 261. Dimophora nitens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nitens* Gravenhorst,1829; *robusta* Brischke,1880; *similis* Brischke,1880; *arenicola* Thomson,1890 Range (in code): **TR AT BY HV CZ DK FI FR DE HU IT LT MK MN NO PL RO YU ES SE CH GB 06**
- 262. Diphyus amatorius (Müller,1776)** (Ichneumonidae) Synonym(s): *amatorius* Müller,1776; *laboratorius* Fabricius,1793; *nigronotatus* Pic,1908; *naipchiana* Matsumura,1911; *bimaculatus* Constantineanu,1954 Range (in code): **TR AT AZ Cc BE BG CN Mc Shs Ui CZ SK DK FI FR Co DE HU IR IE IT JP KG LT LV NL NO PL RO RU Ao Om Us Sh Pt ES SE CH GB**
- 263. Diphyus fossorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *fossorius* Linnaeus,1758; *atratorius* Fabricius,1793; *viridatorius* Gravenhorst,1820; *consignatorius* Thunberg,1822; *guttatorius* Thunberg,1822; *palpitorius* Thunberg,1822; *orientalis* Berthoumieu,1896; *nigritegulis* Constantineanu,1959 Range (in code): **TR AT BE BG HV DK FI FR DE HU IT JP LT MD NL PL RO RU Ao Da Cc Ir Pt Ya ES SE CH SY UA GB**

- 264. *Diphyus inopinus* Heinrich,1972** (Ichneumonidae) **Synonym(s):** *inopinus* Heinrich,1972  
Range (in code): **TR DE PL**
- 265. *Diphyus longimanus* (Wesmael,1857)** (Ichneumonidae) **Synonym(s):** *longimanus* Wesmael,1857  
Range (in code): **TR AL AT FR DE HU IT ES**
- 266. *Diphyus luctatorius* (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *luctatorius* Linnaeus,1758; *culpatorius* Linnaeus,1758  
Range (in code): **TR 34**
- 267. *Diphyus mercatorius* (Fabricius,1793)** (Ichneumonidae) **Synonym(s):** *mercatorius* Fabricius,1793; *ponticus* Heinrich,1978  
Range (in code): **TR Cc AM IR 76**
- 268. *Diphyus montivagans* (Berthoumieu,1896)** (Ichneumonidae) **Synonym(s):** *montivagans* Berthoumieu,1896  
Range (in code): **TR 25 31 58 61**
- 269. *Diphyus ochromelas* (Gmelin,1790)** (Ichneumonidae) **Synonym(s):** *ochromelas* Gmelin,1790; *negatorius* Fabricius,1793  
Range (in code): **TR Cc KG RU Sb MN 41**
- 270. *Diphyus palliatorius* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *palliatorius* Gravenhorst,1829  
Range (in code): **TR RU Sb KG 16**
- 271. *Diphyus pseudomercator* Heinrich,1978** (Ichneumonidae) **Synonym(s):** *pseudomercator* Heinrich,1978; *hexaleucos* Heinrich,1978; *#caucasicus* Heinrich,1978  
Range (in code): **TR Cc AM 25 76**
- 272. *Diphyus quadripunctorius* (Müller,1776)** (Ichneumonidae) **Synonym(s):** *quadripunctorius* Müller,1776  
Range (in code): **TR 34**
- 273. *Diphyus quinquecinctus* (Kriechbaumer,1892)** (Ichneumonidae) **Synonym(s):** *quinquecinctus* Kriechbaumer,1892; *transbaicalicus* Heinrich,1978 [ssp.]  
Range (in code): **TR CN Ui AF BG Cn DE KG RO RU ES TM 38**
- 274. *Diphyus septemguttatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *septemguttatus* Gravenhorst,1829; *wesmaeli* Tischbein,1868; *triplicatus* Thomson,1894  
Range (in code): **TR AT AZ Cc BE B-H CZ SK FI FR DE HU IR IE KG NO PL RO RU ES SE CH GB YU**
- 275. *Diplazon annulatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *annulatus* Gravenhorst,1829; *lapponicus* Zetterstedt,1838  
Range (in code): **TR AT AZ Cc BE BG HV CZ SK FI FR DE Gr HU IE IT LT MD MN NL NO PL RO YU ES SE CH GB 25**
- 276. *Diplazon laetatorius* (Fabricius,1781)** (Ichneumonidae) **Synonym(s):** *laetatorius* Fabricius,1781; *dichrous* Schrank,1781; *attractus* Say,1835; *albovarius* Wollaston,1858; *cinctipes* Holmgren,1868; *sycophanta* Cresson,1868; *tripicticus* Walsh,1873; *varipes* Smith,1878; *balearicus* Kriechbaumer,1894; *terminalis* Davis,1895; *venustus* Saussure,1892; *generosus* Cameron,1898; *senegalensis* Ferrière,1925; *ikti* Cheesman,1936  
Range (in code): **TR AF AL AR AU NSw QAU AZ Cc Az BY BE BR BG BI CA Abt BCo Nfl Lbr On Ss Cn CL CN Pkn Fkn Gn Kwa Mc Hun Sz TW Ui Yu CK CR HV CY CZ SK ZR EG EE ET FJ FI FR Co DE GR GT HU IS GU IN ID IJ IR IE IL IT Si JP KP KR LT LS LY OKi LV MG Md MP MX MD MN NL NC NZ NO PK PG PE PH Luz PL PT RO RU Kr Us Ro Sh Pt Sr St Tt RW RE SN ZA ES SH SD SE CH TJ TO TN TM US Arz Cf Col Fl Hw Kan Nje NMx Ny Oh Org Tx Id Ut Ws Wy UG UA GB UY UZ YU ZM ZW NH WS 03 06 08 14 15 24 25 26 32 34 42 50 63**
- 277. *Diplazon pectoratorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *pectoratorius* Thunberg,1822; *angustorius* Thunberg,1822; *pectorarius* Gravenhorst,1829; *pleuralis* Provancher,1875; *pulchripes* Provancher,1875; *nigrithorax* Strobl,1902; *akaashii* Uchida,1931; *urupensis* Uchida,1935  
Range (in code): **TR AT BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CZ SK FI FR DE HU IN IE IT Si JP KP KR LT LV MX MD MN NL NO PL RO RU Kmt Mo Us Sh Pt Ya ES SE CH TN US Als Cf Col Id NMx Ny Org Ut Ws Wy UA GB 06**
- 278. *Diplazon schachti* Diller,1986** (Ichneumonidae) **Synonym(s):** *schachti* Diller,1986  
Range (in code): **TR 73 73A**
- 279. *Diplazon scutatorius* Teunissen,1943** (Ichneumonidae) **Synonym(s):** *scutatorius* Teunissen,1943; *pilosus* Uchida,1957  
Range (in code): **TR BE FI FR DE JP NL NO PL RU Us CH GB 62 62G**
- 280. *Diplazon tetragonus* Thunberg,1822** (Ichneumonidae) **Synonym(s):** *tetragonus* Thunberg,1822; *ustorius* Thunberg,1822; *hortorius* Thunberg,1822; *tricinctus* Gravenhorst,1829; *nemoralis* Holmgren,1858; *concinnus* Cresson,1868; *albicoxus* Provancher,1874; *amoenus* Provancher,1874; *tetragonopsis* Uchida,1957  
Range (in code): **TR AT AZ Cc BE BG CA Abt BCo Mnt Nfl Lbr On Qb Ssk Yuk CN Fkn Mc Hun HC CZ SK DK EG FI FR DE HU IN IR IE IT Si JP KP KR LT LV MD NL NO PK PL RO RU Ir Kmt Pt Ya SS ES SE CH US Als Cf Col Id Mai Mch Mns Nh Rdi Ny NCa Oh Org Pns SDk Ws Vi Wy GB YU 34**
- 281. *Diplazon tibiatorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *tibiatorius* Thunberg,1822; *albosignatus* Gravenhorst,1829  
Range (in code): **TR AT BE CA Abt BCo On Qb Ssk Yuk HV CZ SK DK FI FR DE HU IT IE Sa Si JP LT MX NL NO PL RU Us Sh Pt ES SE CH US Als Arz Cf Col Id Mai NMx Mns Mon Ne Nh Nje Ny Org SDk Tx Ut Ws Wy GB 06 07 16 25 32 59**
- 282. *Dirophanes invisor* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *invisor* Thunberg,1822; *stimulator* Gravenhorst,1829; *homochlorus* Wesmael,1845; *kabylianus* Pic,1897  
Range (in

code): **DZ AD AT AZ Cc BY BE BG HV CZ SK DK EE FI FR DE HU IR IE IT Sa LT MK MD NL NO PL RO RU Kr Mo Pt VI ES SE CH TR UA GB YU**

- 283. *Dirophanes maculicornis* (Stephens,1835)** (Ichneumonidae) **Synonym(s):** *maculicornis* Stephens,1835; *scutellaris* Wesmael,1845; *bisignatus* Holmgren,1890; *dentatus* Pic,1923; *nigroscutellatus* Habermehl,1929; *murinanae* Fahringer,1936; *gigas* Fahringer,1943; *diniana* Fahringer,1948; *ruficoxis* Constantineanu,1959 **Range (in code):** **AT BY BE BG CZ SK FI FR DE HU IE IT LT NL NO PL RO RU Kr Cc Mo Yr ES SE TR US NMx UA GB**
- 284. *Dirophanes mysticus* (Wesmael,1855)** (Ichneumonidae) **Synonym(s):** *mysticus* Wesmael,1855; *tetricus* Wesmael,1855 **Range (in code):** **AT BE BG CZ SK FI FR DE IT LT MN PL RU Yr SE TR GB**
- 285. *Dirophanes regenerator* (Fabricius,1804)** (Ichneumonidae) **Synonym(s):** *regenerator* Fabricius,1804; *rusticatus* Wesmael,1845 **Range (in code):** **TR AD AT BY BE BG HV CZ SK EE FI FR DE HU IE IT LT LV MD NL NO PL RO RU Ao At Kr Sh Pt Yr ES SE CH UA GB 16**
- 286. *Dolichomitus kriechebaumeri* (Schulz,1906)** (Ichneumonidae) **Synonym(s):** *geniculatus* Kriechebaumer,1896 (preocc.); *kriechebaumeri* Schulz,1906; *subglabratus* Perkins,1843 **Range (in code):** **TR AT BE B-H BG CY CZ SK EG FI FR DE GR HU IR IL IT NL PL RO RU Cc Kr Om Pt ES CH TJ TM UA UZ YU 16**
- 287. *Dolichomitus mesocentrus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *mesocentrus* Gravenhorst,1829; *rex* Kriechebaumer,1854; *insignis* Habermehl,1903; *krapinensis* Hensch,1930; *gaurotii* Gregor,1941; *tatricus* Gregor,1941 **Range (in code):** **TR AL AT BY BE BG CN Pkn Gn Mc Hnn Jn Lng She HV CZ SK FI FR Co DE HU IT JP KG KP KR LT NL NO PL RO RU Us Sh YU ES SE CH US Ihn Mch Nje UA GB 16 34**
- 288. *Dolichomitus messor* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *messor* Gravenhorst,1829; *perlongus* Cresson,1870 **Range (in code):** **TR AM AZ Cc AT BG CA Abt BCo Mnt On Qb Ssk Yuk CN Mc Hnn Jn Lng She Ui CZ SK FI FR DE HU IT KG LT NO PL RO RU Ir Kr Us ES SE CH US Arz Cf Col Id Mai Ny Oh Org Pns SDk Tx Ut Vi Ws Wy UA GB YU 34**
- 289. *Dolichomitus populneus* (Ratzeburg,1848)** (Ichneumonidae) **Synonym(s):** *populneus* Ratzeburg,1848; *abbreviatus* Thomson,1877 **Range (in code):** **TR AT BE BG CA On Ssk CN Mc Ui CZ SK FI FR DE GR HU IT LT PL RO RU Us Yr YU ES SE CH US Col Ws GB 36 36F 36Fb**
- 290. *Dolichomitus sericeus* (Hartig,1847)** (Ichneumonidae) **Synonym(s):** *sericeus* Hartig,1847 **Range (in code):** **TR AT BG CA BCo On Qb Yuk CZ SK FI DE GR NO PL RO RU YU SE CH US Als Mch 06 40**
- 291. *Dolichomitus tuberculatus* (Geoffroy,1785)** (Ichneumonidae) **Synonym(s):** *tuberculatus* Geoffroy,1785; *hyalinus* Gmelin,1790; *leucopterus* Gmelin,1790; *crispus* Christ,1791; *fluctuans* Christ,1791; *parallelus* Thomson,1888; *scapularis* Ulbricht,1910; *dentiventris* Hellén,1915; *pfefferi* Habermehl,1917 **Range (in code):** **TR AM Cc AT AZ BY BE BG CA BCo On Ssk CN Hun CZ SK FI FR DE HU IR IE IT JP KG LT LV NL NO PL RO RU Ao Om Us Sh Pt YU ES SE CH TM US Als Nje Ny Org Tx Ws UA GB UZ 25 36 36F 36Fb**
- 292. *Drepanoctonus tricoloratus* Sedivy,1971** (Ichneumonidae) **Synonym(s):** *tricoloratus* Sedivy,1971 **Range (in code):** **GG Cc MN RU UA TR**
- 293. *Dusona culturator* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *culturator* Gravenhorst,1829; *nigriventris* Ulbricht,1916; *phalerae* Uchida,1929 **Range (in code):** **AT DZ BY BE BG CZ SK FI FR DE GR HU IT JP KG KK LT MD MA NL PL RO RU Ir Us Pt To Yr ES SE CH TN TR UA GB**
- 294. *Dusona falcator* (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *falcator* Fabricius,1775 **Range (in code):** **TR AT AZ Cc BE BG CZ SK FI FR DE HU IE IL IT Si KG NL NO PL RO RU At Us Pt SE CH UA GB 16**
- 295. *Dusona inermis* (Förster,1868)** (Ichneumonidae) **Synonym(s):** *inermis* Förster,1868 **Range (in code):** **TR AT BY BE BG CZ SK FI FR DE HU IT Si LT MD NL PL RO RU At Mo ES SE CH GB 75**
- 296. *Dusona inteligator* Aubert,1966** (Ichneumonidae) **Synonym(s):** *inteligator* Aubert,1966 **Range (in code):** **TR AM Cc BG CY GR IL Pa JO RO SY 33**
- 297. *Dusona mercator* (Fabricius,1793)** (Ichneumonidae) **Synonym(s):** *compressa* Christ,1791; *mercator* Fabricius,1793; *venditor* Thunberg,1822; *oxyacanthae* Boie,1855; *mesoxantha* Förster,1868 **Range (in code):** **TR IL Pa AT AZ Cc BY BE BG HV CZ FI FR DE GR HU IE IT LT MD MA NL PL RO RU Ao Da Ir Pt Voo ES SE GB YU 34**
- 298. *Dusona nidulator* (Fabricius,1804)** (Ichneumonidae) **Synonym(s):** *nidulator* Fabricius,1804; *nitidulator* Holmgren,1856; *circumscripta* Förster,1868; *martialis* Förster,1868; *vindex* Förster,1868; *bifida* Thomson,1887; *obscura* Kiss,1926 **Range (in code):** **TR AM AT Cc AZ BY BE BG HV CZ SK FI FR GG DE HU IE IT KG LT MD NL NO PL RO RU Da Ir Us Pt Tt Yr ES SE CH UA GB 62C**



- 299. *Dusona prominula* (Förster,1868)** (Ichneumonidae) **Synonym(s):** *prominula* Förster,1868; *contumax* Förster,1868; *foveolata* Förster,1868 **Range (in code):** **TR DZ AT BE BG CZ SK FI FR DE GR HU IE IT MD NL NO PL RO RU Kr ES SE CH UA GB**
- 300. *Dusona stragifex* (Förster,1868)** (Ichneumonidae) **Synonym(s):** *stragifex* Förster,1868; *adjuncta* Förster,1868; *areolata* Brauns,1895; *daisetsuzana* Uchida,1928 **Range (in code):** **TR AM AT Cc BY BE BG CZ SK FI FR GG DE GR HU IE IT JP KP KR LT MD MA NL NO PL RO RU At Ao Us Sh To ES SE CH UA GB 80**
- 301. *Dusona tricolorator* Aubert,1970** (Ichneumonidae) **Synonym(s):** *tricolorator* Aubert,1970 **Range (in code):** **TR JO SY 63**
- 302. *Dusona turtator* Horstmann,2009** (Ichneumonidae) **Synonym(s):** *turtator* Horstmann,2009 **Original reference:** *Dusona turtator* Horstmann,2009, *Spixiana* 32 (1): 108. Holotype ♂: Turkey, 40km E Urfa (leg. Kl.Warneke) (ZSM) **Range (in code):** **TR 63**
- 303. *Dusona ucrainica* Hinz,1972** (Ichneumonidae) **Synonym(s):** *ucrainica* Hinz,1972 **Range (in code):** **TR AM Cc AT AZ BG HV CZ SK JP KP KR MD MN RO RU Am Om Us VI UA**
- 304. *Echthronomas tricineta* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *tricineta* Gravenhorst,1829 **Range (in code):** **FR PL TR AT BE CZ SK FI DE HU SE GB 06**
- 305. *Echthrus reluctator* (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *reluctator* Linnaeus,1758; *usurpator* Scopoli,1763; *obex* Müller,1776; *rubiginosus* Christ,1791; *carbonator* Thunberg,1822; *chirothecator* Thunberg,1822; *ternator* Thunberg,1822; *crassicus* Bremi,1849; *nigerrimus* Strobl,1902 **Range (in code):** **TR AT BY BE BG CN Mc Jn Lng Hnn HV CZ SK FI FR Co DE HU IT JP KP KR LT MN NO PL RO RU Ao Ir Us ES SE CH UA GB 16**
- 306. *Eclytus (Zapedias) exornatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *exornatus* Gravenhorst,1829 **Range (in code):** **AT BY BG CZ SK DK FI FR DE HU IE IT Sa LT LV NL NO PL RU Us Pt TR TM GB YU 32**
- 307. *Enclisis ornaticeps* (Thomson,1885)** (Ichneumonidae) **Synonym(s):** *ornaticeps* Thomson,1885 **Range (in code):** **DE DK FR IT AT PL YU TR**
- 308. *Encrateola laevigata* (Ratzeburg,1848)** (Ichneumonidae) **Synonym(s):** *laevigata* Ratzeburg,1848; *furcata* Taschenberg,1865; *subimpressa* Brischke,1892; *nigrescens* Hedwig,1936 **Range (in code):** **AF AT BG CA CZ FI FR Co DE HU IE MD NL NO PL RO ZA SE TR US Org Nh Ny Ws UA GB 28**
- 309. *Endasys brevis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *brevis* Gravenhorst,1829 **Range (in code):** **TR AT AZ Cc BE BG CZ SK DK EE FI FR Co DE HU IS IE IT LT LV NO PL RO RU Pt Kmt Pt ES CH GB 32**
- 310. *Endasys erythrogaster* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *erythrogaster* Gravenhorst,1829; *nigricoxis* Habermehl,1912 **Range (in code):** **TR AT AZ Cc BE BG CZ DK FI FR DE HU IE IT LT LV NL NO PL RO ES SE GB 06 38**
- 311. *Endasys femoralis* (Habermehl,1912)** (Ichneumonidae) **Synonym(s):** *femoralis* Habermehl,1912 **Range (in code):** **BG TR DE HU MK PL RO RU ES YU**
- 312. *Endasys minutulus* (Thomson,1883)** (Ichneumonidae) **Synonym(s):** *minutulus* Thomson,1883; *nigripes* Strobl,1904; *fusciventris* Habermehl,1916 **Range (in code):** **AT TR CA BCo CZ SK FI FR DE HU LV NO PL SE US Als GB 32**
- 313. *Endasys parviventris* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *parviventris* Gravenhorst,1829; *pictipes* Rudow,1886; *tyrolensis* Schmiedeknecht,1905 **Range (in code):** **TR AT BE BG CN Hpe DK FI FR Co DE HU IT JP KG LT NL NO PL RO RU Pt ES SE GB**
- 314. *Endasys plagiator* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *plagiator* Gravenhorst,1829; *braunsi* Lange,1911; *laetus* Habermehl,1929 **Range (in code):** **TR AT BE BG HV CZ DK FI FR DE HU IT Si MK NL NO PL ES SE CH UA GB YU 25 32 53**
- 315. *Endasys senilis* (Gmelin,1790)** (Ichneumonidae) **Synonym(s):** *senilis* Gmelin,1790 **Range (in code):** **AT TR BE BG CZ SK DK FI FR DE HU IE IT LV PL SE CH GB**
- 316. *Endasys thunbergi* Sawoniewicz & Luhmann,1992** (Ichneumonidae) **Synonym(s):** *rubricator* Thunberg,1822 *nec* Panz.,1801; *thunbergi* Sawoniewicz & Luhmann,1992 **Range (in code):** **TR AZ Cc BE BG CZ SK DK FI FR DE HU LV NO PL SE GB 06**
- 317. *Endromopoda arundinator* (Fabricius,1804)** (Ichneumonidae) **Synonym(s):** *arundinator* Fabricius,1804; *melanopyga* Gravenhorst,1829; *erythrosoma* Rudow,1883; *arundinatrix* Schulz,1906; *nigricans* Ulbricht,1913; *culpator* Morley,1914; *crefeldensis* Strand,1918 **Range (in code):** **TR DZ AT AZ Cc BY BE BG CZ FI FR Co DE HU IR IE IT Sa Si LT LV MD MN NL NO PL RO RU Ao Da Pe Ro Pt Sr St To Yr ES SE UA GB 25 36 36F 36Fb**
- 318. *Endromopoda detrita* (Holmgren,1860)** (Ichneumonidae) **Synonym(s):** *punctator* Müller,1766; *detritus* Holmgren,1860; *laevadorsum* Vollenhoven,1873; *brunnea* Birschke,1880 **Range (in code):** **TR AT AZ Cc BY BE BG CA Abt BCo On CN TW HV CZ SK DK FI FR Co GG DE HU IR IE IT LT LV MD**

NL NO PL RO RU Kmt Us Sh Yr YU ES SE CH US Cf Ny Org Ws UA GB 24 25 36 53 62 69 25C 36F 36Fb 62C 69B 69Bc

- 319. Endromopoda phragmitidis (Perkins,1957)** (Ichneumonidae) Synonym(s): *phragmitidis* Perkins,1957; *rufipes* Aubert,1963 Range (in code): **TR AT BY BG CZ FI FR DE MD MN NO PL RO YU SE TR GB 12 25 36 69 76 25A 25C 25F 25K 36F 36Fb**
- 320. Enicospilus cerebrator Aubert,1966** (Ichneumonidae) Synonym(s): *cerebrator* Aubert,1966 Range (in code): **ES FR IT Co Si RU TR 50**
- 321. Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957 Range (in code): **ES FR IT Co BG TR IR DZ MN KG RU At TM UA Cn EG FR IL MA 20 50**
- 322. Enicospilus incognitus Izquierdo,1983** (Ichneumonidae) Synonym(s): *incognitus* Izquierdo,1983 Range (in code): **ES YU TR**
- 323. Enicospilus inflexus (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *inflexus* Ratzeburg,1844 Range (in code): **TR BG Cn HV CZ SK FR DE HU IL Pa IT MA PL ES TM GB**
- 324. Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus* Holmgren,1858 Range (in code): **PT ES FR BE NL DE PL EE SE FI AT IT HU RO BG TR RU Sb Ao Da Ir Kr Mo Ro Sr St Yr KG 38**
- 325. Enicospilus tournieri (Snellen van Vollenhoven,1879)** (Ichneumonidae) Synonym(s): *tournieri* Snellen van Vollenhoven,1879 Range (in code): **ES FR GB BE NL DE PL UA RU MD RO HU CH IT Co BG TR 50**
- 326. Enizemum ornatum (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ornatum* Gravenhorst,1829; *deplanatum* Gravenhorst,1829; *carinulatum* Ruthe,1859; *frenator* Desvignes,1862; *neomexicanum* Brues,1908; *sumptuosum* Schmiedeknecht,1926 Range (in code): **AF AT BE BG CA Abt BCo Ssk Yuk CN Gn TW CZ SK FI FR DE GrI HU IS IN IE IT Si LT LV MD MN NO PL RO RU Ir Kmt Us ES SE CH TR US Als Col NMx GB**
- 327. Enytus apostatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *apostata* Gravenhorst,1829; *exareolatus* Ratzeburg,1852; *reticulatus* Bridgman,1884 Range (in code): **Cc AM TR AT BE BG CZ SK EE FI FR DE GrI HU IN IR IL IT LT LV MD MN NL NO PL RO RU Ir ZA LK SE CH UA GB 25**
- 328. Enytus crataegellae (Thomson,1877)** (Ichneumonidae) Synonym(s): *crataegellae* Thomson,1877 Range (in code): **TR CZ SK DE IT MD PL RU Us UA 06**
- 329. Ephialtes manifestator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *manifestator* Linnaeus,1758; *gracilis* Gmelin,1790; *leucopalpus* Gmelin,1790; *melanopus* Gmelin,1790; *carbonarius* Christ,1791; *gracilis* Schrank,1802; *nepotor* Thunberg,1822; *elongator* Zetterstedt,1838 Range (in code): **TR AT AZ Cc BY BE BG CA Abt BCo On CN Gn HV CZ SK DK EE FI FR Co DE GR Cr HU IS IN IR IE IT Sa Si JP KG LT LV MA NL NO PL RO RU Ao Sh Pt YU SS ES SE CH TJ US Arz Nje Ny UA GB 25 25C**
- 330. Eremotylus marginatus (Jurine,1807)** (Ichneumonidae) Synonym(s): *marginatus* Jurine,1807 Range (in code): **Cc TR AT BG CZ SK FR DE HU JP KP KR MD NL PL RO RU SE CH UA GB**
- 331. Eriborus terebrans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *terebrans* Gravenhorst,1829; *giganteus* Szépligeti,1916; *pyraustae* Okamoto,1921; *punctorius* Roman,1923; *akiyamai* Uchida,1942 Range (in code): **TR BG CA On Fkn Kwa Mc Hnn Hun Jn Lng IMn Sz Yu HV CZ SK FI FR HU GU IT JP KP KR MY MD PL RO RU US Iln Idp Io Knt Mrl Mch Ne Nje Nye NCa Oh Pns Vi Wc YU**
- 332. Eridolius dorsator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *dorsator* Thunberg,1822; *mitigosus* Gravenhorst,1829; *similatorius* Schiödte,1839; *limbatus* Holmgren,1856; *alpicola* Holmgren,1857; *borealis* Holmgren,1857; *frigidus* Holmgren,1857; *brevigena* Thomson,1883; *punctipes* Thomson,1883; *punctipleuris* Thomson,1883; *signifer* Thomson,1883 Range (in code): **AM AT BE Cc BE BG CZ SK DK FI FR DE HU IE IT KG LT LV MN NL NO PL RO RU Kmt Mgd Pe Sh Pt Voo Ya Yr ES SE CH TR UA GB**
- 333. Eridolius pictus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pictus* Gravenhorst,1829; *marginatus* Thomson,1883; *crassipes* Szépligeti,1901; *nigrofemoralis* Ashmead,1902 Range (in code): **TR FR IT AT BY BE NL DK DE CZ SK IE PL NO MN KG SE FI EE LT RU Pt Tt Ya Yr At Kmt Mgd Sh US Als GB 25**
- 334. Erromenus bibulus Kasparyan,1973** (Ichneumonidae) Synonym(s): *bibulus* Kasparyan,1973 Range (in code): **BY BG FI GG Cc DE KG LT MN PL RU Mo Pt Ya Yr TR GB**
- 335. Erromenus brunnicans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brunnicans* Gravenhorst,1829; *brunicans* Dalla Torre,1901 Range (in code): **TR AT BE BG CZ SK EE FI FR DE HU IE KG LT LV MN NL NO PL RO RU Da Mo Us Pt Voo Yr ES SE CH GB 67**
- 336. Erromenus junior (Thunberg,1822)** (Ichneumonidae) Synonym(s): *junior* Thunberg,1822; *frenator* Gravenhorst,1829; *arenicola* Thomson,1883; *discretus* Szépligeti,1899 Range (in code): **TR AM Cc AT AZ BE BG CZ SK DK FI FR DE HU IE IT LT LV MN NL NO PL RO RU Pe Pt SE CH GB**

- 337. *Erromenus melanotus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *melanotus* Gravenhorst,1829; *cavigena* Thomson,1883 \_ Range (in code): **TR BG CZ SK FI FR DE HU IT KP KR PL RU Kr Cc Us Sh SE UA 38**
- 338. *Erromenus punctulatus* Holmgren,1857** (Ichneumonidae) Synonym(s): *punctulatus* Holmgren,1857; *crassus* Cresson,1868; *tejonius* Cresson,1879; *leviculus* Davis,1897; *niger* Szépligeti,1901 Range (in code): **TR AT AZ Cc BE BG CA Abt BCo Mnt Nfl Lbr On Qb Ssk Yuk CZ SK FI FR DE HU IE JP KG LT MN NL NO PL RU At Ir Kmt Mgd Mo Us Pt Sr Ya Yr SE CH US Als Cf Col Id Mai Mch Mns Ne Nh Nje NMx Ny NCa Org Sdk Ws Vi Wy UA GB**
- 339. *Eucremastoides angelovi* Kolarov,1980** (Ichneumonidae) Synonym(s): *angelovi* Kolarov,1980 \_ Range (in code): **TR BG 05**
- 340. *Eucremastus collaris* Narolsky,1990** (Ichneumonidae) Synonym(s): *collaris* Narolsky,1990 \_ Range (in code): **AZ AM GG Cc TR 33**
- 341. *Eucremastus manni* (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni* Tschek,1871; *brevicornis* Szépligeti,1905 \_ Range (in code): **DZ ES GR TR FR IT**
- 342. *Eucremastus priebei* Kolarov,1999** (Ichneumonidae) Synonym(s): *priebei* Kolarov,1999 Range (in code): **TR GR**
- 343. *Eudelus simillimus* (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865 \_ Range (in code): **ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU 06**
- 344. *Eugalta cinctipes* (Kriechbaumer,1899)** (Ichneumonidae) Synonym(s): *cinctipes* Kriechbaumer,1899 \_ Range (in code): **UA Cm TR**
- 345. *Eurylabus larvatus* (Christ,1791)** (Ichneumonidae) Synonym(s): *larvatus* Christ,1791; *vinulator* Thunberg,1822; *intrepidus* Wesmael,1855; *pestrei* Berthoumieu,1892; *vinulator* Thomson,1894; *flavosignatus* Kriechbaumer,1894; *dusmeti* Berthoumieu,1904 Range (in code): **TR DZ AT BE HV CZ SK FI FR DE HU IT KG PL RO RU Kr Cc ES SE GB**
- 346. *Euryproctus arbustorum* Holmgren,1857** (Ichneumonidae) Synonym(s): *arbustorum* Holmgren,1857; *postfurcalis* Strobl,1903 \_ Range (in code): **TR NO SE FI PL AT UA BY RU 53 53M**
- 347. *Euryproctus geniculosus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *geniculosus* Gravenhorst,1829 \_ Range (in code): **TR BE CZ SK DK FI FR DE HU IE IT LT LV NL PL RO RU Mo Pe Pt ES SE CH GB**
- 348. *Euryproctus luteicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *luteicornis* Gravenhorst,1829 \_ Range (in code): **TR SE FI IE GB FR DE CH PL CZ SK AT HU LT GG Cc 53 53M**
- 349. *Euryproctus mundus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *mundus* Gravenhorst,1820; *aberrans* Woldstedt,1877; *testaceicornis* Brischke,1892; *strandi* Gregor,1937 \_ Range (in code): **TR AF AT BE BG CZ SK DK FI FR GG Cc DE HU IT LV NL NO PL SE CH UA GB 33 34**
- 350. *Euryproctus nemoralis* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *nemoralis* Geoffroy,1785; *digitator* Thunberg,1822; *affinis* Holmgren,1856; *tuberculatus* Holmgren,1857; *vafer* Woldstedt,1874; *foersteri* Kriechbaumer,1897 \_ Range (in code): **TR AZ Cc RU Sb AT BE BG CZ SK DK FI FR DE HU IE IT LT LV NL PL RO At Ir Pt Ya Yr ES SE CH UA GB 53 53M**
- 351. *Euryproctus numidicus* Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): *numidicus* Schmiedeknecht,1900; *tunetanus* Habermehl,1925; *turcator* Aubert,1979 \_ Range (in code): **TR DZ MA EG TN IL Pa 42**
- 352. *Euryproctus trochantellator* Aubert,1998** (Ichneumonidae) Synonym(s): *trochantellator* Aubert,1998 \_ Range (in code): **TR RU VI**
- 353. *Euryproctus turcator* Aubert,1979** (Ichneumonidae) Synonym(s): *turcator* Aubert,1979 Range (in code): **TR**
- 354. *Eutanyaera glaucatoria* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *albiventris* Gmelin,1790; *glaucatoria* Fabricius,1793; *basalis* Stephens,1835; *hungarica* Tischbein,1868; *sicula* Rudow,1888; *distyca* Berthoumieu,1894; *hispanica* Berthoumieu,1896; *meridionalis* Berthoumieu,1896; *nigriventris* Berthoumieu,1896; *obesa* Berthoumieu,1896; *spoliata* Berthoumieu,1896; *medinai* Berthoumieu,1903; *nigroscutella* Ulbricht,1909; *praetexta* Berthoumieu,1910; *nigerrima* Habermehl,1917; *bruyanti* Pic,1927; *viturati* Pic,1927; *krapiensis* Schmiedeknecht,1930; *quadrimarginata* Constantineanu,1951; *quinquecingulata* Constantineanu,1954; *immaculata* Heinrich,1978 \_ Range (in code): **TR DZ AT AZ Cc BY BE BG HV CZ SK FI FR DE GR Cr HU IR IE IL Pa IT Sa Si KG LT MD MA NL NO PL RO RU Ao Kr Mo Us Ro ES SE CH TN UA GB**
- 355. *Eutanyaera picta* (Schränk,1776)** (Ichneumonidae) Synonym(s): *picta* Schränk,1776; *laboratoria* Müller,1776; *sanguinea* Christ,1791; *vadatoria* Illiger,1807; *affirmatoria* Thunberg,1822; *concinna* Stephens,1829 Range (in code): **TR AF AT AZ Cc BY BE BG CN Pkn Gn Mc Hun Sz Ui Yu HV CZ SK FI FR DE HU IR IT JP KG KP KR LT MT MD MN NL PL RO RU Ao Mo Om Pe Ro Sm Sr Tv Tt Voo Pt ES SE CH GB**



- 356. Exenterus abruptorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *abruptorius* Thunberg,1822; *cingulatorius* Holmgren,1857; *corensis* Uchida,1930 \_ Range (in code): AT TR BE BG CA On CZ SK EE FI FR GG DE HU IT JP KP KR LT NO PL RU Ro Pt Voo ES SE UA GB
- 357. Exenterus ictericus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ictericus* Gravenhorst,1829 \_ Range (in code): TR RU Ur AM AT Cc BE B-H BG CZ SK FI FR DE IT LT NO PL RU Kc Mo Pt Yr ES SE CH GB YU 37
- 358. Exephanes fulvescens Vollenhoven,1875** (Ichneumonidae) Synonym(s): *fulvescens* Vollenhoven,1875; *annulicornis* Kriechbaumer,1895; *ulbrichti* Hinz,1957 \_ Range (in code): BE BG FR DE IE NL PL TR GB
- 359. Exephanes ischioxanthus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ischioxanthus* Gravenhorst,1829; *exulans* Gravenhorst,1829; *hilaris* Gravenhorst,1829; *subnudus* Tischbein,1881; *bisignatus* Kriechbaumer,1890; *marginalis* Kriechbaumer,1890; *flavocinctus* Habermehl,1917 \_ Range (in code): AT BE BG HV CZ SK FI FR DE GR HU IE IT LT MD NL PL RO RU ES SE CH TR GB
- 360. Exephanes tauricus Hinz,2000** (Ichneumonidae) Synonym(s): *tauricus* Hinz,2000  
Original reference: *Exephanes tauricus* Hinz,2000, Spixiana 23 (1): 22-23. Holotype ♀: [Türkei]: "Aintab (Taurus)" (ZSM). Range (in code): TR 27
- 361. Exeristes arundinis Kriechbaumer,1887** (Ichneumonidae) Synonym(s): *arundinis* Kriechbaumer,1887; *niger* Ulbricht,1913 \_ Range (in code): AT BY BG CN CZ SK FI FR DE HU IR KG LT MK MN PL RO RU Us ES CH TM UA YU TR 24
- 362. Exeristes roborator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *instigator* Rossi,1790; *roborator* Fabricius,1793; *longicauda* Brullé,1832; *aegyptius* Walker,1871; *robustus* Rudow,1883; *nodosus* Rudow,1883; *flavipennis* Rudow,1883; *schmiedeknechti* Kriechbaumer,1888; *brachycerus* Thomson,1894; *punctatus* Thomson,1894;... Range (in code): TR AL DZ AT AZ Cc BE B-H BG Cn CN Pkn Gn Hun Ui TW HV CY CZ SK EG FI FR Co GG DE GR HU IN IR IL Pa IT Sa Si JP JO KG KE KP KR LT LY LV MK MT MD MN MA NO PK PL RO RU Ao Us Sh Voo SS ES LK SE CH TN UA GB 03 06 08 12 13 24 25 29 31 35 36 38 49 53 62 69 75 13G 13Gw 29A 29Ab 36F 36Fb 49E 49Ea 53N 62F 75F
- 363. Exetastes adpressorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *adpressorius* Thunberg,1822; *guttatorius* Gravenhorst,1829; *tristis* Gravenhorst,1829; *procera* Kriechbaumer,1894; *guttifer* Thomson,1897; *medianus* Szépligeti,1898; *albopictus* Aubert,1959; *nigritarsis* Constantineanu & Pisica,1960; *albopictor* Aubert,1972 \_ Range (in code): TR KG RU Sb CN DZ AT AZ Cc BY BE BG Cn CN Ui HV CZ SK DK FI FR Co DE GR HU IE IT Sa Si JO KG LT LV MD MN NL NO PL PT RO Am Us Sh Pt ES SE CH TN UA GB YU 62 62C
- 364. Exetastes alpius (Heinrich,1952)** (Ichneumonidae) Synonym(s): *alpius* Heinrich,1952  
Range (in code): TR DE CH
- 365. Exetastes crassus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *crassus* Gravenhorst,1829; *bicoloratus* Gravenhorst,1829 \_ Range (in code): TR AF AT BE BG Cn HV CZ SK EG FI FR DE GR HU IR IT KK LT MN NL PL RO RU Cc Da Voo SS ES SE UA YU
- 366. Exetastes curator Aubert,1977** (Ichneumonidae) Synonym(s): *curvator* Aubert,1977  
Range (in code): TR 75 75D
- 367. Exetastes femorator Desvignes,1856** (Ichneumonidae) Synonym(s): *femorator* Desvignes,1856 \_ Range (in code): TR KG MN RU Sb CN AT BY IMn CZ SK FR DE HU IE NL PL RU Ao Om Us SE GB
- 368. Exetastes fornicator (Fabricius,1781)** (Ichneumonidae) Synonym(s): *fornicator* Fabricius,1781; *expansor* Thunberg,1822; *punctulatus* Kokujev,1905 Range (in code): TR DZ AT BY BE BG CA Abt BCo Mnt On Qb Ssk CN Pkn IMn Ui HV CZ SK DK FI FR Cc GG DE HU IN IR IE IT JP KG KK MX MD MN NL PL RO RU Ao Ir Pe Us Sh Pt Tt To YU ES SE CH US Arz Cf Col Ge Id Iln Idp Kan Ne Nh Nje NMx Ny NCa Org Pns Rdi SCa SDk Tnn Tx Ut Vi Ws Wc Wy UA GB
- 369. Exetastes gracilicornis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829; *variegatus* Szépligeti,1898; *biguttatus* Meyer,1927 \_ Range (in code): TR AT BY BE CN Lng CZ SK FI FR DE HU IT KG KK LT LV MD MN NL PL RO RU At Ao Ir Kr Ro Sr St Ya Yr ES SE CH UA GB
- 370. Exetastes illusor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *illusor* Gravenhorst,1829; *minor* Szépligeti,1901; *annulatus* Habermehl,1927 \_ Range (in code): TR Cc KG RU Sb AT BY BE BG CA Abt BCo On Yuk HV CZ SK DK FI FR DE HU IN IE IT LT LV MD MN NL NO PL RO Am Ao Ir Mgd Mo Om Us Pt Tt Ya Yr ES SE CH US Als Cf NMx Ny Org SDk Ut Ws Wy UA GB YU 34
- 371. Exetastes inquisitor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *inquisitor* Gravenhorst,1829; *flavitaris* Gravenhorst,1829; *agrotidis* Kokujev,1913; *falcifer* Roman,1936 \_ Range (in code): TR AT CN Gn Ui FR DE HU LT LV MN PL RO RU Ao Ir Kc Pe Ya ES UA YU
- 372. Exetastes laevigator (Villers,1789)** (Ichneumonidae) Synonym(s): *laevigator* Villers,1789; *compensator* Fabricius,1793; *cothurnatus* Gravenhorst,1807; *incurvator* Thunberg,1822; *alpinus* Kriechbaumer,1888; *puberulus* Szépligeti,1898; *similis* Kokujev,1905; *nigriventris* Meyer,1927 \_ Range (in

code): **TR RU At Cc CN AF AT BY BE BG Mc Ui CZ SK DK FI FR GG DE GR HU IT KG KK LT LV MN NL NO PL PT RO RU At Da Mo Om Pe Us Sh Pt Voo ES SE CH UA GB 34**

- 373. Exetastes nigripes Gravenhorst,1829** (Ichneumonidae) *Synonym(s): nigripes Gravenhorst,1829; atrifacies Constantineanu & Pisica,1960* Range (in code): **TR AT BE BG CN Pkn Mc Lng HV CZ SK DK FI FR DE HU IN IE KG LT LV MN NL NO PL PT RO RU Ao Ir Om Pe Pt St Ya YU ES SE CH UA GB**
- 374. Exetastes robustus Gravenhorst,1829** (Ichneumonidae) *Synonym(s): robustus Gravenhorst,1829; jozankeanus Uchida,1929; muelleri Kiss,1930* Range (in code): **TR AT BY BG CN Lng CZ SK FR DE HU IT JP KG MD MN PL RO RU Ao Pe Us Ro Sh Pt Ya SE UA**
- 375. Exetastes rufifemur Hortsman & Yu,1999** (Ichneumonidae) *Synonym(s): rufipes Gmelin,1790 (preocc.); scutellaris Rudow,1881 (preocc.); rufifemur Hortsman & Yu,1999* Range (in code): **TR AT BE CZ SK FI FR DE HU IT LV MN PL RO RU ES SE CH**
- 376. Exetastes segmentarius Pérez,1895** (Ichneumonidae) *Synonym(s): segmentarius Pérez,1895; ibericus Seyrig,1927; obscuripes Seyrig,1927* Range (in code): **TR AF BG Cn EG FR HU IL LV MA PT RO ES**
- 377. Exochus albicinctus Holmgren,1873** (Ichneumonidae) *Synonym(s): albicinctus Holmgren,1873; anospilus Thomson,1887; nigricans Szépligeti,1898* Range (in code): **TR Cc AM MN AT BG HV CZ SK FI DE GR HU KG LV MD NO PL RO RU Ir Kr Or Us Sh ES SE UA GB YU 32**
- 378. Exochus bolivari Seyrig,1927** (Ichneumonidae) *Synonym(s): bolivari Seyrig,1927* Range (in code): **TR FR Co ES**
- 379. Exochus britannicus Morley,1911** (Ichneumonidae) *Synonym(s): britannicus Morley,1911* Range (in code): **TR HU KG MD PL RO RU Kmt Sh Ya TM UA GB**
- 380. Exochus castaniventris Brauns,1896** (Ichneumonidae) *Synonym(s): castaniventris Brauns,1896; meridionalis Seyrig,1927; erkini Kolarov,1986* Range (in code): **TR EG KG BG FR GG Cc GR HU IR MT MD PL RO RU VI ES UA UZ 01 03 07 34 46 01M 07D 34B 46F**
- 381. Exochus consimilis Holmgren,1858** (Ichneumonidae) *Synonym(s): consimilis Holmgren,1858; parvispina Thomson,1887; decoloratus Schmeideknecht,1924; subalpinus Schmiedeknecht,1924* Range (in code): **TR AT BY BE BG CZ SK FI FR GG DE Grl HU KG LT LV MD MN NL NO PL RO RU Kmt Mo Us Sh Pt St Ya ES SE TN UA GB**
- 382. Exochus erkini Kolarov,1986** (Ichneumonidae) *Synonym(s): erkini Kolarov,1986* Original reference: Exochus erkini Kolarov,1986, Türk. bitki kor.derg. 10: 98. Type: Turkey, Manisa, Alaşehir. Range (in code): **TR 45 45C**
- 383. Exochus erythronotus (Gravenhorst,1820)** (Ichneumonidae) *Synonym(s): erythronotus Gravenhorst,1820; concinnus Holmgren,1858; pumilus Holmgren,1873; rufidorsum Szépligeti,1898; ghigii Ferriere,1929* Range (in code): **TR AT BE BG HV CZ SK FI FR Co DE GR HU IT Si LT LV Md MD NL NO PL RU Voo ES SE CH UA GB 42**
- 384. Exochus ferus Tolkantitz,1993** (Ichneumonidae) *Synonym(s): ferus Tolkantitz,1993* Range (in code): **TR AM BY Cc HU KG RU Kc Mo Sh Pt UA**
- 385. Exochus flavifrons Boheman,1863** (Ichneumonidae) *Synonym(s): flavifrons Boheman,1863* Range (in code): **TR BG CZ SK FI DE HU MD PL SE 53 53M**
- 386. Exochus flavomarginatus Holmgren,1856** (Ichneumonidae) *Synonym(s): flavomarginatus Holmgren,1856* Range (in code): **AT AZ Cc BE CZ SK FI FR Co GG DE HU IE IT JP LV MD MN NL NO PL RO RU Am Ir Pt ES SE TR UA GB**
- 387. Exochus foveolatus Schmiedeknecht,1924** (Ichneumonidae) *Synonym(s): foveolatus Schmiedeknecht,1924; foveolatus Habermehl,1925* Range (in code): **FR DE HU TR AT CZ SK KG LV PL RU Ir Us Sh Ya UA 25**
- 388. Exochus gravipes (Gravenhorst,1820)** (Ichneumonidae) *Synonym(s): gravipes Gravenhorst,1820; rufiantennalis Uchida,1942* Range (in code): **AT BY BE BG CA On CN Lng HV CZ DK EE FI FR FR DE HU IR IE IT LT LV NL NO PL RO RU Ir Kb Mo Us Sh Pt Ya Yr ES SE CH TR US Mch UA GB**
- 389. Exochus gravis Gravenhorst,1829** (Ichneumonidae) *Synonym(s): gravis Gravenhorst,1829* Range (in code): **AT BG CZ SK DK FR DE HU LV NL PL RO RU Kr Cc Ro St Voo ES TR UA GB**
- 390. Exochus lictor Haliday,1838** (Ichneumonidae) *Synonym(s): lictor Haliday,1838; pectoralis Haliday,1838; decoratus Holmgren,1873* Range (in code): **TR AZ BY Cc BE BG CA Abt BCo On Qb CZ SK FI FR DE HU IE IT JP LT LV NL PL RO RU Kb Kmt Us Sh Pt Yr ES US Als Arz Col Cnt Ge Iln Kan Mai Mrl Mch Mns Nh Nje Ny NCa Pns Rdi UA GB**
- 391. Exochus marklini Holmgren,1858** (Ichneumonidae) *Synonym(s): marklini Holmgren,1858; elegantissimus Schmiedeknecht,1924; dives Bauer,1942; #clesantissimus Öncüler,1991* Range (in code): **TR BG DE IT MD PL SE UA YU**



- 392. Exochus mitratus Gravenhorst, 1829** (Ichneumonidae) *Synonym(s): mitratus Gravenhorst, 1829; affinis Holmgren, 1858; australis Thomson, 1894; pseudaffinis Strobl, 1903; paradoxus Schmiedeknecht, 1924; punctifer Schmiedeknecht, 1924* Range (in code): TR AT AZ Cc BE BG CZ Abt BCo Mnt Qb Cn CN Mc Lng HV CZ SK FI FR Co GG DE HU IR IE IT JP KG LT LV MT MD MN NL Ao NO PL PT RO RU At Am Ir Mo Us Pt Sr VI Voo SS ES SE TN US Cf Col Id Mch Mon Ne Nje NDk Org Rdi SDk Tx Ut Ws Vi Wy GB YU 06 25 28 39 53
- 393. Exochus morionellus Holmgren, 1858** (Ichneumonidae) *Synonym(s): morionellus Holmgren, 1858; gemniferanae Hedwig, 1952* Range (in code): AM AT Cc AZ FI DE MD MN PL RU Ya Ns SE TR UA
- 394. Exochus prosopius Gravenhorst, 1829** (Ichneumonidae) *Synonym(s): prosopius Gravenhorst, 1829; maculatus Brischke, 1871; procerus Holmgren, 1873; dioszeghyi Kiss, 1926* Range (in code): TR AT BE BG HV CZ SK DK FI FR Co DE GR HU IE JP LT LV MT MD NL NO PL RO RU Kb Cc Kmt Us Sh Pt ES SE UA GB 28 53
- 395. Exochus protuberans Kolarov & Çoruh, 2009** (Ichneumonidae) *Synonym(s): protuberans Kolarov & Çoruh, 2009* Range (in code): TR
- 396. Exochus suborbitalis Schmiedeknecht, 1924** (Ichneumonidae) *Synonym(s): suborbitalis Schmiedeknecht, 1924* Range (in code): FR DE HU RO BG LT MD UA TR Co CZ SK KG LV PL RU Us Sh 07 25 28 07K
- 397. Exochus thomsoni Schmiedeknecht, 1924** (Ichneumonidae) *Synonym(s): crassicornis Thomson, 1894 (preocc.); thomsoni Schmiedeknecht, 1924* Range (in code): TR FI HU KG MN NL PL RO RU Am Ir Kmt Us Sh Ya SE UA 62 62C
- 398. Exochus vafer Holmgren, 1873** (Ichneumonidae) *Synonym(s): vafer Holmgren, 1873* Range (in code): TR AT FI FR DE HU MD PL RU SE UA
- 399. Exyston montanus Kerrich, 1975** (Ichneumonidae) *Synonym(s): montanus Kerrich, 1975* Range (in code): ES CH TR Cc KK TJ UZ AT AZ BG KG 25 53
- 400. Exyston sponsorius (Fabricius, 1781)** (Ichneumonidae) *Synonym(s): sponsorius Fabricius, 1781; cinctulus Gravenhorst, 1820; conopsator Thunberg, 1822; carinatus Thomson, 1883* Range (in code): TR AM AT Cc AZ BE BG CZ SK FI FR Co GG DE HU IE IT KG KK LT MD MN NL NO PL RO RU Kmt Mo Us Pt St Tt Voo Ya Yr ES SE CH UA GB
- 401. Exyston subnitidus (Gravenhorst, 1829)** (Ichneumonidae) *Synonym(s): subnitidus Gravenhorst, 1829; phaeorrhæus Haliday, 1838* Range (in code): TR RU Da Cc AT AZ BE BG CZ SK FI FR DE IE MD NL PL Sr VI ES CH UA GB
- 402. Fileanta flavolaeta (Berthoumieu, 1892)** (Ichneumonidae) *Synonym(s): flavolaeta Berthoumieu, 1892* Range (in code): TR Cc 58 65 58G 65F
- 403. Fileanta radoszkowskii (Berthoumieu, 1892)** (Ichneumonidae) *Synonym(s): radoszkowskii Berthoumieu, 1892; cursorius Smith, 1874* Range (in code): TR CN Ui KG
- 404. Gambrus incubitor (Linnaeus, 1758)** (Ichneumonidae) *Synonym(s): incubitor Linnaeus, 1758; vibex Müller, 1776; upsaliensis Geoffroy, 1785; superus Thomson, 1896; incertus Habermehl, 1935* Range (in code): TR AT AZ Cc BE BG HV CZ FI FR Co DE HU IR IE IT KE LT LV NO PL RO RU Ao ES SE CH GB YU 32 53 53B
- 405. Gambrus ornatus (Gravenhorst, 1829)** (Ichneumonidae) *Synonym(s): ornatus Gravenhorst, 1829; inferus Thomson, 1896; quadricinctus Strobl, 1901; ruficoxis Habermehl, 1919; meridianator Aubert, 1965* Range (in code): TR TJ AT AZ Cc BY BG HV CZ DK FI FR Co DE HU IE IT KK LT MD NL NO PL RO RU Kmt ES SE CH SY TM GB 34
- 406. Gambrus tricolor (Gravenhorst, 1829)** (Ichneumonidae) *Synonym(s): tricolor Gravenhorst, 1829; subcinctus Gravenhorst, 1829; opacus Szépligeti, 1916* Range (in code): TR AT BE BG CZ FI FR Co DE HU IE IT LT LV NO PL RO RU ES SE GB YU 25 37 53 53M
- 407. Gelis agilis (Fabricius, 1775)** (Ichneumonidae) *Synonym(s): agilis Fabricius, 1775; cursor Schrank, 1780; ruficornis Retzius, 1783; celer Olivier, 1792; instabilis Förster, 1850; mediocris Förster, 1850; thoracicus Brischke, 1878; alpigena Strobl, 1901; rossicus Szépligeti, 1901; albulæ Rudow, 1917; cuculliae Rudow, 1917; eupitheciae Rudow, 1917; intrans Rudow, 1917; lineatus Rudow, 1917; microrum Rudow, 1917; monozonius Rudow, 1917; nigerrimus Rudow, 1917; rosarum Rudow, 1917; rufostictus Rudow, 1917; vanessae Rudow, 1917; cephalotes Hellen, 1970* Range (in code): TR Cc RU Sb AL AT AZ BY BE BG HV CZ DK FI FR DE GR HU IE IT LT LV MD NL NO PL RO Kmt Kr Om SK ES SE CH UA GB
- 408. Gelis anatolicus Schwarz, 1998** (Ichneumonidae) *Synonym(s): anatolicus Schwarz, 1998* Original reference: Gelis anatolicus Schwarz, 1998, Linzer biol. Beitr. 30 (2): 668-669. Holotype ♀: "Türkei" (MNHV). Range (in code): TR
- 409. Gelis cursitans (Fabricius, 1775)** (Ichneumonidae) *Synonym(s): cursitans Fabricius, 1775; tuberculatus Hartig, 1838; decipiens Förster, 1850; peregrinator Förster, 1850; alpinus Rudow, 1917; braconidum Rudow, 1917; helcis Rudow, 1917; psychivorus Rudow, 1917* Range (in code): TR AT BY BG HV CZ SK DK FI FR DE HU IE IT LT NO PL RO RU Ao Pt SE CH UA GB 53

- 410. *Gelis cyanurus* (Förster,1850)** (Ichneumonidae) **Synonym(s):** *cyanurus* Förster,1850; *wesmaelii* Fonscolombe,1852; *tricolor* Giraud,1857; *coeruleus* Pfankuch,1914; *violaceus* Rudow,1917; *africanus* Seyrig,1928 **Range (in code):** **TR DZ AT CZ FR Co DE GR HU IT Sa MT MA RO YU SK SS ES UA 42**
- 411. *Gelis exareolatus* (Förster,1850)** (Ichneumonidae) **Synonym(s):** *exareolatus* Förster,1850; *nigritus* Förster,1850; *simulans* Förster,1850; *micromelas* Kriechbaumer,1894; *lapponicus* Hellen,1970 **Range (in code):** **TR AT BG CZ DK FI FR DE GR HU IE IR IT LB NL NO PL RO RU ES SE GB 06**
- 412. *Gelis formicarius* (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *formicarius* Linnaeus,1758; *ratzeburgi* Förster,1850; *confusus* Bridgman,1883; *verrucosus* Rudow,1917 **Range (in code):** **TR AT AZ Cc BE BG HV CZ SK FR HU LT LV NL NO PL RO ES SE CH GB 53 53M**
- 413. *Gelis mutillatus* (Gmelin,1790)** (Ichneumonidae) **Synonym(s):** *mutillatus* Gmelin,1790; *vagans* Olivier,1792; *pedicularius* Fabricius,1793 **Range (in code):** **TR AT BE BG HV CZ SK FI FR Co DE HU IE IT Sa LT NL NO PL RO RU ES SE UA GB 25**
- 414. *Gelis stevenii* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *stevenii* Gravenhorst,1829 **Range (in code):** **TR GG Cc CZ SK CH AT HU RO BG UA MD RU ES FR Co IT Si HV AL MK GR**
- 415. *Gelis trux* (Förster,1850)** (Ichneumonidae) **Synonym(s):** *ruficornis* Thunberg,1827 (preocc.); *trux* Förster,1850; *blandus* Förster,1850; *comes* Förster,1850; *transfuga* Förster,1850 **Range (in code):** **TR AT BG CZ SK FI FR DE GR HU IS IT LT LV MD NL NO PL RO RU Ao Pt ES SE CH UA GB 25 53**
- 416. *Giraudia gyratoria* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *gyratoria* Thunberg,1822; *congruens* Gravenhorst,1829 **Range (in code):** **TR Cc 16**
- 417. *Glyphicnemis profligator* (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *profligator* Fabricius,1775; *abdominalis* Geoffroy,1785; *nigricornis* Gmelin,1790; *textor* Thunberg,1822; *pygmaea* Habermehl,1916; *ruficoxis* Habermehl,1916; *frequentoria* Zetterstedt,1838 **Range (in code):** **TR AT AZ Cc BY BE BG CZ DK FI FR DE HU IE IT JP KP KR LT LV MD MN NL NO PL RO RU Kmt Om Sh Pt ES SE CH UA GB 25**
- 418. *Glyphicnemis vagabunda* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *vagabunda* Gravenhorst,1829; *podagrica* Gravenhorst,1829; *exannulata* Hedwig,1956 **Range (in code):** **TR AT AZ Cc BE BG HU HV CZ SK DK FI FR GG DE GR IR IE IT LT MK MD NO PL RO RU Tt YU ES SE CH GB 25**
- 419. *Glypta* (Diblastomorpha) *cylindrator* (Fabricius,1787)** (Ichneumonidae) **Synonym(s):** *cylindrator* Fabricius,1787; *erythrogaster* Lucas,1849; *bicornis* Boie,1850; *bicornis* Desvignes,1856; *rostrata* Holmgren,1860; *corniculata* Brischke,1865; *elegans* Vollenhoven,1873; *ephippigera* Kriechbaumer,1895; *ruficornis* Szépliget,1898; *szepligetii* Dalla Torre,1901; *cylindatrix* Schulz,1906; *abundans* Hellen,1915; *abundans* Schmiedeknecht,1934 **Range (in code):** **TR AL DZ AM Cc AT BY BE B-H BG CZ SK FI FR GG DE GR HU IE IT LT LV NL NO PL RO RU Kr Sh To Yr SE CH UA GB YU**
- 420. *Glypta* (s.str.) *bifoveolata* Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *bifoveolata* Gravenhorst,1829; *sotosa* Roman,1909 **Range (in code):** **TR AT BY BE BG CZ SK DK EE FI FR DE HU IE IL Pa IT Si LT LV MD MN NL NO PL RO RU At Kmt Pe Ns Ya ES SE CH UA GB**
- 421. *Glypta* (s.str.) *haesitator* Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *haesitator* Gravenhorst,1829; *haesitatrix* Schulz,1906; *australis* Hedwig,1959 **Range (in code):** **TR AT BE BG CA BCo On CZ FI FR DE HU IE IT LT MN MA NO PL RO RU Kmt ES SE CH US Org Ws UA GB**
- 422. *Glypta* (s.str.) *mensurator* (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *mensurator* Fabricius,1775; *lugubrina* Holmgren,1860; *macropyga* Hellen,1915; *heydeni* Habermehl,1917; *jaroslavensis* Shestakov,1927 **Range (in code):** **TR AT BY BE BG CZ SK DK FI FR DE HU IE IT Sa KG LT LV MD MN NL NO PL RU At Tt Yr Bry ES SE CH UA GB**
- 423. *Glypta* (s.str.) *salicis* Thomson,1889** (Ichneumonidae) **Synonym(s):** *salicis* Thomson,1889 **Range (in code):** **TR CZ SK FI DE HU**
- 424. *Glypta* (s.str.) *salsolicola* Schmiedeknecht,1907** (Ichneumonidae) **Synonym(s):** *salsolicola* Schmiedeknecht,1907 **Range (in code):** **TR CZ SK FI FR DE HU PL RO RU At Mo ES CH**
- 425. *Glypta* (s.str.) *similis* Bridgman,1886** (Ichneumonidae) **Synonym(s):** *similis* Bridgman,1886; *rufipes* Thomson,1889; *thomsonii* Dalla Torre,1901; *thomsoni* Strobl,1902; *nigricoxis* Constantineanu,1958 **Range (in code):** **TR AT BG CZ SK FI FR DE IE LT MD NL PL RO RU Us SE GB**
- 426. *Grasseiteles ciliator* Aubert,1965** (Ichneumonidae) **Synonym(s):** *ciliator* Aubert,1965; *horstmanni* Schwarz & Shaw,2000 **Range (in code):** **TR FR BG IR PL 01 31**
- 427. *Grasseiteles punctus* (Holmgren,1857)** (Ichneumonidae) **Synonym(s):** *punctata* Holmgren,1857; *sisyphii* Verhoeff,1891; *punctatus* Horstmann,1986 **Range (in code):** **TR FI FR DE PL SE GB 06**
- 428. *Gravenhorstia* (Erigorgus) *cerinops* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *cerinops* Gravenhorst,1829; *xanthus* Boie,1855; *facialis* Boie,1857; *lapponicus* Thomson,1892; *rufofemoralis* Hellén,1926 **Range (in code):** **DZ KK KG TR BE BG CZ SK FI FR DE GR HU IE LT MD MA NL NO PL RO MN Sb Ya RU Ao Mo Pt Voo ES SE CH TN GB 22 25**

- 429. Gravenhorstia (Erigorgus) cubitator (Aubert,1960)** (Ichneumonidae) Synonym(s): *cubitator* Aubert,1960 \_ Range (in code): **TR FR GR TN 25**
- 430. Gravenhorstia (Erigorgus) femorator (Aubert,1960)** (Ichneumonidae) Synonym(s): *femorator* Aubert,1960 \_ Range (in code): **TR BG FR Co GR IL Pa ES CH 03**
- 431. Gravenhorstia (Erigorgus) fibulator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fibulator* Gravenhorst,1829; *claripennis* Thomson,1892 \_ Range (in code): **AM AT Cc AZ BE BG HV FI FR DE GR HU KG MD NO PL RO RU Ao Da St VI SE SE CH TJ TR GB UZ YU 01 32**
- 432. Gravenhorstia (Erigorgus) melanobatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *melanobatus* Gravenhorst,1829; *ferrugator* Gravenhorst,1829; *pubescens* Zetterstedt,1836 \_ Range (in code): **TR CY BE CZ SK FI DE GR Cr Grl HU NL PL RO ES SE CH TJ UA GB 25**
- 433. Gravenhorstia (Erigorgus) melanops (Förster,1855)** (Ichneumonidae) Synonym(s): *melanops* Förster,1855; *varians* Brauns,1895; *flavimanus* Szépligeti,1899; *interstitialis* Szépligeti,1899; *similis* Szépligeti,1899; *purpuratae* Kriechbaumer,1900 \_ Range (in code): **TR AT BE DE HU KK LT LV PL RO RU Sh YU ES TN 32**
- 434. Gravenhorstia (Kokujewiella) ibera (Ceballos,1957)** (Ichneumonidae) Synonym(s): *ibera* Ceballos,1957 \_ Range (in code): **ES IL Pa TR IR TJ UZ**
- 435. Gravenhorstia (Kokujewiella) vicaria Shestakov,1926** (Ichneumonidae) Synonym(s): *vicaria* Shestakov,1926; *cingulata* Meyer,1929 \_ Range (in code): **TR KG RU UZ 32**
- 436. Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae) Synonym(s): *picta* Boie,1836; *fasciata* Giraud,1857; *fasciata* Marshall,1873; *septemfasciata* Taschenberg,1875; *picta* Rudow,1882 \_ Range (in code): **TR AZ Cc KG TJ AT BE BG HV CY CZ SK FR DE GR IL Pa IT Si KG MA NL PL ES SY TN UA GB UZ 03 59**
- 437. Gregopimpla bernuthii (Hartig,1838)** (Ichneumonidae) Synonym(s): *bernuthii* Hartig,1838 \_ Range (in code): **AT TR BG CZ SK DU HU IT LT PL RO RU Us Voo SE YU**
- 438. Gregopimpla inquisitor (Scopoli,1763)** (Ichneumonidae) Synonym(s): *inquisitor* Scopoli,1763; *visitator* Scopoli,1763; *scanica* Geoffroy,1785; *albipes* Gmelin,1790; *annulata* Gmelin,1790; *aurifrons* Gmelin,1790; *variegata* Gmelin,1790; *perquisitor* Olivier,1792; *flavipes* Gravenhorst,1829; *pinnator* Thunberg,1822; *pini* Hartig,1838 \_ Range (in code): **TR AL AT AZ Cc BY BE BG CA On HV CZ SK DK EE FI FR DE GR HU IR IE IT Si KP KR LT LV MD NL PL RO RU Ao Pe Us Sh Sr Tv Yr YU ES SE CH UA GB 25**
- 439. Gregopimpla malacosomae (Seyrig,1927)** (Ichneumonidae) Synonym(s): *malacosomae* Seyrig,1927 \_ Range (in code): **AT BG IR IT Sa MK MD PL RO ES TR YU 25**
- 440. Habronyx heros (Wesmael,1849)** (Ichneumonidae) Synonym(s): *heros* Wesmael,1849; *mirabilis* Desvignes,1856; *gravenhorstii* Förster,1860; *gigas* Kriechbaumer,1880; *oti* Kriechbaumer,1895; *matsumemushii* Matsumura,1926 \_ Range (in code): **TR AT BY BE BG CN Pkn Mc Hun IMn Sz HV CZ SK FI FR DE HU IT JP Oki KP KR LT NL PL RU Am Mo Sh Pt To SE GB YU**
- 441. Hadroductylus bidentulus Thomson,1883** (Ichneumonidae) Synonym(s): *bidentulus* Thomson,1883; *orientator* Aubert,1995 \_ Range (in code): **SE SK BY UA Kkv Cm RU KG GR TR AF FI DE HU NL NO**
- 442. Hadroductylus femoralis (Holmgren,1857)** (Ichneumonidae) Synonym(s): *femoralis* Holmgren,1857; *intrepidus* Kriechbaumer,1891; *nigricoxa* Thomson,1894; *thomsoni* Schmiedeknecht,1913 \_ Range (in code): **TR AT BY BE BG CA CZ SK FI FR DE GR HU IE IT LT LV NL NO PL RO RU Am Ir Us Sh Pt Ya Yr ES SE CH UA GB**
- 443. Hadroductylus flavofacialis Hortsman,2000** (Ichneumonidae) Synonym(s): *flavofacialis* Hortsman,2000 \_ Range (in code): **GB NO FI IT BG AZ Cc CN RU Sb To TR UA Kkv Cm Da Kc Kb 25**
- 444. Hadroductylus fugax (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fugax* Gravenhorst,1829; *ventralis* Curtis,1837; *marginatus* Bridgman,1886; *alticola* Strobl,1903; *branderi* Jussila,1967 \_ Range (in code): **RU Sb Cc TR AL AM AZ BY BE BG DK FI FR DE GR HU IE IT KK LV NL NO PL RO RU Kr Pt St VI Yr YU ES SE CH TJ TM UA GB UZ 62 62C**
- 445. Hadroductylus larvatus Kriechbaumer,1891** (Ichneumonidae) Synonym(s): *larvatus* Kriechbaumer,1891; *barbatus* Szépligeti,1901; *bulsanensis* Schmiedeknecht,1913 \_ Range (in code): **TR ES FI IT DE AT CZ SK HU PL LT UA BY AZ RU Ya Yr Tt Pt Sb Cc 25**
- 446. Hadroductylus tiphae (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *tiphae* Geoffroy,1785; *luteolus* Gmelin,1790; *laticeps* Thomson,1883 \_ Range (in code): **TR AT AZ Cc BE HV CZ SK DK EE FI FR GG DE GR HU IE IT LT LV MK NL NO PL RO RU Kmt Pe Pt Sr VI Yr SS SE CH UA GB YU 16**
- 447. Helcostizus restaurator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *restaurator* Fabricius,1775; *albator* Thunberg,1822; *brachycentrus* Gravenhorst,1829; *crassipes* Hartig,1847; *hercynianus* Hartig,1847; *pimplarius* Taschenberg,1865; *fuscitarsis* Haupt,1917; *turcicus* Fahringer,1944; *serraticornis*



- Haupt,1954 \_ Range (in code): **TR AT BE BG CZ SK DK FI FR DE HU IE IT LT LV MD NO PL RU Ao Pt ES SE CH US Ws UA GB UZ 34**
448. **Hellwigiella dichromoptera** (Costa,1886) (Ichneumonidae) Synonym(s): *dichromoptera* Costa,1886; *nigripennis* Szépligeti,1905 \_ Range (in code): **TR DZ TN ES MA IT Sa IL Pa**
449. **Hepiopelmus melanogaster** (Gmelin,1790) (Ichneumonidae) Synonym(s): *melanogaster* Gmelin,1790; *leucostigmus* Gravenhorst,1820; *maculiventris* Desvignes,1856; *aureosericeus* Taschenberg,1866; *incurtus* Holmgren,1871; *palliventris* Rudow,1888; *quadriguttatus* Kriechbaumer,1892; *annulitarsis* Pic,1914; *maculipes* Hellén,1951; *intermedius* Constantineanu,1954 \_ Range (in code): **TR AT BY BE B-H BG CZ SK FI FR DE HU IE IT JP LT LV NL NO PL RO RU ES SE CH GB YU**
450. **Herpestomus brunnicornis** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *brunnicornis* Gravenhorst,1829; *padella* Goureaux,1847; *brunneicornis* Dalla Torre,1902; *hyponomeutae* Viereck,1912; *bisignatus* Habermehl,1917; *ypomeutae* Okamoto,1921; *nigriventris* Constantineanu,1944 \_ Range (in code): **TR AT AZ Cc BE BG CN Mc IMn CZ SK DK EE FI FR DE HU IR IE IT JP KP KR LT LV MD NL PL RO RU Us Yr YU ES SE CH UA GB 06**
451. **Heterischnus anomalus** (Wesmael,1857) (Ichneumonidae) Synonym(s): *anomalus* Wesmael,1857 \_ Range (in code): **TR BE BG CZ FI FR DE HU NL PL RO UA**
452. **Heterischnus truncator** (Fabricius,1798) (Ichneumonidae) Synonym(s): *truncator* Fabricius,1798; *thoracicus* Gravenhorst,1829; *notatipes* Pic,1927; *moravicus* Gregor,1939; *pseudonigricollis* Gregor,1939; *rufithorax* Gregor,1939; *rufoniger* Constantineanu, Andriescu & Ciochia,1956; *nigrinus* Constantineanu,1959; *rufescens* Constantineanu,1959 \_ Original reference: *Ichneumon truncator* Fabricius,1798, Suppl. Ent. Syst.: 222. \_ Range (in code): **Cn TR AD AT AZ Cc BE BG CZ SK EE FI FR Co DE HU IR IT LT MD NL NO PL RU Kr Mo Yr ES SE CH UA GB 34**
453. **Heterocola longipalpis** Kolarov & Beyarslan,1994 (Ichneumonidae) Synonym(s): *longipalpis* Kolarov & Beyarslan,1994 \_ Range (in code): **TR 25**
454. **Heterocola nigrotibialis** Horstmann & Kolarov,1988 (Ichneumonidae) Synonym(s): *nigrotibialis* Horstmann & Kolarov,1988 \_ Range (in code): **ES BG TR 18 58**
455. **Hidryta sordida** (Tschek,1871) (Ichneumonidae) Synonym(s): *melanopus* Taschenberg,1865; *sordida* Tschek,1871; *erythrocerus* Thomson,1873; *sordidula* Thomson,1873; *hueberi* Dalla Torre,1901; *nigritarsis* Habermehl,1918; *pygmaea* Habermehl,1918 \_ Range (in code): **TR AT BE BG CZ SK FI FR DE HU IR IE LT MD NO PL RO YU ES SE GB 32**
456. **Himerta bisannulata** (Thomson,1883) (Ichneumonidae) Synonym(s): *bisannulata* Thomson,1883; *pfeifferi* Bauer,1939 \_ Range (in code): **FI FR DE GR PL RO SE TR GB 16**
457. **Himerta scutellaris** (Kriechbaumer,1897) (Ichneumonidae) Synonym(s): *scutellaris* Kriechbaumer,1897 \_ Range (in code): **BE TR DE PL RU At**
458. **Homotherus locutor** (Thunberg,1822) (Ichneumonidae) Synonym(s): *locutor* Thunberg,1822; *labitorius* Thunberg,1822; *albicinctus* Gravenhorst,1829; *albiceps* Hartig,1838; *festinatorius* Zetterstedt,1838; *lautus* Tischbein,1868; *ruber* Kiss,1924 \_ Range (in code): **TR DZ AD AT BY BE BG Cn HV CZ SK DK FI FR Co DE HU IE IS IT KG LT LV Md NL NO PL RO PT RU At Kmt Mo Yr ES SE GB YU**
459. **Homotropus elegans** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *elegans* Gravenhorst,1829; *rufonotatus* Holmgren,1858; *affinis* Szépligeti,1898 \_ Range (in code): **AF AT AZ Cc BE CA Nnv On Qb CZ SK FI FR DE Grl HU IE IT Si LV MD MN NL NO PL RO RU Kmt Sh Pt ES SE TR GB**
460. **Homotropus nigritarsus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *nigritarsus* Gravenhorst,1829; *pictans* Desvignes,1852 \_ Range (in code): **AL AT BE BG CA Abt BCo Mnt Nfl Lbr Nnv Qb Ssk Yuk HV CZ SK DK FI FR DE Grl IE IT Si KG LT LV MX MD MN NL NO PL RU Ir Kmt Pe Us Pt ES SE CH TR US Als Arz Cf Col Mon Ne NMx Ny Org Sdk Tx Ut Ws Wy GB**
461. **Homotropus signatus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *signatus* Gravenhorst,1829; *compressiventris* Cresson,1868; *hygrobius* Thomson,1890; *bifoveolatus* Kriechbaumer,1894; *montanus* Davis,1895 \_ Range (in code): **AT BE BG CA Abt BCo Mnt Qb Ssk Yuk CZ SK DK EE FI FR DE HU IS IE IT Si JP LT LV MD MN NL NO PL RO RU Ir Kmt Sh Pt ES SE CH TR US Als Col Id Iln Idp Io Mai Mrl Meh Mns Mon Ne Nh Nje Ny Oh Org Pns Rdi Sdk Ws Wc Wy GB 01 06**
462. **Hoplismenus axillatorius** (Thunberg,1822) (Ichneumonidae) Synonym(s): *armatorius* Fabricius,1787 (preocc.); *axillatorius* Thunberg,1822; *albifrons* Gravenhorst,1829; *perniciosus* Gravenhorst,1829; *crassicornis* Rudow,1883; *bellicosus* De Stefani,1885 \_ Range (in code): **TR AF DZ AT AZ Cc BY BE B-H BG HV CZ SK DK EG FI FR Co DE GR HU IE IT Si KG LT MD NL NO PL PT RO RU Ao Om Sh Pt ES SE CH TJ GB YU 62 62C**
463. **Hoplismenus bidentatus** (Gmelin,1790) (Ichneumonidae) Synonym(s): *bidentatus* Gmelin,1790; *moestus* Gravenhorst,1829; *maurus* Marshall,1873; *ichneumonoides* Rudow,1883; *berthoumieu* Pic,1897; *spinosus* Morley,1903; *alpinus* Clement,1927; *bavaricus* Clement,1927 \_ Range (in code): **DZ TR IR AD BE BG HV CZ SK FI FR Co DE IE IT Si LV NL PL RO RU Kr Cc ES SE GB YU 62 62C**
464. **Hoplocryptus bohemani** (Holmgren,1856) (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1856 \_ Range (in code): **TR AT AZ Cc BG Cn CZ FI FR DE HU LT MN NO PL RO RU YU ES SE CH GB**

- 465. *Hoplocryptus confector* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *confecto* Gravenhorst,1829;*albus* Taschenberg,1865; *brachysoma* Taschenberg,1865; *dubius* Taschenberg,1865; *elegans* Thomson,1873; *thomsoni* Bridgman,1881; *gladiator* Kriechbaumer,1899; *quadratus* Szépligeti,1916;*caudatus* Szépligeti,1916;*enslini* Habermehl,1916; *exannulatus* Habermehl,1926; *hungaricus* Habermehl,1926 \_ **Range (in code):** **TR AT BE BG CZ SK FI FR Co DE HU IR IT LT LV NO PL RO RU Pt SS ES SE CH GB 32**
- 466. *Hoplocryptus coxator* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *coxator* Tschek,1871; *bicolor* Szépligeti,1916; *coxalis* Szépligeti,1916; *rubi* Habermehl,1919; *ruficoxis* Habermehl,1926; *signatus* Habermehl,1926 \_ **Range (in code):** **TR DZ AT BE BG CZ FI FR DE HU IR IT LT MD NO PL PT RP YU SS ES SE CH TM UZ UA**
- 467. *Hoplocryptus femoralis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *femoralis* Gravenhorst,1829; *xylocopae* Rondani,1877; *humeralis* Rudow,1882; *algericus* Schmiedeknecht,1900; *nigroscutellatus* Aubert,1959 \_ **Range (in code):** **DZ BG HV EG FR Co DE GR Cr TR IL Pa IR IT Si KG KK TJ MK NO PL RO SS ES SE TN YU 25 62 62C**
- 468. *Hoplocryptus heliophilus* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *heliophilus* Tschek,1871; *mediterraneus* Tschek,1872; *meridionalis* Szépligeti,1916; *semirufus* Szépligeti,1916; *rufosignator* Aubert,1970; *africator* Aubert,1977; *jordanicus* Kolarov,1987 \_ **Range (in code):** **DZ AT AZ Cc BG HV CY CZ FI FR Co DE GR Cr HU IR IL Pa IT Sa Si JO KG LT MK MA PL PT RO SK ES CH SY TJ TR TM UZ YU**
- 469. *Hoplocryptus magretti* (Kriechbaumer,1893)** (Ichneumonidae) **Synonym(s):** *buccatus* Tschek,1872 (preocc.); *magretti* Kriechbaumer,1893; *uffelni* Habermehl,1929; *alpicola* Habermehl,1935 **Range (in code):** **TR AD AT BG FR DE HU IT PL RO ES CH 31**
- 470. *Hoplocryptus murarius* (Börner,1782)** (Ichneumonidae) **Synonym(s):** *murarius* Börner,1782; *olitorius* Fabricius,1793; *fugitivus* Gravenhorst,1829; *gracilis* Gravenhorst,1829; *binotatulus* Thomson,1873; *tegularis* Szépligeti,1916; *pseudocryptus* Szépligeti,1916; *ignalis*,*noensis* Strand,1918; *ratzeburgi* Habermehl,1919; *obscuratus* Kiss,1929; *corsicator* Aubert,1960 **Range (in code):** **TR Cc AZ IR KG KK AT AZ Cc B-H BG HV CZ FI FR Co DE GR HU IT LT LV MD MN NO PL RO YU SK SS ES SE CH GB 25 32 53 53M**
- 471. *Hoplocryptus murarius* (Börner,1782)** (Ichneumonidae) **Synonym(s):** *murarius* Börner,1782; *olitorius* Fabricius,1793; *fugitivus* Gravenhorst,1829; *gracilis* Gravenhorst,1829; *binotatulus* Thomson,1873; *pseudocryptus* Szépligeti,1916; *tegularis* Szépligeti,1916; *ignalinensis* Strand,1918; *ratzeburgi* Habermehl,1919; *corsicator* Aubert,1960 **Range (in code):** **TR AT AZ Cc B-H BG HV CZ SK FI FR Co DE GR HU IR IT KG KK LT LV MD MN NO PL RO YU SS ES CH GB 25 32**
- 472. *Hoplocryptus odoriferator* (Dufour & Perris,1840)** (Ichneumonidae) **Synonym(s):** *odoriferator* Dufour & Perris,1840; *graefferi* Thomson,1896; *graefferi* Schulz,1906 *nec* Thms.,1896 \_ **Range (in code):** **BG TR AT FR DE IT Sa Si MK NO SS ES CH YU 32 35**
- 473. *Hoplocryptus quadriguttatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *quadriguttatus* Gravenhorst,1829; *cognatus* Fonscolombe,1850; *mallorcanus* Kriechbaumer,1894; *enslini* Habermehl,1921; *larvatus* Habermehl,1926; *tricolor* Constantineanu,1929; *hebraicator* Aubert,1970; *tiloidalis* Kolarov & Beyarslan,1994 \_ **Range (in code):** **AF AT AZ Cc BE BG HV IL Pa IT Sa Si GG DE GR HU FI FR Co LT LV MA NO PL RO YU SK SS ES SE TM GB TR 07 22 32**
- 474. *Hypamblys albopictus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *albopictus* Gravenhorst,1829; *transfuga* Holmgren,1857; *instabilis* Ruthe,1859; *glacialis* Ashmead,1902; *popofensis* Ashmead,1902; *gymnonychi* Rohwer,1920 **Range (in code):** **AT TR BE BG CA Mnt CZ SK FI FR DE GrL HU IE LT LV NL NO PL RO RU Kr Cc Mgd Mo Sh Pt Ya SE CH US Als Ws GB**
- 475. *Hyposoter didymator* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *didymator* Thunberg,1822; *rotundator* Thunberg,1822; *ruficinctus* Gravenhorst,1829; *schmiedeknechti* Smits van Burgst,1913; *nigratus* Kiss,1926 **Range (in code):** **TR AU WAu AT AZ Cc BE BG HV CY CZ SK FI FR Co DE GR HU IR IE IL IT Si LT MD NL NO PL RO RU Da Ir Pt ES SE CH TJ TN UA GB UZ YU 06 09 26**
- 476. *Hyposoter discedens* (Schmiedeknecht,1909)** (Ichneumonidae) **Synonym(s):** *discedens* Schmiedeknecht,1909 **Range (in code):** **TR BE FI FR DE HU IE NL PL RO GB 22**
- 477. *Hyposoter ebeninus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *ebeninus* Gravenhorst,1829; *melanarius* Holmgren,1860; *vulgaris* Tschek,1871; *carbonarius* Birschke,1880; *melanostigma* Ulbricht,1910; *brevicaudis* Szépligeti,1916; *rapae* Meyer,1926; *pierisae* Rao,1953 \_ **Range (in code):** **TR AT AZ Cc BY BE BG CN Mc IMn Sz HV CZ SK FI FR Co DE HU IN IL IT Sa MD PK PL PT RO RU Ao Kr Us Ro Pt St Vi YU ES SE CH TN TM UA GB 01 06 26 50 51**
- 478. *Hyposoter ebenitor* Aubert,1972** (Ichneumonidae) **Synonym(s):** *ebenitor* Aubert,1972 **Range (in code):** **FR TR IL Pa 71**
- 479. *Hyposoter notatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *notatus* Gravenhorst,1829 \_ **Range (in code):** **TR AT AZ Cc BE BG HV CZ SK FI FR Co DE GR HU IR IE IT Sa MD NL NO PL RO RU Ao Us Ro Pt Sr Voo Ya ES SE CH US Als UA GB UZ YU 01**

- 480. *Hypsicera britannica* Tolkantz, 2011** (Ichneumonidae) Synonym(s): *anglicus* Schmiedeknecht, 1925 nec Cock., 1921; *britannica* Tolkantz, 2011 \_ Range (in code): GB FR Co BE CH IT RO TR UA
- 481. *Hypsicera femoralis* (Geoffroy, 1785)** (Ichneumonidae) Synonym(s): *femoralis* Geoffroy, 1785; *laevis* Cresson, 1864; *levis* Dalla Torre, 1901; *bonaerensis* Schrottky, 1902; *rufipes* Cameron, 1905; *platensis* Brethès, 1924; *ruficoxis* Seyrig, 1934 \_ Range (in code): TR AU TW US Hw AR AM AZ Cc Az BY BE BR BG CA Abt On Qb Cn CL CN TW HV CZ SK ZR FI FR GG DE GR HU IE IT Si JP KG KP KR LT LV MG MD NL NZ NO PL PT RO RU At Mo Us Pt Voo ZA ES SE CH US Als Cf Col Iln Io Kan Knt Mai Mrl Mch Mns Nje Ny NCa NDk Oh Org Pns Vi Ws Wc UA GB 07 25 28 62 62F
- 482. *Ichneumon albicollis* Wesmael, 1857** (Ichneumonidae) Synonym(s): *albicollis* Wesmael, 1857 \_ Range (in code): Cc TR RU Sb KG
- 483. *Ichneumon alius* Tischbein, 1879** (Ichneumonidae) Synonym(s): *alius* Tischbein, 1879; *aries* Kriechbaumer, 1875; *eurycerus* Thomson, 1890; *dubiosus* Habermehl, 1926; *petrophilus* Heinrich, 1951 \_ Original reference: Ichneumon alius Tischbein, 1879, Stettin ent. Ztg. 1879: 28. Range (in code): TR AL AD AT BE FI FR DE HU IT PL RO RU Ir Yr SE CH GB
- 484. *Ichneumon balteatus* Wesmael, 1845** (Ichneumonidae) Synonym(s): *balteatus* Wesmael, 1845; *zonellus* Holmgren, 1864; *borceai* Constantineanu & Pisica, 1959 \_ Range (in code): TR AD AT AZ Cc BE BG HV FR DE GR HU IR IT KG NL PL RO RU Pt ES UA 25
- 485. *Ichneumon bucculentus* Wesmael, 1844** (Ichneumonidae) Synonym(s): *bucculentus* Wesmael, 1844 \_ Range (in code): Cc KG TR RU Sb 16 25 34 41
- 486. *Ichneumon cessator* Müller, 1776** (Ichneumonidae) Synonym(s): *cessator* Müller, 1776; *custodiator* Fabricius, 1793; *compunctor* Stephens, 1835 \_ Range (in code): TR AT AZ BY Cc BE CZ DK FI FR Co DE HU IR IE KG LT NO PL RO RU Ir Pt Yr ES SE CH GB 25
- 487. *Ichneumon confusor* Gravenhorst, 1820** (Ichneumonidae) Synonym(s): *confusor* Gravenhorst, 1820; *confusorius* Gravenhorst, 1829; *crassicornis* Tischbein, 1873; *retractus* Tischbein, 1873; *atronotatus* Pic, 1917; *basifuscus* Constantineanu, 1956; *nigrinus* Constantineanu, 1956; *nigroscutellatus* Constantineanu, 1956 \_ Range (in code): TR AT BY BE HV CZ SK DK EE FI FR Co GG Cc DE HU IE IT LT LV NL NO PL RO RU Ao Da Mo Pt ES SE CH UA GB YU 36
- 488. *Ichneumon coniger* Tischbein, 1876** (Ichneumonidae) Synonym(s): *coniger* Tischbein, 1876; *quinenotatus* Thomson, 1893; *pentaleucus* Kriechbaumer, 1895; *mezeyi* Kiss, 1926 \_ Range (in code): TR AT BG HV FR DE PL RO ES SE UA YU 25
- 489. *Ichneumon curtulus* Kriechbaumer, 1882** (Ichneumonidae) Synonym(s): *jucundus* Tischbein, 1868 (preocc.); *curtulus* Kriechbaumer, 1882; *hercynicus* Kriechbaumer, 1890 \_ Range (in code): TR AT DE HU IR KG PL RO ES
- 490. *Ichneumon erythromerus* Wesmael, 1857** (Ichneumonidae) Synonym(s): *erythromerus* Wesmael, 1857; *examinator* Tischbein, 1879; *argali* Kriechbaumer, 1882; *corfitzi* Thomson, 1890; *jesperi* Thomson, 1893; *scanicus* Schmiedeknecht, 1929 \_ Range (in code): TR AT BY FI FR DE HU PL RO SE CH 25
- 491. *Ichneumon exilicornis* Wesmael, 1857** (Ichneumonidae) Synonym(s): *exilicornis* Wesmael, 1857; *hircinus* Holmgren, 1864; *rufolineatus* Holmgren, 1864; *nigrifemur* Kiss, 1929; *rufifemur* Kiss, 1933; *bimaculatus* Constantineanu, 1942; *rufatus* Constantineanu, 1956 \_ Range (in code): TR AD AT BY BE BG CZ SK FI FR DE GR HU IT LT NL PL RO RU Ao ES SE CH GB YU 25
- 492. *Ichneumon extensorius* Linnaeus, 1758** (Ichneumonidae) Synonym(s): *extensorius* Linnaeus, 1758 \_ Range (in code): TR Cc RU Sb 08 33
- 493. *Ichneumon fulvicornis* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *fulvicornis* Gravenhorst, 1829 \_ Range (in code): TR AT BY BE HV DE HU NL PL RO ES GB 25 69
- 494. *Ichneumon gracilentus* Wesmael, 1844** (Ichneumonidae) Synonym(s): *gracilentus* Wesmael, 1844 \_ Range (in code): TR RU Sb 41
- 495. *Ichneumon gracilicornis* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst, 1829 \_ Range (in code): TR Cc RU Sb 25
- 496. *Ichneumon gratus* Wesmael, 1855** (Ichneumonidae) Synonym(s): *gratus* Wesmael, 1855; *andrei* Berthoumieu, 1895 \_ Range (in code): TR AT FI FR DE PL RO RU Sh CH UA GB 25
- 497. *Ichneumon haematofemur* Heinrich, 1980** (Ichneumonidae) Synonym(s): *haematofemur* Heinrich, 1980 \_ Range (in code): GR TR YU 69
- 498. *Ichneumon ignobilis* Wesmael, 1855** (Ichneumonidae) Synonym(s): *ignobilis* Wesmael, 1855; *debilis* Kriechbaumer, 1886; *isenschmidii* Kriechbaumer, 1887; *ambifarius* Berthoumieu, 1904; *baueri* Habermehl, 1935; *bialbatus* Constantineanu et al., 1960 \_ Range (in code): TR AT BG CZ SK FI FR DE HU IT NO PL RO RU Pt ES SE CH GB 25
- 499. *Ichneumon languidus* Wesmael, 1845** (Ichneumonidae) Synonym(s): *languidus* Wesmael, 1845; *immisericors* Tischbein, 1876; *malignus* Tischbein, 1881; *nigrocastaneus* Tischbein, 1881; *hispanicus* Berthoumieu, 1895; *luteocannulatus* Pic, 1915 \_ Range (in code): TR AT BY BE HV CZ SK FR DE GR HU IR IT PL RO ES CH UA GB YU 25



- 500. Ichneumon lautatorius Desvignes,1856** (Ichneumonidae) **Synonym(s):** *lautatorius* Desvignes,1856; *amabilis* Giraud,1863; *bizonatus* Rudow,1888; *cingulatus* Berthoumieu,1895; *gynandra* Habermehl,1903; *nigropunctatus* Habermehl,1903; *trimaculatus* Habermehl,1903; *dioszeghyi* Kiss,1924  
**Range (in code):** **TR AT BE BG CN FR DE HU IT NL PL RO ES GB 25 76**
- 501. Ichneumon ligatorius Thunberg,1822** (Ichneumonidae) **Synonym(s):** *ligatorius* Thunberg,1822; *gradarius* Wesmael,1848; *refractorius* Wesmael,1855; *velatus* Wesmael,1855; *firmipes* Wesmael,1857; *thulensis* Ruthe,1859; *faroensis* Schmiedeknecht,1938; *nigrifemur* Constantineanu,1954  
**Range (in code):** **TR AT AZ BY CZ SK DK FO FI FR DE HU IE IR IS IT NL NO PL RO RU Kmt Om Pt Yr ES SE CH GB**
- 502. Ichneumon minutorius Desvignes,1856** (Ichneumonidae) **Synonym(s):** *minutorius* Desvignes,1856; *guttatus* Tischbein,1873; *captorius* Thomson,1887; *xanthognathus* Thomson,1887; *flavipetiolatus* Habermehl,1903; *bimaculatus* Constantineanu,1956  
**Range (in code):** **Cc TR AD AT AZ BY BE BG FI FR DE HU IR IT NL NO PL RO ES SE CH GB o8 25**
- 503. Ichneumon ostentator Heinrich,1978** (Ichneumonidae) **Synonym(s):** *ostentator* Heinrich,1978  
**Range (in code):** **TR GR YU 25 58 58G**
- 504. Ichneumon phaeostigmus Wesmael,1857** (Ichneumonidae) **Synonym(s):** *phaeostigmus* Wesmael,1857; *melanostigma* Kriechbaumer,1882; *meridionator* Aubert,1962  
**Range (in code):** **TR AD HV FR DE GR HU IL IT PL PT RO ES 25**
- 505. Ichneumon primatorius Forster,1771** (Ichneumonidae) **Synonym(s):** *primatorius* Forster,1771; *bicinctus* Christ,1791; *grossorius* Fabricius,1793; *gemellitorius* Thunberg,1822; *flavolineatus* Gravenhorst,1829; *monetierensis* Pic,1914  
**Range (in code):** **TR AT BY BE CZ SK DK FI FR DE HU IE IT JP KG LT LV NL NO PL RO RU Ao Sh ES SE CH UA GB**
- 506. Ichneumon proletarius Wesmael,1848** (Ichneumonidae) **Synonym(s):** *proletarius* Wesmael,1848  
**Range (in code):** **BG TR Cc IR o8 25 36 65 75**
- 507. Ichneumon quaesitorius Linnaeus,1761** (Ichneumonidae) **Synonym(s):** *quaesitorius* Linnaeus,1761; *tetraguttatorius* Thunberg,1822; *insignis* Berthoumieu,1895; *arctobius* Thomson,1896; *subfasciatus* Kriechbaumer,1901; *bargoini* Pic,1926; *gravenoirei* Pic,1926; *quaestor* Heinrich,1951  
**Range (in code):** **TR AT BG HV CZ FI FR DE HU IT KG KK LT NL NO PL RO RU Da Cc Om Us Yr ES SE CH UA GB**
- 508. Ichneumon sarcitorius Linnaeus,1758** (Ichneumonidae) **Synonym(s):** *sarcitorius* Linnaeus,1758; *vaginatorius* Linnaeus,1758; *curvatorius* Müller,1776; *bipartitus* Geoffroy,1785; *flavatus* Gmelin,1790; *tripunctatus* Gmelin,1790; *farctor* Gravenhorst,1807; *vaginator* Zetterstedt,1838; *fuscipennis* Berthoumieu,1895; *mutabilis* Berthoumieu,1895; *zaydamensis* Kokujev,1909; *funereus* Schmeideknecht,1928; *pfankuchi* Kiss,1929; *ruficornis* Kiss,1929; *excavatus* Constantineanu et al.,1956; *costulatus* Constantineanu et al.,1956; *albatu* Constantineanu et al.,1957  
**Range (in code):** **Cc TR DZ AD AT AZ Az BY BE BG Cn CN Mc Ui HV CY CZ SK DK EG FI FR Co GG DE GR HU IE IR IL Pa IT Sa Si KG KP KR KK LT LV Md MD MN MA NL NO PL PT RO RU Ao Da Kr Us Pt Tv ES SE CH TJ TN UA GB YU UZ o3 25 69**
- 509. Ichneumon sexcinctoides Riedel, Çoruh & Özbek,2010** (Ichneumonidae) **Synonym(s):** *sexcinctoides* Riedel, Çoruh & Özbek,2010  
**Range (in code):** **TR 25**
- 510. Ichneumon sexcinctus Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *sexcinctus* Gravenhorst,1829; *obscurus* Berthoumieu,1895  
**Range (in code):** **TR HV FR DE HU IR KG MN PL RO ES CH 25**
- 511. Ichneumon simulans Tischbein,1873** (Ichneumonidae) **Synonym(s):** *simulans* Tischbein,1873; *variolosus* Holmgren,1878; *subquadratus* Thomson,1887; *obscuratus* Habermehl,1916; *nigritegulis* Constantineanu,1956  
**Range (in code):** **TR AT BY BE CZ SK DK FO FI FR DE HU IE IT JP LT NL NO PL RO RU Mo Sh Pt ES SE CH GB**
- 512. Ichneumon stramentarius Gravenhorst,1820** (Ichneumonidae) **Synonym(s):** *stramentarius* Gravenhorst,1820; *clitellarius* Holmgren,1880; *rhaeticus* Habermehl,1917; *scelestus* Perkins,1952; *atrifemur* Perkins,1953; *circumscripator* Valemberg,1975  
**Range (in code):** **TR AD AT BY BE HV CZ SK FI FR DE HU IE IT Sa MK NO PL RO ES SE CH GB YU 41 69**
- 513. Ichneumon stramentor Rasnitsin,1984** (Ichneumonidae) **Synonym(s):** *stramentor* Rasnitsin,1984  
**Range (in code):** **TR AT BE FI DE IT PL ES CH GB**
- 514. Ichneumon suspiciosus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *suspiciosus* Wesmael,1845; *mellinurus* Wesmael,1848; *trispilus* Thomson,1888; *quadrinotatus* Kriechbaumer,1890; *rufonotatus* Pic,1929  
**Range (in code):** **TR AT BE HV CZ SK FI FR DE HU IE IT LT NL NO PL RO RU Ao Mo Sh Pt St Vl Yr ES SE CH GB 25**
- 515. Ichneumon terminatorius Gravenhorst,1820** (Ichneumonidae) **Synonym(s):** *terminatorius* Gravenhorst,1820; *concinctorius* Stephens,1835; *fulvoscutellatus* Stephens,1835; *olivieri* Berthoumieu,1895; *flavoniger* Constantineanu,1956  
**Range (in code):** **TR Cc AD AT AZ BY BE BG HV CZ SK FR DE GR HU IE IT LT NL NO PL RO RU Ao ES SE CH GB YU 16 24 25 33 80**
- 516. Ichneumon tuberculipes Wesmael,1848** (Ichneumonidae) **Synonym(s):** *tuberculipes* Wesmael,1848; *cuneatus* Tischbein,1876; *limbatus* Tischbein,1879; *piceatus* Tischbein,1879; *rufoniger* Berthoumieu,1895; *mediorufus* Schmiedeknecht,1930; *bimaculatus* Constantineanu & Pisica,1959  
**Range (in**

code): TR AD AT AZ Cc BE BG Cn HV CZ SK FI FR Co DE HU IR IE IT MD NL NO PL RO RU Ao Pt ES SE CH GB YU 05

517. **Ichneumon vafer Tischbein,1876** (Ichneumonidae) Synonym(s): *vafer Tischbein,1876; conjugalıs Holmgren,1878; brevicornis Tischbein,1881; rogenhoferi Kriechbaumer,1888; quartanus Perkins,1953* Range (in code): **IR Elb TR AD AT AZ Cc BE BG CZ FI FR DE HU IT PL RO ES CH GB 25**
518. **Ichneumon veressi (Kiss,1915)** (Ichneumonidae) Synonym(s): *veressi Kiss,1915* Range (in code): **TR RU Sb CN BG HU PL RO Kr Cc YU**
519. **Ichneumon xanthorius Forster,1771** (Ichneumonidae) Synonym(s): *xanthorius Forster,1771; flaviniger Gravenhorst,1820; nassavicus Habermehl,1917; flavoguttatus Kiss,1933; flavometathoracicus Constantineanu,1959* Range (in code): **TR DZ AT AZ Cc BE BG HV CZ SK FI FR Co DE GR HU IR IE IL IT Sa Si KG Md MA NL PL PT RO ES CH TN UA GB YU 20**
520. **Idiolispa analis (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *analis Gravenhorst,1807; cursor Thunberg,1822; elevata Zetterstedt,1838; limata Cresson,1864; lenta Provancher,1875; dubiosa Kiss,1924; fusca Constantineanu,1929* Range (in code): **TR DZ AT BE BG CA Abt BCo Mnt Nfl Lbr On Qb Ssk Yuk HV CZ SK DK FI FR Co DE HU IN IR IE IT Si JP KP KR LT LV MD MN NL NO PL RO RU Ao Kmt Sh Pt ES SE CH US Arz Cf Col Ge Kan Mai Mch Nje MNx Ny Oh Org Ut Vi Ws We Wy GB 15 32 62 62C**
521. **Ischnus agitator (Olivier,1792)** (Ichneumonidae) Synonym(s): *agitator Olivier,1792; destructorius Fabricius,1793; rubricator Panzer,1801; constrictor Fabricius,1804; minutorius Fabricius,1804; minor Thunberg,1822; pictor Thunberg,1822; oriicus de Stefani,1886; dineurae Rudow,1882; orioecus Schulz,1911* Range (in code): **TN TR AT AZ Cc BG HV CZ SK DK FR DE GR HU IR IE IT Si LT PL RO ES GB 32**
522. **Ischnus alternator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *alternator Gravenhorst,1829; uncinatus Gravenhorst,1829; striatellus Zetterstedt,1838; annulipes Taschenberg,1865; annulitarsis Rudow,1882; fuscipennis Constantineanu,1929; lapponicus Hellén,1952* Range (in code): **TR AZ Cc AT BG CZ FI FR Co DE HU IR IE IT LT LV MD NL NO PL RO ES SE CH GB 28 53 61 61L**
523. **Ischnus inquisitorius (Müller,1776)** (Ichneumonidae) Synonym(s): *inquisitorius Müller,1776; porrectorius Fabricius,1787; sanguinolentus Gmelin,1790; leucostictus Gmelin,1790; zonator Fabricius,1793; assertorius Fabricius,1793; triplicatorius Thunberg,1822; geminus Gravenhorst,1829; sannio Gravenhorst,1829; sedulus Gravenhorst,1829; flavopictus Rudow,1883; obscuratus Kiss,1924; atricollaris Walsh,1873 [ssp.]* Range (in code): **MX TR AT BE BG CA Abt BCo Mnt On Qb Ssk Yuk CN Gn CZ SK DK EE FI FR Co DE HU IE IT LT LV MD NL NO PL RO RU Kmt Sh Pt Tt ES SE CH US Als Cf Col Id Kan Mai Mch Mss Mon NMx Ny NCa Oh Org Ut Ws We UA GB 57 62 62G**
524. **Ischnus migrator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *migrator Fabricius,1775; dictator Geoffroy,1785; collaris Tschek,1872; punctiger Thomson,1896; insulanus Kireger,1897; helveticator Aubert,1968* Original reference: *Cryptus migrator Fabricius,1775, Syst. ent.: 334.* Range (in code): **TR AT AZ Cc BY BG HV CZ SK FI FR DE HU IE IT Sa LT LV MD NL NO PL RO RU Kmt Pe Pt ES SE CH GB 32 33**
525. **Iseropus stercorator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *stercorator Fabricius,1793; graminellae Schrank,1802; mussii Hartig,1838; holmgreni Schmiedeknecht,1888* Range (in code): **TR DZ AM Cc AT BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Ui CZ SK DK EE FR GG DE HU IR IE IT Sa Si JP KG LT LV MD MN NL NO PL RO RU Am Ao Kmt Mgd Pe Us Sh Pt Sr Voo Ya Yr ES SE CH US Als Arz Cf Col Nje NMx Ny Oh Org Ws Wy UA GB UZ 25**
526. **Itopectis alternans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *alternans Gravenhorst,1829; examinanda Ratzeburg,1852; tricolor Ratzeburg,1852; tricineta Thomson,1877; spiracularis Morley,1908; ruficoxis Ulbricht,1916* Range (in code): **TR Cc RU At AL AM AT AZ BY BE BG CN Gn Mc Hun Sz Yu HV CZ SK DK FI FR Co GG DE HU IN IE IT JP KP KR LT LV MD MN NL NO PL PT RO RU Am Ao Da Kb Kmt Kc Kr Mo Pe Us Mo Sh Pt Sr To Voo Ya Yr YU ES SS SE CH UA GB UZ ME 12 25 52 25C**
527. **Itopectis aterrima Jussila,1965** (Ichneumonidae) Synonym(s): *#enslini Ulbricht,1916; aterrima Jussila,1965; ultimator Aubert,1966* Range (in code): **TR AT BY BG FI FR DE IR IT KG LT LV MN NO PL RU At Mo Sh Pt To Ya Yr SE CH UA GB 25**
528. **Itopectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator Fabricius,1775; arlequinata Geoffroy,1785; plaesaeus Geoffroy,1785; scanica Villers,1789; lateratoria Thunberg,1822; vincta Vollenhoven,1873; maculatrix Schulz,1906* Range (in code): **TR DZ Cc Cn AL AM AT AZ BY BE BG HV CZ SK DK EE FR FI Co GG DE GR HU IR IE IT LT LV MK MT MD MN MA NL NO PL PT RO RU At Ao Da Kb Kc Kr Ro Pt St To Tv YU ES SE CH TN GB UA 06 08 17 22 25 26 28 29 32 34 35 36 39 40 42 45 50 53 59 61 66 69 25C 36F 36Fb 53N**
529. **Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana Schmiedeknecht,1914; haemorrhoidalis Habermehl,1918; europeator Aubert,1958; alternoides Aubert,1959; mediorufa Aubert,1959* Range (in code): **DZ AM AT AZ BG Cn CZ SK FR Co GR HU TR Cc IR KG RU At Tv Pe St YU TJ TN TM UA UZ MN CN IT KG KK MK MD PL RO 06 25 34 36 42 50 25C 36F 36Fb**
530. **Itopectis viduata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *viduata Gravenhorst,1829; atrococalis Cresson,1870; ovalis Thomson,1877; meridionalis Kriechbaumer,1887; annulata*



Ulbricht,1911 \_ Range (in code): TR AL AM Cc AT AZ BY BE BG CA Abt BCo Ssk CN IMn HV CZ SK DK FI FR DE HU IR IT KG KK MD MN NL PL RO RU At Am Ao Kr Us Ro Sh Pt Sr To Tv VI Voo Yr ES SE CH TJ TM US Arz Cf Col NMx Org Ut Ws Wy UA GB UZ YU 13 25 36 13A

- 531. Kristotomus laetus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *laetus* Gravenhorst,1829; *cephalotes* Gravenhorst,1829; *orbitatorius* Schiodte,1839; *calcaratus* Thomson,1883; *marginatus* Thomson,1883 \_ Range (in code): TR AM Cc AT BE BG CZ SK DK FI FR Co GG DE GR HU IR IE IT LT LV MN NL NO PL RO RU Am Kc Mo Us Sh Pt Voo Yr ES SE CH UA GB
- 532. Kristotomus pumilio (Holmgren,1857)** (Ichneumonidae) Synonym(s): *pumilio* Holmgren,1857 \_ Range (in code): TR AT BY BG CZ SK FI DE IT LT NL PL RU Pt ES SE GB 61 61L
- 533. Lagarotis debitor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *debitor* Thunberg,1822; *insolens* Gravenhorst,1829 \_ Range (in code): AT BE BG HV CZ SK FI FR Cc GG DE HU IR IE LT NL NO PL RU Ir ES SE CH TR GB
- 534. Lagarotis semicaligata (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *semicaligata* Gravenhorst,1820; *longicornis* Woldstedt,1874; *nigricans* Pfankuch,1925 \_ Range (in code): AZ Cc RU Us GG TR AT BE BG CZ SK FI FR DE HU IE IT LT LV NL NO PL RO RU Kmt Sr Voo SE CH GB 62 62C
- 535. Lamachus cruralis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cruralis* Gravenhorst,1829 \_ Range (in code): AT BG HV FR DE IT SE CH TR UA YU
- 536. Lamachus eques (Hartig,1838)** (Ichneumonidae) Synonym(s): *eques* Hartig,1838; *silvarum* Holmgren,1876; *aterrimus* Schonwiese,1934 \_ Range (in code): AT BE BG CZ SK EE FI FR DE HU IT LT NL NO PL RO ES SE CH TR GB YU
- 537. Lamachus splendor Aubert,1989** (Ichneumonidae) Synonym(s): *splendor* Aubert,1989 Range (in code): TR AT 06 36
- 538. Lathrolestes acinaces Reshchikov,2011** (Ichneumonidae) Synonym(s): *acinaces* Reshchikov,2011 \_ Range (in code): TR 14 14B 14Bb
- 539. Lathrolestes buccinator (Holmgren,1857)** (Ichneumonidae) Synonym(s): *buccinator* Holmgren,1857 \_ Range (in code): TR AZ Cc AM AF RU Sb 25
- 540. Lathrolestes fascialis Reshchikov,2011** (Ichneumonidae) Synonym(s): *fascialis* Reshchikov,2011 Original reference: Lathrolestes fascialis Reshchikov,2011, J. Ent. Res. Soc. 13 (1): 86. Holotype ♀: Turkey, Hatay, Kengerlidüz 1650m [National Protection Area], leg. M.F.Gürbüz (ZIN RAS). Range (in code): TR 31
- 541. Lathrolestes lucidulus (Holmgren,1857)** (Ichneumonidae) Synonym(s): *lucidulus* Holmgren,1857 \_ Range (in code): TR FI DE PL SE
- 542. Lathrolestes zoticus Reshchikov,2011** (Ichneumonidae) Synonym(s): *zoticus* Reshchikov,2011 Original reference: Lathrolestes zoticus Reshchikov,2011, J. Ent. Res. Soc. 13 (1): 85. Holotype ♂: Turkey, Hatay, Habibi Neccar 106m [National Protection Area], leg. M.F.Gürbüz (ZIN RAS). Range (in code): TR 31
- 543. Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790 Range (in code): TN TR CY TJ UZ KG KK RU Am Cc 05 06 25 42
- 544. Limerodops subsericans (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *subsericans* Gravenhorst,1820; *pedestrinus* Gravenhorst,1820 \_ Range (in code): TR AT BY BE HV CZ SK DK FI FR DE HU IE IT Si JP KG LT MD NL NO PL RO RU Ao Pt ES SE CH UA GB
- 545. Lyncus exhortator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *exhortator* Fabricius,1793; *dimidiatus* Gravenhorst,1829 \_ Range (in code): TR DZ AD AT BY BE BG CA On CZ SK DK FI FR Co DE HU IE IT LT LV Md MA NL NO PL PT RO RU Kmt Sh E SE CH TN US Col Nje Ny GB 25 51
- 546. Liotryphon caudatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *caudatus* Ratzeburg,1848; *brevivalvis* Hensch,1929; *incertus* Hensch,1929; *foveolatus* Constantineanu & Pisica,1970 Range (in code): AT AZ BY BE BG HV CY CZ SK FI FR DE HU IR IT Si KG MD NZ TR Cc MN NO PL RO RU YU ES SE CH TM UA GB
- 547. Liotryphon crassisetus (Thomson,1877)** (Ichneumonidae) Synonym(s): *crassisetus* Thomson,1877; *pleuralis* Thomson,1877; *musculus* Kriechbaumer,1889; *albispiculus* Morley,1908; *taschenbergi* Ulbricht,1909; *sternoleucus* Lange,1911; *foveolatus* Ulbricht,1912; *taschenbergella* Strand,1918; *rufipes* Hensch,1930 \_ Range (in code): TR AZ Cc BE BG CN HV FI FR DE GR HU IE IT LV MD NL NO PL RO YU ES SE CH GB 25 25C
- 548. Liotryphon punctulatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *punctulatus* Ratzeburg,1848; *discolor* Brischke,1880; *macrurus* Förster,1888; *longulus* Kriechbaumer,1890; *tener* Hensch,1929; *vernalis* Hensch,1929; *gracilentus* Hensch,1930 \_ Range (in code): TR AT AZ Cc BY BE BG CN HV CZ SK FI FR DE HU IT KK LT LV MK MD MN NL NO PL RO RU Ya YU ES SE CH GB

- 549. *Lissonota (Loxonota) cruentator* (Panzer,1809)** (Ichneumonidae) Synonym(s): *cruentator* Panzer,1809; *insignita* Gravenhorst,1829; *verberans* Gravenhorst,1829; *insignita* Gravenhorst,1829; *cruentatrix* Schulz,1906; *rufifemur* Kiss,1926; *szepligeti* Kiss,1926 \_ Range (in code): **AL AT AZ BE Cc HV CZ BG TR DK FI FR Co DE GR HU IT Si LT MD MA NL PL PT RO RU Ao Da Us Sr ES SE CH UA GB YU 22 67**
- 550. *Lissonota (Loxonota) flavovariegata* (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972 \_ Range (in code): **DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR 14 32 42**
- 551. *Lissonota (Loxonota) histrio* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *histrio* Fabricius,1798; *marginator* Fabricius,1804; *parallela* Gravenhorst,1829; *dioszeghyi* Kiss,1924 \_ Range (in code): **TR AT AZ Cc BY BE BG CA Nfl Lbr Qb CN Ui HV CZ SK DK FI FR DE GR HU IE IT Si LT LV MD NL PL RO RU Ao Pe Pt Sr YU ES SE CH UA GB 15 23 25 32 34 38 47**
- 552. *Lissonota (Loxonota) mediterranea* Seyrig,1927** (Ichneumonidae) Synonym(s): *mediterranea* Seyrig,1927 \_ Range (in code): **TR IR 62 62C**
- 553. *Lissonota (Loxonota) perspicillator* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *perspicillator* Gravenhorst,1829; *intermedia* Szépligeti,1899; *perspicillatrix* Schulz,1906; *hispanica* Habermehl,1927 \_ Range (in code): **AT BE BG FI FR NL PL RO GB TR DE AT ES HU IT YU MD KG**
- 554. *Lissonota (s.str.) accusator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *accusator* Fabricius,1793; *rusticator* Thunberg,1822; *humeralis* Zetterstedt,1838; *unicincta* Holmgren,1860; *thomsoni* Schmiedeknecht,1900; *nigricoxa* Strobl,1902; *accusatrix* Schulz,1906; *segmentellator* Aubert,1967 \_ Range (in code): **TR AT BE BG CA Mnt On Qb Ssk CZ SK FI FR DE HU IT LT MD NO PL RO RU Pt SE CH US Nh Wc GB 62 62C**
- 555. *Lissonota (s.str.) barbator* Aubert,1972** (Ichneumonidae) Synonym(s): *barbator* Aubert,1972 \_ Range (in code): **TR PL 01**
- 556. *Lissonota (s.str.) biguttata* Holmgren,1860** (Ichneumonidae) Synonym(s): *biguttata* Holmgren,1860; *femorata* Holmgren,1860; *crassipes* Thomson,1877 \_ Range (in code): **TR BE CZ SK FI FR DE HU IE LT NL NO PL RO ES SE GB 03**
- 557. *Lissonota (s.str.) bivittata* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *bivittata* Gravenhorst,1829 \_ Range (in code): **DZ IL Pa TR TM MN 62 62C**
- 558. *Lissonota (s.str.) buolianae* Hartig,1838** (Ichneumonidae) Synonym(s): *buolianae* Hartig,1838; *nigricoxis* Habermehl,1918; *saxonica* Schmiedeknecht,1935; *orientalis* Hedwig,1959 \_ Range (in code): **TR BE CZ SK FR DE HU IT MD NL PL RO ES SE CH GB 34**
- 559. *Lissonota (s.str.) carbonaria* Holmgren,1860** (Ichneumonidae) Synonym(s): *carbonaria* Holmgren,1860; *melania* Holmgren,1860; *artemisiae* Tschek,1871 \_ Range (in code): **AT AZ Cc BE B-H BG CN CZ SK FI FR DE HU IE IT LT MD NL NO PL RO SE CH TR GB 03**
- 560. *Lissonota (s.str.) clypeator* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *coccinea* Christ,1791; *clypeator* Gravenhorst,1820; *unicornis* Strobl,1902; *nigrescens* Constantineanu,1929; *spectabilis* Schmiedeknecht,1935; *magna* Heinrich,1952 \_ Range (in code): **TR AT BE CA Abt BCo Mnt Nfl Lbr On Qb Ssk Yuk CN Lng IMn Ui CZ SK DK FI FR DE HU IE IL IT JP LV MD NL NO PL RO RU Mo Sh Ns ES SE CH US Als Arz Cf Col Ge Id Ilm Idp Io Kan Mon Ne Nh Nje NMx Ny NCa Oh NDK Org Pns SDk Tnn Tx Ut Rdi Vr Vi Ws Wc Wy GB 34**
- 561. *Lissonota (s.str.) compar* Fonscolombe,1854** (Ichneumonidae) Synonym(s): *compar* Fonscolombe,1854; *cognata* Fonscolombe,1854 \_ Range (in code): **FR TR RU 32**
- 562. *Lissonota (s.str.) culiciformis* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *culiciformis* Gravenhorst,1829; *lateralis* Gravenhorst,1829; *cruenta* Vollenhoven,1858; *assimilis* Brischke,1880; *sziladyi* Kiss,1926 \_ Range (in code): **TR AT AZ Cc BE BG CA On CZ SK DK FI FR DE GR HU IT LT LV NL NO PL RO RU Pe Sr SE CH GB 15 32**
- 563. *Lissonota (s.str.) fundator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822; *sulphurifera* Gravenhorst,1829; *rimator* Thomson,1877; *affinis* Szépligeti,1899; *caudata* Szépligeti,1899; *ruficoxis* Schmiedeknecht,1900; *nigricoxis* Pfankuch,1920 \_ Range (in code): **Cc RU Sb TR AT BY BE BG CN Gn HV CZ SK FI FR Co DE HU IE IT LT LV MD NL NO PL RO RU Ao Da Ir Us Pt ES SE CH US Als GB 15 32 62 62C**
- 564. *Lissonota (s.str.) mutator* Aubert,1969** (Ichneumonidae) Synonym(s): *mutator* Aubert,1969 \_ Range (in code): **BG TR 06**
- 565. *Lissonota (s.str.) oculatoria* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *oculatoria* Fabricius,1798; *elector* Gravenhorst,1829; *hungarica* Kiss,1924; *decorata* Seyrig,1927 \_ Range (in code): **TR AL AT AZ Cc BE BG Cn HV CZ SK DK FI FR Co DE GR HU IR IE IT KG MD NL NO PL RO RU Ao Sr ES SE CH UA GB YU 11 25 32 25F**

- 566. *Lissonota (s.str.) quadrinotata* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *quadrinotata* Gravenhorst,1829; *leucogona* Gravenhorst,1829; *carinifrons* Thomson,1877 \_ Range (in code): TR AT BE CZ SK FR FI DE NO PL SE CH UA GB
- 567. *Lissonota (s.str.) rufitarsis* Szépligeti,1899** (Ichneumonidae) Synonym(s): *rufitarsis* Szépligeti,1899 \_ Range (in code): TR BG CZ SK DE HU LV MD CH 15 32 34
- 568. *Lissonota (s.str.) superbator* Aubert,1967** (Ichneumonidae) Synonym(s): *superbator* Aubert,1967 \_ Range (in code): GR TR SY LB 35
- 569. *Lissonota (s.str.) variabilis* Holmgren,1860** (Ichneumonidae) Synonym(s): *variabilis* Holmgren,1860; *fracta* Taschenberg,1863; *rufomedia* Bridgman,1886; *trochanterata* Bridgman,1889; *trochanteralis* Dalla Torre,1901; *procera* Pfeffer,1913; *bimaculata* Constantineanu & Ciochia,1968 \_ Range (in code): GG Cc TR AT BE BG CZ SKK FI FR Co DE HU IE IT LV MD NL NO PL RO ES SE CH GB 62 62C
- 570. *Listrodromus nycthemerus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *nycthemerus* Gravenhorst,1820; *quinqueguttatus* Gravenhorst,1829 \_ Range (in code): BY BG BE CZ FI FR Co DE IT LT LV NL PL RO RU ES SE GB TR CN 25
- 571. *Listrognathus (s.str.) furax* (Tschek,1871)** (Ichneumonidae) Synonym(s): *furax* Tschek,1871 \_ Range (in code): TR IR Elb Th 32
- 572. *Listrognathus firmator* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *firmator* Fabricius,1798; *ligator* Gravenhorst,1829; *senilis* Rudow,1882; *aculeatus* Rudow,1883 \_ Range (in code): AM Cc GB FR CH AT IT YU TR CZ SK FI DE HU LT NL PL RO ES SE CH UA
- 573. *Listrognathus orientalis* Horstmann,1989** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1989 \_ Range (in code): TR LB 32
- 574. *Lymantrichneumon disparis* (Poda,1761)** (Ichneumonidae) Synonym(s): *disparis* Poda,1761; *crassicornis* Scopoli,1763; *ferrugineus* Schrank,1776; *flavipes* Gmelin,1790; *ictericus* Christ,1791; *flavatorius* Fabricius,1794; *sociatorius* Panzer,1804; *fulvatorius* Thunberg,1822; *abdominalis* Gyorfi,1944 \_ Range (in code): AT SS TR AD AZ Cc BE BG CN Kwa HV CZ SK FI FR Co GG HU IR IT JP KP KR LT LV NL PL PT RO RU Ao Us Pt Sr Yr ES CH GB YU 33
- 575. *Lysibia nana* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nana* Gravenhorst,1829; *fulvipes* Gravenhorst,1829; *socialis* Ratzeburg,1844; *populnea* Boie,1855 \_ Range (in code): TR AF AT AZ Cc Az BY BE BG Cn CN Ui CZ SK DK FI FR GG GR HU IR IT Si LT LV Md MD MA NL NZ NO PK PL RO RU Pt SS ES SE CH US Idp Ny UA GB YU 34 35
- 576. *Magwengiella flavescens* Bachmaier & Diller,1985** (Ichneumonidae) Synonym(s): *flavescens* Bachmaier & Diller,1985 \_ Original reference: Magwengiella flavescens Bachmaier & Diller,1985, Entomofauna 6: 495-498, Abb. 6-10. Holotype ♀: Turkey: Prov. Hakkari, Sat Dag Vargös SW Yüsekova 1700m 4-8.8.1983 leg. W. Schacht (ZSM). Range (in code): TR 30
- 577. *Megarhyssa perlata* (Christ,1791)** (Ichneumonidae) Synonym(s): *gigas* Laxmann,1770 (preocc.); *perlata* Christ,1791; *histrio* Christ,1791; *clavata* Fabricius,1798; *obovator* Thunberg,1822; *insignis* Jaroschewsky,1890 \_ Range (in code): TR AT AZ Cc BY BE BG CN Mc CZ SK FI FR DE HU IT LT MD NO PL RO RU At Us Pt SE UA YU 25
- 578. *Megastylus flavopictus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *flavopictus* Gravenhorst,1829; *lineator* Schiodte,1838; *aemulus* Förster,1871; *cingulator* Förster,1871 \_ Range (in code): TR AT BG CA On DK FI FR Co GG Cc DE HU IR IE IT LT NO PL RU Us YU ES SE US Arz Col Hw UA GB
- 579. *Melanichneumon glaucatoriops* Heinrich,1972** (Ichneumonidae) Synonym(s): *glaucatoriops* Heinrich,1972 \_ Range (in code): TR AT AZ Cc IR IT PL
- 580. *Meloboris collector* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *collector* Thunberg,1822 \_ Range (in code): TR AZ Cc IL Pa CN ZA 06 25
- 581. *Meringopus calescens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens* Gravenhorst,1829 \_ Range (in code): AZ Cc TR IR MN KK 25
- 582. *Meringopus cyanator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fuscescens* Gmelin,1790 (preocc.); *?roeselii* Bechstein & Scharfenberg,1805; *cyanator* Gravenhorst,1829; \_ Range (in code): TR AT BE CZ SK FI FR DE HU IR KG LT NL PL RU At Ao ES SE UA GB 25
- 583. *Meringopus nigerrimus* (Fonscolombe,1850)** (Ichneumonidae) Synonym(s): *nigerrimus* Fonscolombe,1850; *balearicus* Kriechbaumer,1894; *maurus* Tosquinet,1900 \_ Range (in code): TR AT B-H BG CA HV CZ SK FI FR DE IT KG KK NO PL RO RU Mo Kj ES SE CH TJ US Cf 25
- 584. *Meringopus pamirensis* (Maljavin,1965)** (Ichneumonidae) Synonym(s): *pamirensis* Maljavin,1965 \_ Range (in code): TJ Pm PK KK TR
- 585. *Meringopus persicator* Aubert,1986** (Ichneumonidae) Synonym(s): *persicator* Aubert,1986 \_ Range (in code): IR TR



- 586. Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872; *hellenicus* Schmeideknecht,1890; *caudatus* Szépligeti,1916; *setosus* Szépligeti,1916; *algericus* Habermehl,1918 Original reference: *Cryptus pseudonymphus* Tschek,1872, Verh. zool.-bot. Ges. Wien 22: 238. Range (in code): **DZ AT BG HV FR DE GR HU IR IT TR TJ JO IL Pa PL RO RU ES YU 32 34 62 62C**
- 587. Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szépligeti,1916 Range (in code): **SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO 07 32 33 70**
- 588. Mesochorella nigriceps (Brischke,1880)** (Ichneumonidae) Synonym(s): *nigriceps* Brischke,1880 Range (in code): **BG TR CZ SK DE HU NO PL RO 22**
- 589. Mesochorus arenarius (Haliday,1838)** (Ichneumonidae) Synonym(s): *arenarius* Haliday,1838; *melas* Fonscolombe,1852; *nigripes* Ratzeburg,1852; *gibbulus* Holmgren,1856 Range (in code): **AF AT BG Cn CZ DK FI FR DE GR Cr GrI HU IE IT NO PL RO RU SE TJ TN TR US Col GB UZ 01 03 22 24 33 36 39 46 63**
- 590. Mesochorus cimbicis Ratzeburg,1844** (Ichneumonidae) Synonym(s): *cimbicis* Ratzeburg,1844; *confusus* Holmgren,1860; *longicauda* Thomson,1886 Range (in code): **TR AT BY BE BG CZ SK FI FR Co DE HU IN IE NL NO PL RO RU Ao Kmt Pt ES SE CH UA GB YU 53**
- 591. Mesochorus discitergus (Say,1835)** (Ichneumonidae) Synonym(s): *discitergus* Say,1835; *vitreus* Walsh,1861; *obliquus* Cresson,1872; *facialis* Bridgman,1884; *pulchellus* Cook & Davis,1891; *infernalis* Viereck,1911; *nigrisignus* Viereck,1911; *baueri* Schwenke,1999 Range (in code): **TR AR AT BR BG CA Abt BCo Mnt Nbw Nfl Lbr Nsc On Qb Ssk CN Anh Pkn Fkn Kwa Mc Hnn Hun Jn Lng IMn Shs Sz TW Yu CR CU CZ SK DK EC FI SV FR DE GT HU IN IL IT JP Oki KP KR MX MD PL RO RU Mo Sh ZA SE US Alb Als Arz Aks Lou Cnt Kan Knt Mai Mrl Meh Mns Mss Mis Nh Nje Ny NCa Oh Pns Rdi SCa Tnn Tx Vr Vi Ws We GB VE 25**
- 592. Mesochorus faciator Horstmann,2003** (Ichneumonidae) Synonym(s): *faciator* Horstmann,2003 Range (in code): **TR DE IT 39**
- 593. Mesochorus fulgurans (Curtis,1833)** (Ichneumonidae) Synonym(s): *fulgurans* Curtis,1833; *fulgurans* Haliday,1838; *fulvus* Thomson,1886; *pectinipes* Thomson,1886; *suecicus* Dalla Torre,1902 Range (in code): **TR AT BD BE BG CN Gn CZ SK FI FR DE HU IE IT JP LT LV NO PL RO RU Cc Da Kmt Us Pt ES SE GB 53**
- 594. Mesochorus giberius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *giberius* Thunberg,1822; *thoracicus* Gravenhorst,1829; *sylvarum* Curtis,1833; *marginatus* Thomson,1886 Range (in code): **TR AT BY BE BG CA Abt BCo On Yu CN HV CZ SK DK FI FR Co DE HU IE IT JP KP KR LT LV MX MN NP NL NO PL RO RU Ao Kmt Mo YU ES SE US Als Cf Ny Oh Org Ws GB 08**
- 595. Mesochorus laricis Hartig,1838** (Ichneumonidae) Synonym(s): *laricis* Hartig,1838 Range (in code): **TR AT FI DE IT UA 08 25 75 75F**
- 596. Mesochorus nuncupator (Panzer,1800)** (Ichneumonidae) Synonym(s): *nuncupator* Panzer,1800 Range (in code): **TR CZ FI DE GR IE IT KP KR PL SE 25**
- 597. Mesochorus olerum Curtis,1833** (Ichneumonidae) Synonym(s): *olerum* Curtis,1833; *pectoralis* Ratzeburg,1844; *rapae* Schwenke,1999 Range (in code): **TR AT BE BG CZ SK FI FR DE IE IS NL NZ NO PL RO RU ES SE CH GB 25**
- 598. Mesochorus punctipleuris Thomson,1886** (Ichneumonidae) Synonym(s): *punctipleuris* Thomson,1886; *nigriceps* Thomson,1886; *thomsonii* Dalla Torre,1901; *thomsoni* Strobl,1904; *amplitudinis* Schwenke,1999 Range (in code): **TR AT BE BG CA Nfl Lbr DK FI FR DE GR GrI HU IE IS IT LT LV NO PL RO RU Ao SE CH US Col Ut GB 08 53**
- 599. Mesochorus rubeculus Hartig,1838** (Ichneumonidae) Synonym(s): *rubeculus* Hartig,1838; *ocellatus* Brischke,1880 Range (in code): **TR FI DE IE PL RO RU Pt SE 36 75**
- 600. Mesochorus salicis Thomson,1886** (Ichneumonidae) Synonym(s): *salicis* Thomson,1886 Range (in code): **TR FR FI DE PL SE 31**
- 601. Mesochorus semirufus Holmgren,1886** (Ichneumonidae) Synonym(s): *semirufus* Holmgren,1886 Range (in code): **TR AT BG CZ FI FR DE HU IT JP KP KR LV NP NL NO PL RO RU Kmt Us ES SE CH GB 53**
- 602. Mesochorus stigmator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *stigmator* Thunberg,1822; *splendidulus* Gravenhorst,1829; *pallidus* Brischke,1880; *stigmaticus* Thomson,1886; *orgyiae* Dalla Torre,1902 Range (in code): **TR AT CZ DK FI FR DE HU IE IT LT Md NL RO PL RU Ro SE GB 25 36**
- 603. Mesochorus temporalis Thomson,1886** (Ichneumonidae) Synonym(s): *temporalis* Thomson,1886 Range (in code): **TR AT BG CN CZ SK FI DE HU IE IT MD PL RO RU ES SE UA GB 31 33 80**

- 604. Mesochorus testaceus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *testaceus* Gravenhorst,1829 Range (in code): TR AT BE BG CZ SK FI FR Co DE GR Cr HU LT NL NO PL RO RU Us VI SE GB 08
- 605. Mesochorus vittator (Zetterstedt,1839)** (Ichneumonidae) Synonym(s): *vittator* Zetterstedt,1839 Range (in code): TR AT AZ Cc BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CR CZ SK FI FR Co DE GR HU IT JP KP KR LT LV Md MX MD NL NO PL RO RU Om Sh SE CH US Als Arz Cf Col Nje NMx Ny Oh Org Tx Ut Ws Wy UA GB 38
- 606. Mesochorus vitticollis Holmgren,1860** (Ichneumonidae) Synonym(s): *vitticollis* Holmgren,1860; *hungaricus* Szépligeti,1914 Range (in code): TR AT BE BG CZ SK DK FI DE HU IE IT LV NL NO PL RO RU Pt SE GB 25 36 53 75
- 607. Mesoleptidea cingulata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *bidens* Fabricius,1798; *bidentor* Thunberg,1822; *cingulata* Gravenhorst,1829; *pectoralis* Gravenhorst,1829; *submarginata* Stephens,1835; *undecimnotata* Desvignes,1856; *amoena* Holmgren,1857; Range (in code): TR AT BE BG CN CZ DK FI Co DE GR HU IE IT LT LV MD NL NO PL RO RU Kr Mo ES SE CH UA GB 32 61
- 608. Mesoleptidea prosoleuca (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *tricolor* Fabricius,1793 (preocc.); *prosoleuca* Gravenhorst,1820; *neglecta* Holmgren,1857; *glacialis* Woldstedt,1874; *similis* Brischke,1878; *holmgreni* Thomson,1893; *nigriventris* Habermehl,1925; *rufiventris* Ulbricht,1926 Range (in code): AT BE BG CZ SK FI FR Cc GG HU DE IE IT LT LV NL NO PL RO RU Mo Pt Yr ES CH TR UA GB
- 609. Mesoleptus incessor (Haliday,1838)** (Ichneumonidae) Synonym(s): *incessor* Haliday,1838; *scrutator* Haliday,1838; *adaequator* Förster,1876; *agilis* Förster,1876; *agnatus* Förster,1876; *ambiguus* Förster,1876; *anguinus* Förster,1876; *annexus* Förster,1876; *blandus* Förster,1876; *brevis* Förster,1876; *concinus* Förster,1876; *derasus* Förster,1876; *despectus* Förster,1876; *genitor* Förster,1876; *gravabilis* Förster,1876; *incertus* Förster,1876; *infligens* Förster,1876; *intermedius* Förster,1876; *invalidus* Förster,1876; *neglectus* Förster,1876; *occultus* Förster,1876; *oligomerus* Förster,1876; *punctiger* Förster,1876; *raptor* Förster,1876; *retractus* Förster,1876; *segregatus* Förster,1876; *sobrius* Förster,1876; *speculum* Förster,1876; *subsulcatus* Förster,1876; *marginatus* Thomson,1884; *petiolaris* Thomson,1884; *nigripes* Aubert,1959 Range (in code): TR AT AZ Cc BE BG CY CZ SK DK EE FI FR Co DE GR HU IR IE IT LT MD NL NO PL RO RU ES SE CH UA GB 34
- 610. Mesoleptus laevigatus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *laevigatus* Gravenhorst,1820; *ensor* Thunberg,1822; *transversator* Thunberg,1822; *dionaeus* Haliday,1838; *aequalis* Förster,1876; *binoculus* Förster,1876; *complacens* Förster,1876; *cooperator* Förster,1876; *dichrocerus* Förster,1876; *egregius* Förster,1876; *integrellus* Förster,1876; *molestus* Förster,1876; *monticola* Förster,1876; *perditorius* Förster,1876; *peregrinus* Förster,1876; *pontresinensis* Förster,1876; *propugnator* Förster,1876; *spoliator* Förster,1876; *taeniolatus* Förster,1876; *tenuiventris* Förster,1876; *tribulator* Förster,1876; *vetustus* Förster,1876; *levigatus* Dalla Torre,1902; *transsylvanicus* Kiss,1924 Range (in code): TR AT AZ Cc BE BG HV CZ SK DK EE FI FR Co DE HU IE IT Si JP LT LV MD NL NO PL RO RU Pt ES SE CH UA GB 25
- 611. Mesoleptus laticinctus (Walker,1874)** (Ichneumonidae) Synonym(s): *laticinctus* Walker,1874; *aggressorius* Förster,1876; *angustulus* Förster,1876; *callidus* Förster,1876; *carinatus* Förster,1876; *comptus* Förster,1876; *confusus* Förster,1876; *curiosus* Förster,1876; *cursitans* Förster,1876; *elegantulus* Förster,1876; *erugatus* Förster,1876; *exhaustorius* Förster,1876; *extirpator* Förster,1876; *fallax* Förster,1876; *flexibilis* Förster,1876; *gallicus* Förster,1876; *gratiosus* Förster,1876; *homologus* Förster,1876; *hospitans* Förster,1876; *humilis* Förster,1876; *insidator* Förster,1876; *invidiosus* Förster,1876; *jucundus* Förster,1876; *mesomeristus* Förster,1876; *nigricornis* Förster,1876; *onerosus* Förster,1876; *percussor* Förster,1876; *pravus* Förster,1876; *propinquus* Förster,1876; *purus* Förster,1876; *quietus* Förster,1876; *remotus* Förster,1876; *renitens* Förster,1876; *ruficoxatus* Förster,1876; *subrugosus* Förster,1876; *tripunctus* Förster,1876; *unipunctus* Förster,1876; *filicornis* Thomson,1884; *pedestris* Matsumura,1912; *sachalinensis* Uchida,1930 Range (in code): TR AT AZ Cc BE BG CN Ahw Fkn Mc Hun Sz Kig Hpe Hnn Lng KwT Kwt TW CZ SK DK EE FI FR DE GR HU IT JP KP KR LT NO PL RO RU Sh ES SE CH UA GB 34 53 53M
- 612. Mesostenus albinotatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albinotatus* Gravenhorst,1829; *notatus* Gravenhorst,1829 Range (in code): TR RU Sb 01 23 32 53 53M
- 613. Mesostenus grammicus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *grammicus* Gravenhorst,1829; *elongatus* Rudow,1882; *nigroscutellatus* Kriechbaumer,1894; *tricolor* Smits van Burgst,1912 Range (in code): TR AF DZ AT AZ Cc BG Cn HV CZ SK FI FR Co DE GR HU IR IT Sa MT MA PL PT RO RU Ro ES TJ TN TM UZ YU 32 34
- 614. Mesostenus transfuga Gravenhorst,1829** (Ichneumonidae) Synonym(s): *transfuga* Gravenhorst,1829; *gallarum* Rudow,1881; *ingenuus* Tosquinet,1896; *niger* Kiss,1929; *niger* Constantineanu,1960 Range (in code): TR DZ AT AZ Cc Az BE BG Cn CZ SK EG FI FR Co DE GR HU IR IE IT KG LT LV MD MN PL RO RU Sr ES SE CH TM UA GB 09 15 32
- 615. Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus* Kirechbaumer,1894; *dumeticola* Hensch,1928; *banaticus* Kiss,1929 Range (in code): HU TR AT YU HV RO UA 35 42

- 616. Metopius (Peltastes) brevispinus Thomson, 1887** (Ichneumonidae) Synonym(s): *brevispinus* Thomson, 1887 Range (in code): SE DE FR AT HU TR CZ SK FI LV NO PL RO ES UA 51
- 617. Metopius (Peltastes) leiopygus Förster, 1850** (Ichneumonidae) Synonym(s): *leiopygus* Förster, 1850; *marchandi* Dominique, 1898; *krapinensis* Hensch, 1928 Range (in code): TR Cc KG RU Sb AT AZ BE HV CZ SK FI FR Co GG DE HU IE NL PL Mo Voo YU ES TM UA GB UZ
- 618. Metopius (Peltastes) pinatorius Brullé, 1846** (Ichneumonidae) Synonym(s): *pinatorius* Brullé, 1846; *meridionalis* Hensch, 1928; *gracilis* Clement, 1930 Range (in code): TR Cc AT BY BG HV CZ SK FI FR Co DE HU IE NL PL RO RU Kr Mo Us VI ES TM UA YU
- 619. Metopius (Peltocarus) croceicornis Thomson, 1887** (Ichneumonidae) Synonym(s): *croceicornis* Thomson, 1887 Range (in code): DZ TR Cc KG IR 16 42
- 620. Metopius (Peltocarus) dentatus (Fabricius, 1779)** (Ichneumonidae) Synonym(s): *dentatus* Fabricius, 1779 Range (in code): TR NO RU Sb Cc 34
- 621. Metopius (Peltocarus) dirus Mocsary, 1883** (Ichneumonidae) Synonym(s): *dirus* Mocsary, 1883 Range (in code): TR DZ Cc TJ KG RU 16
- 622. Metopius (s.str.) fulvicornis Mocsary, 1883** (Ichneumonidae) Synonym(s): *fulvicornis* Mocsary, 1883 Range (in code): TR LB SY 44
- 623. Monoblastus brachyacanthus (Gmelin, 1790)** (Ichneumonidae) Synonym(s): *brachyacanthus* Gmelin, 1790; *testaceus* Gmelin, 1790; *oraniensis* Schmiedeknecht, 1912 Range (in code): DZ Orn GG Cc RU Sb TR AT AZ BE BG HV CZ SK FI FR Co DE HU IE IT KG MD NL NO PL RO RU Ir ES CH UA GB 15 22 25 32 39 59
- 624. Monoblastus discedens (Schmiedeknecht, 1912)** (Ichneumonidae) Synonym(s): *braccatus* Gravenhorst, 1820 (preocc.); *discedens* Schmiedeknecht, 1912 Range (in code): AT BE CZ SK FR DE HU IE IT NL PL ES SE TR UA 32
- 625. Monoblastus fulvescens (Fonscolombe, 1849)** (Ichneumonidae) Synonym(s): *fulvescens* Fonscolombe, 1849; *schmiedeknechti* Brauns, 1888; *puniceus* Schmiedeknecht, 1900; *antefurcalis* Seyrig, 1928; *romani* Gregor, 1929; *jaegeri* Bauer, 1937; *romani* Gregor, 1937; *tbilissicus* Ozols & Djanelidze, 1966 Range (in code): AM Cc AT AZ BG CZ SK FR GG Tbl DE IT MK PL ES CH TN TR YU
- 626. Monoblastus marginellus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *marginellus* Gravenhorst, 1829 Range (in code): AT BG CZ SK FI FR Co DE IT PL RU Kr Pe Pt TR GB 07 32 39
- 627. Myrmeleonostenus italicus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *italicus* Gravenhorst, 1829 Original reference: Cryptus italicus Gravenhorst, 1829, Ichn. Eur. 2: 559. Range (in code): IT RU Sb TR 07 32 62 67 62C 62G
- 628. Nemeritis nactor (Aubert, 1986)** (Ichneumonidae) Synonym(s): *nactor* Aubert, 1986 Range (in code): TR 30
- 629. Nemeritis specularis Horstmann, 1975** (Ichneumonidae) Synonym(s): *specularis* Horstmann, 1975 Range (in code): TR AT FR DE GR IN KK PL UZ 05 06 08 14 16 17 37 43 55
- 630. Nemeritis tuitor Aubert, 1986** (Ichneumonidae) Synonym(s): *tuitor* Aubert, 1986 Range (in code): TR 36 36F 36Fb
- 631. Neotypus coreensis Uchida, 1930** (Ichneumonidae) Synonym(s): *lapidator* Fabricius, 1793; *coreensis* Uchida, 1930 Range (in code): TR AT CA Abt CZ FR DE HU JP KP KR LT MD MN PL RO RU Us ES SE CH US Org GB
- 632. Neotypus melanocephalus (Gmelin, 1790)** (Ichneumonidae) Synonym(s): *melanocephalus* Gmelin, 1790; *pusillus* Gregor, 1940 Original reference: Ichneumon melanocephalus Gmelin, 1790, Syst. Nat. 13: 2687. Range (in code): BE CZ FR DE HU IT KP KR NL PL RO RU Sb ES SE GB TR 34
- 633. Neotypus nobilitator (Gravenhorst, 1807)** (Ichneumonidae) Synonym(s): *nobilitator* Gravenhorst, 1807; *erythronotus* Rudow, 1882; *americanus* Cushman, 1926 Range (in code): TR AT CA Abt CN Fkn Kwa Mc TW CZ DE JP KP KR PT RU ES SE CH US Nje Ny Oh Wy GB
- 634. Neoxorides nitens (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *nitens* Gravenhorst, 1829; *opacus* Kokujev, 1903; *kissi* Ulbricht, 1911; *albicollis* Clement, 1938 Range (in code): TR UA AL AT BY BE BG HV CZ SK FI FR DE HU IT NO PL RO RU Ao Ir Voo YU SE CH GB 34
- 635. Netelia (Bessobates) latungula (Thomson, 1888)** (Ichneumonidae) Synonym(s): *latungula* Thomson, 1888 Range (in code): TR AM AT Cc AZ BY BE BG CA Abt On Qb CN Gn HV CZ SK FI FR DE HU IR IE JP KP KR LV MD NL NO PL RO RU Ir Kr Mo Om Us Sh YU ES SE CH US Ilm Ny Vi UA GB 41
- 636. Netelia (Bessobates) virgata (Fourcroy, 1785)** (Ichneumonidae) Synonym(s): *virgata* Fourcroy, 1785; *ampla* Morley, 1913; *nipponensis* Uchida, 1934; *odaiensis* Uchida, 1934 Range (in code): TR IN AL AM Cc AT AZ BY BE BG Cn CN Sz TW Ti HV CZ SK DK FR DE HU IE IT JP KP KR LT NL NO PL RO RU Am Ir Kb Mo Us Sh St To Yr YU ES SE CH UA GB



- 637. Netelia (Paropheltes) beschkovi Kolarov,1994** (Ichneumonidae) Synonym(s): *beschkovi Kolarov,1994* Original reference: Netelia (Paropheltes) beschkovi Kolarov,1994, Entomofauna 15: 94, 2 figs. Holotype ♀: Turkey, [Nevşehir Prov.]: Karain, Göreme 16.7.1991, light trap, leg.S.Beschkov (coll.Kolarov). Range (in code): TR 50
- 638. Netelia (Paropheltes) elevator Aubert,1971** (Ichneumonidae) Synonym(s): *elevator Aubert,1971* Range (in code): TR AM AT Cc BG FR IL IT MK MA YU ES CH UA ME
- 639. Netelia (Paropheltes) maculiventris Kokujev,1915** (Ichneumonidae) Synonym(s): *maculiventris Kokujev,1915* Range (in code): TR CN Ts FR MN
- 640. Netelia (Paropheltes) nomas Kokujev,1899** (Ichneumonidae) Synonym(s): *nomas Kokujev,1899* Range (in code): TR AZ Cc BG GG IL Pa KG MA TM UZ
- 641. Netelia (Paropheltes) turanica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *turanicus Kokujev,1899* Range (in code): TR AM AZ Cc CN IR KG TJ TM UZ
- 642. Netelia (Prosthodocis) japonica (Uchida,1928)** (Ichneumonidae) Synonym(s): *japonica Uchida,1928* Range (in code): TR JP AM AZ Cc BY B-H BG CN TW CZ SK FR GG DE IN IT KG MD PL RU Kc Kr Mo Us Sh VI YU CH UA
- 643. Netelia (s.str.) dilatata (Thomson,1888)** (Ichneumonidae) Synonym(s): *dilatata Thomson,1888; brachycera Thomson,1888; nigricans Kriechbaumer,1898; capito Kokujev,1899; genalis Kokujev,1899; schirjajewi Kokujev,1899; sibiricola Kokujev,1899; nigridorsum Meyer,1929* Range (in code): TR AL AM AZ Cc DZ BE BG CN CZ SK FR GG DE GR IR KG KK MK MD MA NL PL RO RU At Da Kr Us Sr St To Sb VI YU ES SE TJ TM UA GB UZ YU 06 25 32 42
- 644. Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis Holmgren,1860; gracilipes Thomson,1888* Range (in code): TR ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR 01 03 06 10 16 22 23 25 26 31 32 38 39 40 42 46 50 65 69
- 645. Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea Gravenhorst,1829; opacula Thomson,1888; melanurus Thomson,1888; fuscicarpus Kokujev,1899; deserta Kokujev,1915; maltractata Roman,1939; valvator Aubert,1969; ambiguator Aubert,1969* Range (in code): AL DZ AM AU NWs QAU AT AZ Cc Az BD BY BE BG BI Cn CL CN Fkn Kwa Hn Ui HV CY CZ SK DK EG FI FI FR Co DE GR HU IN IR IE IL IT Sa Si JP JO KG KP KR LT LS LY Md MY MT MD MN MA MM NL NO PG PL PT RO RU Am Ao Kc Mo Or Pe Us Sh Pt Sr St Vi Voo Yr RW SA YU TR ES SE CH TN UA GB UZ 16 31 34 35 48
- 646. Netelia (Toxochiloides) krishtali Tolkantitz,1971** (Ichneumonidae) Synonym(s): *krishtali Tolkantitz,1971* Range (in code): BG UA RU TR SY IR Cc 20
- 647. Obtusodonta equitatoria (Panzer,1786)** (Ichneumonidae) Synonym(s): *equitatoria Panzer,1786; antennatoria Panzer,1800; mediatoria Fabricius,1804; cingulatoria Thunberg,1822; haemorrhoidaria Thunberg,1822; major Kriechbaumer,1894; commutata Berthoumieu,1896; nigricauda Berthoumieu,1896; subnigra Berthoumieu,1896* Range (in code): TR Cc IR KG AD AT AZ BE BG HV CZ SK FR Co GG DE GR HU IL Pa IT Si LT NL PL PT RO RU Da Kr Mo Ro Sh To Ya ES SE CH SY TN TM UA GB YU 06 34
- 648. Odontocolon dentipes (Gmelin,1790)** (Ichneumonidae) Synonym(s): *dentipes Gmelin,1790; femoratum Olivier,1811; pinetorum Thomson,1877* Range (in code): TR AT BY BE BG CZ SK FI FR DE HU IE IT KG LT LV MK MD NL NO PL RO RU Kmt Pt Ya Yr YU SS ES SE CH UA GB 16
- 649. Oedemopsis scabricula (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *scabricula Gravenhorst,1829; dorsata Zetterstedt,1838; pulchra Zetterstedt,1838; rogenhoferi Tschek,1869; limbata Thomson,1883; rufidorsalis Uchida,1932* Range (in code): TR AM AT AZ Cc BE BG CA BCo CN CZ FI FR Co GG DE IE JP KG LT NL NO PL RO RU Kr Pe Us Sh Pt Ya Yr ES SE UA GB 28 52 53
- 650. Olesicampe fulviventris (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fulviventris Gmelin,1790; audax Holmgren,1860* Range (in code): TR AT BE HV CZ SK FI FR Co DE HU IE NO RU Pt SE GB 62 62C
- 651. Olesicampe macellator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *macellator Thunberg,1822; retecta Hartig,1838; cothurnata Holmgren,1860; frutetorum Thomson,1887* Range (in code): TR AT BG CZ SK FI FR DE HU LT NO PL RU Us Sr SE UA 06
- 652. Olesicampe proterva (Brischke,1880)** (Ichneumonidae) Synonym(s): *proterva Brischke,1880; luteipes Thomson,1887; subcallosa Thomson,1887* Range (in code): TR AT BY BG CZ SK FI DE GR HU IE NO PL RO SE GB 25
- 653. Olesicampe radiella (Thomson,1885)** (Ichneumonidae) Synonym(s): *radiella Thomson,1885; nigricornis Strobl,1904* Range (in code): TR AT BG HV FR DE HU IT NO PL RO SE 25
- 654. Opheltes glaucopterus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *glaucopterus Linnaeus,1758; fuscipennis Gravenhorst,1829* Range (in code): AT AZ Cc BY BE BG CA Abt BCo On CN Mc IMn Ui HV CZ DK FI FR Co DE HU IE IL Pa IT JP KP KR LT LV MK MD NL NO PL RO RU Am Ao Kmt Mo Us Sh Pt To Tv ES SE CH TN TR US Col Nje Ny UA GB YU 80

655. **Ophion bipictor** Aubert,1980 (Ichneumonidae) Synonym(s): *bipictor* Aubert,1980  
Range (in code): BE TR IL Pa 58
656. **Ophion brevicornis** Morley,1915 (Ichneumonidae) Synonym(s): *brevicornis* Morley,1915  
Range (in code): BE BG FI NL PL ES GB TR
657. **Ophion capitatus** Kohl,1905 (Ichneumonidae) Synonym(s): *capitatus* Kohl,1905  
Range (in code): TR 38
658. **Ophion costatus** Ratzeburg,1848 (Ichneumonidae) Synonym(s): *costatus* Ratzeburg,1848  
Range (in code): TR AT BE BG CZ SK DK FI DE HU IL NL PL RU Cc ES GB
659. **Ophion internigrans** Kokujev,1906 (Ichneumonidae) Synonym(s): *internigrans* Kokujev,1906 Range (in code): TR GG Cc
660. **Ophion longigena** Thomson,1888 (Ichneumonidae) Synonym(s): *longigena* Thomson,1888 Range (in code): ES FR GB NO SE FI BY RU PL CZ BE NL DE AT IT Sa RO BG TR 26 34
661. **Ophion luteus** (Linnaeus,1758) (Ichneumonidae) Synonym(s): *luteus* Linnaeus,1758; *fulvus* Retzius,1783; *slaviceki* Kriechbaumer,1892; *distans* Thomson,1888; *pictus* Kokujev,1906; *calcaratus* Morley,1915  
Range (in code): TR DZ AR AU AT AZ Cc BY BE BG CA Qb Cn CL CN Pkn Mc Hnn Hun Jn Lng IMn Ts She Shs Sz TW Ui Ti Yu HV CY CZ SK EE FI FR DE GR GrI HU IS IN IR IE IT Sa Si JP Oki KP KR LT LB LV MD MN MA NL NO PL PT RO RU At Ao Da Cc Ir Mo Om Pe Us Ro Sh Pt Sr To Voo Ya ES SE CH SY US Ge UA GB UZ 33 34
662. **Ophion minutus** Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *minutus* Kriechbaumer,1879; *eremotylodes* Ceballos,1962 Range (in code): TR AF AT BE BG CZ SK FR DE HU IR LV MD NL PL RU Sr ES SE CH GB 06
663. **Ophion mirsa** (Shestakov,1926) (Ichneumonidae) Synonym(s): *mirsa* Shestakov,1926  
Original reference: Apatophion mirsa Shestakov,1926, Konowia 5: 263. Type ♀: "Persia S.O. - Ruichaff, Choras. Kerat-Sengun 13. iv. 1898 a. (N.Zarudnyi!)". Range (in code): IR TR
664. **Ophion mocsaryi** Brauns,1889 (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1889  
Range (in code): BG TR IR 32 33
665. **Ophion obscuratus** Fabricius,1798 (Ichneumonidae) Synonym(s): *obscuratus* Fabricius,1798; *obscurus* Fabricius,1804; *polyguttator* Thunberg,1822; *flavolineatus* Brullé,1846; *variegatus* Rudow,1883 Range (in code): AR AT BY BE Cn CN Fkn TW Ti CY CZ SK EG FI FR DE GR HU IN IR IE IL JP KP KR LT MD MA MM NP NL NO PL RO RU Ao Us Sh Sr Voo ES SE CH TJ TR UA GB 34 38 62 62C
666. **Ophion parvulus** Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *parvulus* Kriechbaumer,1879 Range (in code): TR BE BG CZ SK FI FR DE HU IR IT MA NL NO PL RU Us St ES CH GB
667. **Ophion pteridis** Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *pteridis* Kriechbaumer,1879 Range (in code): TR AT BY BE BG CZ SK FI FR DE HU IE NL NO PL RU Us ES GB
668. **Ophion rufoniger** Kohl,1905 (Ichneumonidae) Synonym(s): *rufoniger* Kohl,1905  
Range (in code): TR 38
669. **Ophion similis** (Szépligeti,1905) (Ichneumonidae) Synonym(s): *similis* Szépligeti,1905; *bagdadensis* Gregor,1940 Range (in code): TN EG LY IL Pa IQ Bgd TR
670. **Ophion ventricosus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *impressus* Thunberg,1822 (preocc.); *ventricosus* Gravenhorst,1829 Range (in code): GB TR AT AZ Cc BE BG CZ FI FR GG DE HU LT MD NL NO PL RO RU Ao Kr ES SE CH UA 32 34
671. **Orthocentrus radialis** Thomson,1897 (Ichneumonidae) Synonym(s): *radialis* Thomson,1897 Range (in code): TR BG DE HU LT NL PL RO RU Kr Cc SE GB 34
672. **Orthopelma brevicorne** Morley,1907 (Ichneumonidae) Synonym(s): *brevicorne* Morley,1907 Range (in code): TR BG FI FR RU Us ES SE GB
673. **Orthopelma mediator** (Thunberg,1822) (Ichneumonidae) Synonym(s): *mediator* Thunberg,1822; *luteolator* Gravenhorst,1829; *rufinum* Gravenhorst,1829; *pavoniae* Rondani,1877; *rosaecola* Ashmead,1890; *thompsoni* Brues,1907; *nigrescens* Constantineanu,1939 Range (in code): AD AT Cc BE BG CA BCo On CZ DK FI FR DE HU IR IT Si LT MD NL NO PL PT RO ES SE CH TR US Arz Col Ny Ut GB YU 26
674. **Otlophorus inflammator** Aubert,1970 (Ichneumonidae) Synonym(s): *inflammator* Aubert,1970 Range (in code): FR TR CY AT PL 31
675. **Otlophorus vepretorum** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *vepretorum* Gravenhorst,1829 Range (in code): AT BE CZ SK FI FR DE IT NL PL RO Kmt Mo Yr SE TR GB

- 676. *Otoblastus luteomarginatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *luteomarginatus* Gravenhorst,1829 **Range (in code):** **TR AM AZ Cc AT BE BG CZ SK FR Co GG DE HU IT Sa JP MD NL PL RO RU Us Sh Sr ES SE UA GB 32**
- 677. *Oxytorus luridator* (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *luridator* Gravenhorst,1820; *coxator* Gravenhorst,1829; *ventrator* Gravenhorst,1829; *properator* Haliday,1838; *varicornis* Holmgren,1860; *longicornis* Habermehl,1909; *nigricoxa* Kiss,1924 **Range (in code):** **TR GG Cc AT BY BE BG CZ DK FI FR DE HU IT LT NL NO PL RO RU Mo ES SE CH UA GB 53 53M**
- 678. *Pantorhaestes xanthostomus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *xanthostomus* Gravenhorst,1829; *ochrostomus* Gravenhorst,1829; *rufocinctus* Gravenhorst,1829; *hilarellus* Holmgren,1858; *intensicolor* Heinrich,1953 **Range (in code):** **TR AT BY BE BG CA Abt CZ SK FI FR DE HU IE LT LV NL NO PL RU Kmt Kr SE CH US Col Ilm Idp Mch Mon Nh Nje Ny Pns UA GB o6**
- 679. *Parablastus anatolicus* Gürbüz & Kolarov,2005** (Ichneumonidae) **Synonym(s):** *anatolicus* Gürbüz & Kolarov,2005 **Original reference:** *Parablastus anatolicus* Gürbüz & Kolarov,2005, *Biologia* (Bratislava) 60 (5): 495-497. **Range (in code):** **TR**
- 680. *Parablastus ibericus* Kasparyan,1999** (Ichneumonidae) **Synonym(s):** *ibericus* Kasparyan,1999 **Range (in code):** **TR AM GG Cc 32**
- 681. *Parania geniculata* (Holmgren,1857)** (Ichneumonidae) **Synonym(s):** *geniculata* Holmgren,1857; *paediscae* Ashmead,1896; *clavipes* Davis,1898; *evetivora* Rohwer,1914 **Range (in code):** **TR AT BG CA Abt BCo Mnt On Qb Ssk Yuk CZ SK FI FR DE HU IT LT NL PL RU Pe Pt SE CH US Arz Cf Col Ge Id Ilm Kan Idp Io Knt Mch Mns Mss Mon Mrl Nje NMx Ny NCa Oh Org Nh SCa Vi Ws Wc Rdi Pns GB 25 59**
- 682. *Paraperithous gnathaulax* (Thomson,1877)** (Ichneumonidae) **Synonym(s):** *gnathaulax* Thomson,1877; *luteipes* Thomson,1877; *ruficollis* Rudow,1881; *aterrimus* Haupt,1954; *moldavicus* Constantineanu & Pisica,1970 **Range (in code):** **TR AZ Cc BY BE BG CZ SK FI FR DE HU IR IT LT NL NO PL RO RU Us Pt Yr SE CH GB YU 25 36 36F 36Fb**
- 683. *Patrocloides sputator* (Fabricius,1793)** (Ichneumonidae) **Synonym(s):** *semiannulatus* Schrank,1776; *ferruginosus* semiannulator Olivier,1792; *Gmelin*,1790; *sputator* Fabricius,1793; *nigriventris* Berthoumieu,1896; *solutus* Berthoumieu,1896; *aterrimus* Strobl,1901; *rufatus* Kiss,1929; *apertus* Constantineanu,1942; *bimaculatus* Constantineanu,1954 **Range (in code):** **AT BE BG HV CZ FI FR DE IT HU LT LV MN NL PL RO RU ES CH TJ UA GB TR 34 41 80**
- 684. *Perilissus albitarsis* Thomson,1883** (Ichneumonidae) **Synonym(s):** *albitarsis* Thomson,1883; *emarginatus* Thomson,1883 **Range (in code):** **TR FI FR DE HU LV MN NO PL SE CH UA GB 32**
- 685. *Perilissus dissimilitor* Aubert,1987** (Ichneumonidae) **Synonym(s):** *dissimilitor* Aubert,1987 **Range (in code):** **TR o1 23**
- 686. *Perilissus lutescens* Holmgren,1855** (Ichneumonidae) **Synonym(s):** *lutescens* Holmgren,1855 **Range (in code):** **TR AT BE CZ SK FI FR DE HU IE IT LV MD NL NO PL RO RU Mo Pe To Ya Yr ES SE CH GB**
- 687. *Perilissus rufoniger* (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *rufoniger* Gravenhorst,1820; *vernalis* Gravenhorst,1820; *petulans* Gravenhorst,1829; *stygius* Walker,1874; *herrichii* Kriechbaumer,1892 **Range (in code):** **TR RU At Cc AZ AT BE BG CZ SK FI DE GR HU IE JP KP KR LV MD NL NO PL RO Pt Tt ES SE CH TN UA GB 65**
- 688. *Perilissus spilonotus* (Stephens,1835)** (Ichneumonidae) **Synonym(s):** *spilonotus* Stephens,1835; *dissimilis* Woldstedt,1877 **Range (in code):** **TR AT BY BE CZ SK FI FR Co DE HU IE IT LV NL NO PL RO RU Pt ES SE CH UA GB 38**
- 689. *Perilissus variator* (Müller,1776)** (Ichneumonidae) **Synonym(s):** *variator* Müller,1776; *filicornis* Gravenhorst,1820; *interruptor* Thunberg,1822; *seminiger* Gravenhorst,1829 **Range (in code):** **TR AT BY BE BG HV CZ SK DK FI FR DE GR HU IE IT JP LT LV MD NL NO PL RO RU Kmt Pe Pt Tt Ya ES SE CH GB 25**
- 690. *Perithous divinator* (Rossi,1790)** (Ichneumonidae) **Synonym(s):** *divinator* Rossi,1790; *ephippiatorius* Dufour & Perris,1840; *amoenus* Rudow,1881; *rubi* Habermehl,1917; *melanarius* Kiss,1929; *pimplarius* Haupt,1938 **Range (in code):** **TR AT AZ Cc BE BG CA Qb CN Lng CZ SK FI FR Co DE HU IN IR IE IT KG LV MD NL NO PL RO YU ES SE US Cnt Idp Oh Pns Ws GB 25 59**
- 691. *Perithous scurra* (Panzer,1804)** (Ichneumonidae) **Synonym(s):** *scurra* Panzer,1804; *mediator* Fabricius,1804; *modulator* Thunberg,1822; *asilatorius* Thunberg,1822; *senator* Haliday,1838; *decoratus* Ratzeburg,1848; *longiseta* Haupt,1954; *moldavicus* Constantineanu,1968 **Range (in code):** **TR AL AT AZ Cc BY BE BG CA Abt BCo On Qb Ssk CN Mc Lng HV CZ SK DK FI FR Co DE HU IR IE IT JP KP KR LT LV MD NL NO PL RO RU Ao Ir Sh Pt Ya SS ES SE CH US Als Arz Cf Col Cnt Id Ilm Io Kan Mai Nh Lou Mai Mrl Mch Mns Mss Mon Nh Nje NMx Ny NCa Tnn Vi Ws Wc Vr GB YU o6 25**
- 692. *Perithous septemcinctorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *septemcinctorius* Thunberg,1822; *varius* Gravenhorst,1829; *marginellatrius* Dufour & Perris,1840; *brunnescens* Koornneef,1951; *exiguus* Haupt,1954; *meridionator* Aubert,1963; *rufatus* Constantineanu & Constantineanu,1968



Range (in code): TR AT AZ Cc BY BE BG CN Ui HV CZ SK FI FR Co GG HU IR IE IT KG LV MK MD NL NO PL RO RU Ao Pt Yr YU ES SE CH US UA GB 12 25

- 693. *Phaenolobus areolator* (Constantineanu & Constantineanu,1968)** (Ichneumonidae) *Synonym(s): areolator Constantineanu & Constantineanu,1968* Range (in code): ES BG GR IR Fa PL RO TR Cc AZ RU KG 25 36 63
- 694. *Phaenolobus cornutus* Victorov,1962** (Ichneumonidae) *Synonym(s): cornutus Victorov,1962* Range (in code): AM Cc TR 21
- 695. *Phaenolobus fulvicornis* (Gravenhorst,1829)** (Ichneumonidae) *Synonym(s): fulvicornis Gravenhorst,1829; erythrogaster Lucas,1849; basirufus Constantineanu,1929; rufifemur Constantineanu,1929* Range (in code): AL AT BY BG HV CZ FR GG DE Cc HU IR Ak IL Pa IT LT LV MA NL PL PT RO RU Ao YU ES CH GB TR DZ 08 25 32 36 69
- 696. *Phaenolobus hilalii* Kolarov & Gürbüz,2010** (Ichneumonidae) *Synonym(s): hilalii Kolarov & Gürbüz,2010* Original reference: *Phaenolobus hilalii* Kolarov & Gürbüz,2010, Ent. News 121 (1): 53-58. Range (in code): TR
- 697. *Phaenolobus maior* Szépligeti,1914** (Ichneumonidae) *Synonym(s): maior Szépligeti,1914* Range (in code): CZ PL HU TR 06
- 698. *Phaenolobus saltans* (Gravenhorst,1829)** (Ichneumonidae) *Synonym(s): saltans Gravenhorst,1829; interstitialis Constantineanu et al.,1958* Range (in code): AT HV DE GR HU IR Ab IT MK PL PT RO ES YU UA TR 22 24 25 36 65
- 699. *Phaenolobus terebrator* (Scopoli,1763)** (Ichneumonidae) *Synonym(s): terebrator Scopoli,1763; arator Rossi,1790* Range (in code): AL AT BY BE BG HV CZ FI FR GG Cc DE HU IT KG KP KR LT MD MA NL NO PL RO RU YU ES SE CH UA GB UZ TR 12 25 34
- 700. *Phaenolobus trochanteralis* Çoruh & Kolarov,2013** (Ichneumonidae) *Synonym(s): trochanteralis Çoruh & Kolarov,2013* Range (in code): TR 24 25
- 701. *Phaeogenes corcirensis* Berthoumieu,1901** (Ichneumonidae) *Synonym(s): corcirensis Berthoumieu,1901* Range (in code): BG TR GR Cc RU
- 702. *Phaeogenes planifrons* Wesmael,1845** (Ichneumonidae) *Synonym(s): planifrons Wesmael,1845; compar Berthoumieu,1904; hungaricus Kiss,1926; pannonicus Kiss,1926; nigrifemur Constantineanu,1959* Range (in code): TR AT BE CZ BG SK DK EE FI FR GG Cc DE HU IE IT Si LT LV MN NL NO PL RO RU Mo Yr ES SE CH UA GB 34
- 703. *Phaestacoenitus bidentator* Aubert,1979** (Ichneumonidae) *Synonym(s): bidentator Aubert,1979* Range (in code): TR 25
- 704. *Phaestacoenitus caucasicus* Kasparyan,1983** (Ichneumonidae) *Synonym(s): caucasicus Kasparyan,1983* Range (in code): TR AZ Cc GG IR
- 705. *Phaestacoenitus niger* Kasparyan,1983** (Ichneumonidae) *Synonym(s): niger Kasparyan,1983; longicaudus Kasparyan,1983 [ssp.]; nitidus Kasparyan,1983 [ssp.]* Range (in code): AZ Cc GG IR KG KK RU Da TJ TR TM
- 706. *Phobetes atomator* (Müller,1776)** (Ichneumonidae) *Synonym(s): atomator Müller,1776; croaticus Kiss,1926; melanurus Ulbricht,1926* Range (in code): TR AT BY BE BG CZ SK FI FR DE HU IE IT LT NL NO PL RU Ya YU ES SE UA GB 53
- 707. *Phobetes leptocerus* (Gravenhorst,1820)** (Ichneumonidae) *Synonym(s): leptocerus Gravenhorst,1820; stigmaticus Brischke,1878; schmiedeknechti Lange,1911; aigneri Kiss,1926* Range (in code): TR AT BE BG CZ SK FI FR DE GR HU IE IT LT MD NL PL RO RU Ao Sr ES SE CH UA GB 32 53
- 708. *Phradis brevis* (Brischke,1880)** (Ichneumonidae) *Synonym(s): brevis Brischke,1880; temporalis Thomson,1889; styriacus Strobl,1904* Range (in code): Cc KG MN TR AM AT AZ BG CZ SK EE FI FR GG DE HU IE IT LV PL RU Kb Kmt Kc Kr Us Sh Pt St Voo CH UA GB YU 58
- 709. *Phradis decrescens* (Thomson,1889)** (Ichneumonidae) *Synonym(s): decrescens Thomson,1889* Range (in code): KG TR Cc AT BG FI GG DE HU PL RU Pt SE 65 65G 65Ge
- 710. *Phradis minutus* (Bridgman,1889)** (Ichneumonidae) *Synonym(s): minutus Bridgman,1889* Range (in code): TR Cc AM AT BG CZ SK DK FI GG DE HU IE IT LT LV PL RO RU St SS ES SE UA GB 32
- 711. *Phradis morionellus* (Holmgren,1860)** (Ichneumonidae) *Synonym(s): morionellus Holmgren,1860; lanceolatus Szépligeti,1899; oudemansi Smits van Burgst,1913* Range (in code): Cc TR AT AZ BY BG CZ SK DK EE FI FR DE HU IE KG LT LV MD NO PL RU Kr Mo Us Pt St Yr YU ES SE CH TN TM UA GB
- 712. *Phradis nigrutilus* (Gravenhorst,1829)** (Ichneumonidae) *Synonym(s): nigrutilus Gravenhorst,1829; albipennis Szépligeti,1899* Range (in code): RU KG TR Sb Us MN BG CZ SK DK FI DE HU IT Si PL At Us Sh Pt Voo UA GB 33
- 713. *Phradis rufiventris* Horstmann,1980** (Ichneumonidae) *Synonym(s): rufiventris Horstmann,1980* Range (in code): TR KG B-H DE HU IE LV MD PL RO RU Ir UA YU 65 65G 65Ge

- 714. *Phygadeuon dubius* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *dubius* Gravenhorst,1829; *scaposus* Thomson,1884 Range (in code): **AT BG CZ SK FI FR DE GR Cr HU IE IT Si LT NL PL RO SE TR GB**
- 715. *Phygadeuon vexator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *vexator* Thunberg,1822; *patellator* Thunberg,1822; *diaphanus* Gravenhorst,1829; *minor* Fonscolombe,1851; *nigripes* Aubert,1959 Range (in code): **TR AT BE BG CZ SK DK FI FR Co DE HU NO PL ES SE GB 32**
- 716. *Pimpla aquilonia* Cresson,1870** (Ichneumonidae) Synonym(s): *aquilonia* Cresson,1870; *marginata* Provancher,1883; *cylindrica* Provancher,1886; *exareolata* Ashmead,1901; *yakutatensis* Ashmead,1902 Range (in code): **TR AT AZ Cc BY BG CA Abt BCo Nfi Lbr On Ssk FR Co DE JP LT NO PL RO RU Kc Sh US Als Cf Col Mon Nje NMx Ny Org Ws GB 53 61 53M**
- 717. *Pimpla arcadica* Kasparyan,1973** (Ichneumonidae) Synonym(s): *arcadica* Kasparyan,1973 Range (in code): **TR BG IR NO SE UA 25 36 36F 36Fb**
- 718. *Pimpla artemonis* Kasparyan,1973** (Ichneumonidae) Synonym(s): *artemonis* Kasparyan,1973 Range (in code): **TR AM Cc BG GG NO RU Da Kb YU SE 25 53 69 25C 53N**
- 719. *Pimpla caucasica* Kasparyan,1974** (Ichneumonidae) Synonym(s): *caucasica* Kasparyan,1974 Range (in code): **TR Cc RU Kc 25**
- 720. *Pimpla contemplator* (Müller,1776)** (Ichneumonidae) Synonym(s): *contemplator* Müller,1776; *geniculata* Geoffroy,1785; *rufistigma* Morley,1908; *rufitibia* Morley,1908; *melanaria* Hellén,1915; *melanaria* Uchida,1928 Range (in code): **TR AL AM Cc AT AZ BY BE Cn CZ SK DK EG FI FR Co GG DE HU IR IE IT JP LT LV MK MD MN NL NO PL RO RU Da Kb Kr Mo Sh Pt St Vi Voo Yr YU ES SE CH TM UA GB 25 25C**
- 721. *Pimpla illecebrator* (Villers,1789)** (Ichneumonidae) Synonym(s): *illecebrator* Villers,1789; *caligata* Vollenhoven,1877; *illecebratrix* Schulz,1906; *meridionalis* Seyrig,1927 Range (in code): **TR Cc KG AT AZ BE CN Mc IMn Sz HV CZ SK FR DE HU IR IT JP KK LV MN PL RO RU At Om Ro Pt St ES CH UA GB UZ 06 08 22 25 33 36 69 25A 25C 36F 36Fb 69A**
- 722. *Pimpla insignatoria* (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *insignatoria* Gravenhorst,1807; *mixta* Ratzeburg,1848; *coxalis* Habermehl,1917; *scutellaris* Habermehl,1917; *conmixta* Kiss,1929 Range (in code): **TR AM AZ Cc AT BY BG HV CZ SK DK FR GG DE HU MK NL PL RO Da Kb Kc St Vi UA GB YU 36 61 36F 36Fb**
- 723. *Pimpla melanacrias* Perkins,1941** (Ichneumonidae) Synonym(s): *geniculata* Hensch,1929; *melanacrias* Perkins,1941 Range (in code): **TR AM Cc AT AZ BY BG CZ SK FI FR GG DE HU IE IT Si KG KK LT LV MN NL NO PL RO RU At Am Da Kb Kmt Mgd Mo Us Sh Pt St Ya Yr YU ES SE CH UA GB 53 53M**
- 724. *Pimpla rufipes* Brullé,1846<sup>2</sup>** (Ichneumonidae) Synonym(s): *rufipes* Brullé,1846 *nec* Mill.,1759 Range (in code): **TR AR BR DE UY 12 25 69 75 76 25C 69A 75A 75Ab**
- 725. *Pimpla sodalis* Ruthe,1859** (Ichneumonidae) Synonym(s): *sodalis* Ruthe,1859; *cheloniae* Giraud,1869; *nordenskiöldii* Holmgren,1872; *longiceps* Thomson,1877 Range (in code): **TR AF AM AT Cc BG CA Mnt Nnv On Qb Ynk CZ SK FI FR DE HU IS IR IT KG KK MN NO PL RO RU Ya YU ES SE CH TJ TM US Als Cf Col Ge GB UZ 25 36 25C 36F 36Fb**
- 726. *Pimpla spuria* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria* Gravenhorst,1829; *bilineata* Brullé,1846; *dubitata* Pérez,1895; *nilotica* Schmiedeknecht,1914; *turionelloides* Aubert,1959 Range (in code): **TR Cc KG RU At AF AL DZ AM AT Cc AZ BY BE BG Cn CN TW HV CZ SK DK EG FI FR Co GG DE GR Cr HU IR IE IL IT JP Oki KK LY LV MK MT MD MN MA NL NO PL RO Ao Da Kb Kr Mo Om Ro St Tt Vi Voo Yr YU ES SE CH TJ TM UA GB UZ 03 06 08 24 25 28 36 41 53 61 62 25C 36D 36F 36Fb 53M 62C**
- 727. *Pimpla turionellae* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *turionellae* Linnaeus,1758; *variegata* Schrank,1785; *fuscicornis* Schrank,1785; *rufescens* Gmelin,1790; *leucogonos* Gmelin,1790; *examinator* Fabricius,1804; *cingulator* Thunberg,1822; *turionator* Thunberg,1822; *rufoannula* Hellén,1915; *pubescens* Hellén,1915; *freyi* Hellén,1949 Range (in code): **TR AF DZ AM Cc AT AZ Az BY BE BG CA On Cn CN Hun HV CZ SK DK EE FI FR Co DE GR Gfi HU IS KG KP KR KK LT LV MK Md MD MN MA MM NL NO PL RO RU Ao Kmt Kc Kr Mo Om Pe Us Ro Sh Pt Sr St Tt To Voo Yr YU ES SE CH TJ TN UA GB UZ 03 06 16 25 26 32 34 39 42 50**
- 728. *Pion fortipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fortipes* Gravenhorst,1829; *pictus* Pfankuch,1924; *transsylvanicus* Kiss,1924; *clarus* Kiss,1933; *#fortibes* Gürbüz et al.,2009 Range (in code): **TR AT AZ Cc BE BG HV CZ SK EE FI FR DE GR HU IE IT LT LV MD NL NO PL PT RO RU Ao Ir Pe Yr ES SE CH UA GB YU 25 32 34**
- 729. *Pion nigripes* Schiödte,1839** (Ichneumonidae) Synonym(s): *nigripes* Schiödte,1839; *crassipes* Holmgren,1857 Range (in code): **TR AT BY BE BG CZ SK DK FI FR DE GR HU IE LT LV NL NO PL RU Pt SE CH GB**

<sup>2</sup> The name *Pimpla rufipes* Brullé,1846 is invalid as it is junior homonym of *Pimpla rufipes* Miller,1759. A replacement name is proposed here *Pimpla argenturcica* nom. nov. for *Pimpla rufipes* Brullé,1846 *nec* Miller,1759 in accordance with the Homonymy Rules of the ICZN.

- 730. Pithotomus rufiventris Kriechbaumer, 1888** (Ichneumonidae) **Synonym(s):** *rufiventris* Kriechbaumer, 1888 Range (in code): RO BG TR Cc AM 34
- 731. Platylabus iridipennis (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *iridipennis* Gravenhorst, 1829; *helensis* Brischke, 1888; *fornicatus* Kriechbaumer, 1890; *calidus* Berthoumieu, 1904; *novellus* Berthoumieu, 1910 Range (in code): TR AT BY BE BG CZ SK DK FI FR DE HU IE IT JP LT LV NL NO PL RO ES SE CH SY UA GB
- 732. Platylabus neglectus (Fonscolombe, 1847)** (Ichneumonidae) **Synonym(s):** *neglectus* Fonscolombe, 1847; *decipiens* Wesmael, 1848; *minai* De Stefani, 1885; *exannulatus* Habermehl, 1917 Range (in code): TR DZ AT BE BG CZ SK EE FI FR DE HU IE IT Si KK LT MN NL PL RO ES SE CH GB
- 733. Platylabus obator (Desvignes, 1856)** (Ichneumonidae) **Synonym(s):** *obator* Desvignes, 1856 Range (in code): TR BE BG DE FI FR GB MA AT SE CH
- 734. Platylabus odiosus Perkins, 1953** (Ichneumonidae) **Synonym(s):** *odiosus* Perkins, 1953 Range (in code): BG DE FI FR GB Co NL NO AT PL CH SE CZ TR
- 735. Platylabus oehlkei (Heinrich, 1972)** (Ichneumonidae) **Synonym(s):** *oehlkei* Heinrich, 1972 Range (in code): TR CZ FI FR DE PL RO SK CH
- 736. Platylabus ponticus Riedel, 2008** (Ichneumonidae) **Synonym(s):** *ponticus* Riedel, 2008 **Original reference:** *Platylabus ponticus* Riedel, 2008, *Spixiana* 31 (1): 114, 146-147. **Holotype** ♀: [Türkei, Erzurum Prov.], Delibaba, Horasan 18km E (LIN). Range (in code): TR 25 25E
- 737. Platylabus tricingulatus (Gravenhorst, 1820)** (Ichneumonidae) **Synonym(s):** *tricingulatus* Gravenhorst, 1820 Range (in code): TR DZ AT AZ Cc BY BE BG HV EG FI FR Co DE GR IR IT MA NO PL PT ES SE CH SY TN GB YU
- 738. Platylabus vibratorius (Thunberg, 1822)** (Ichneumonidae) **Synonym(s):** *vibratorius* Thunberg, 1822; *wienkeri* Ratzeburg, 1844; *rufiventris* Wesmael, 1845 Range (in code): TR AT BY BE BG HV CZ FI FR DE HU IE LT NL NO PL RO ES SE GB YU
- 739. Pleolophus brachypterus (Gravenhorst, 1815)** (Ichneumonidae) **Synonym(s):** *brachypterus* Gravenhorst, 1815; *assimilis* Förster, 1850; *curtulus* Kriechbaumer, 1891; *antennalis* Kiss, 1924; *hungaricus* Kiss, 1924 Range (in code): AZ Cc TR AT BE BY BG CZ SK DK FI FR DE HU IS IE IT LT LV MD NL NO PL RO RU Ao Pt CH GB 16 62 62C
- 740. Poemenia hectica (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *hectica* Gravenhorst, 1829; *montana* Hartig, 1847; *tipularia* Holmgren, 1860 Range (in code): TR Cc RU AT AZ Cc BY BE BG CN Gn Jn Lng CZ SK FI FR Co DE GR HU IT JP LT NL NO PL RO RU Ao Mo Us Sh Pt To Voo Yr YU ES SE CH GB 14
- 741. Polyblastus cothurnatus (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *cothurnatus* Gravenhorst, 1829; *drewseni* Schiodte, 1838; *unicinctus* Bridgman, 1889; *intermedius* Ulbricht, 1916; *hungaricus* Kiss, 1926 Range (in code): TR AT BY BE BG CZ SK DK FI FR GG Cc DE HU IT LT LV MD NL PL RO RU At Sh Pt Ya Yr SE UA GB
- 742. Polyblastus varitarsus (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *varitarsus* Gravenhorst, 1829; *albovinctus* Gravenhorst, 1829; *affinis* Woldstedt, 1874; *subtilis* Thomson, 1883; *rufus* Kiss, 1926; *xanthostomus* Ulbricht, 1926 Range (in code): TR AT AZ BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk HV CZ SK DK FI FR GG DE HU IE IL IT JP KG KK LT LV MN NL NO PL RO RU Am Mgd Mo Or Us Pt To VI Ya Yr SE CH US Als Cf Col NMx Ny Org Ut Ws Wy UA GB
- 743. Polysphincta tuberosa Gravenhorst, 1829** (Ichneumonidae) **Synonym(s):** *tuberosa* Gravenhorst, 1829; *taschenbergi* Woldstedt, 1877; *sculpturata* Roman, 1931 Range (in code): AT BY BG CA BCo CZ SK FI FR DE HU IR IE IT MN RO PL RU Kmt St Pt ES SE CH US Als Cf Ny Ut Ws GB TR 25
- 744. Polytribax rufipes (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *rufipes* Gravenhorst, 1829; *curvus* Gravenhorst, 1829; *rufipes* Stephens, 1835; *vexator* Pfankuch, 1921 Range (in code): TR AT BE BG HV CZ SK FI FR DE HU IE IT MD PL RO ES CH UA GB
- 745. Priopoda stictica (Fabricius, 1799)** (Ichneumonidae) **Synonym(s):** *stictica* Fabricius, 1799 Range (in code): TR DZ 06
- 746. Pristomerus armatus (Lucas, 1849)** (Ichneumonidae) **Synonym(s):** *armatus* Lucas, 1849; *cingulatus* Szépligeti, 1905 Range (in code): DZ SE DE BE FR Co CH IT HU RO BG GR RU Sb DZ TR Cc AM GG 22 39 59
- 747. Pristomerus kasparyani Narolsky, 1986** (Ichneumonidae) **Synonym(s):** *kasparyani* Narolsky, 1986 Range (in code): FR BG TR UA Cm HU 33
- 748. Pristomerus luridus Kokujev, 1905** (Ichneumonidae) **Synonym(s):** *pallidus* Thomson, 1890 *nec* Kriechb., 1895; *luridus* Kokujev, 1905 Range (in code): TR DZ HV FR GG Cc DE GR HU IR IT KG KK ES TJ TN TM UA UZ YU
- 749. Pristomerus rivalis Narolsky, 1987** (Ichneumonidae) **Synonym(s):** *rivalis* Narolsky, 1987 Range (in code): TR MD UA KG UZ KK



750. **Pristomerus vulnerator** (Panzer,1799) (Ichneumonidae) Synonym(s): *vulnerator* Panzer,1799; *schreineri* Ashmead,1904; *#marginalis* Habermehl,1923 Range (in code): SE GB DE FR Co PL RO HU RU Sb KP KR JP IT Si GR TR IN CN 16 22 38 55
751. **Probles (Euporizon) exilis** (Holmgren,1860) (Ichneumonidae) Synonym(s): *exilis* Holmgren,1860 Range (in code): TR AT BE CZ SK FI FR DE NO PL RU Om Pt SE 01
752. **Probles (Euporizon) rufipes** (Holmgren,1860) (Ichneumonidae) Synonym(s): *rufipes* Holmgren,1860; *flavigaster* Szépligeti,1899 Range (in code): TR Sb AT BE BG CZ SK DK FI FR DE HU IE IT NL NO PL RU Pt SE UA GB 61
753. **Probles (Microdiaparsis) anatolicus** Hortsman,1980 (Ichneumonidae) Synonym(s): *anatolicus* Hortsman,1980 Original reference: Probles (Microdiaparsis) anatolicus Hortsman,1980, Spixiana 4 (suppl.): 31-33, fig. Holotype ♀: "3.viii.1972 Zigara-Pass/T." (Hinz). [Türkei, Trabzon Prov., Zigana Pass]. Range (in code): TR RU Cc Kr GG AM Eri 53 59 61
754. **Probles (Microdiaparsis) caudiculatus** Khalaim,2007 (Ichneumonidae) Synonym(s): *caudiculatus* Khalaim,2007 Range (in code): TR Cc AM AT BG CN CZ SK GG DE IT MN RU Kmt Mgd Sh St Ya ES CH UA GB 25 25A
755. **Probles (Microdiaparsis) neoversutus** (Horstmann,1967) (Ichneumonidae) Synonym(s): *parviceps* Szépligeti,1899 (preocc.); *neoversutus* Horstmann,1967 Range (in code): RU Us TR AT BG CZ SK DK FI DE HU IE PL RO Sh ES SE GB 37
756. **Probles (Microdiaparsis) versutus** Holmgren,1860 (Ichneumonidae) Synonym(s): *versutus* Holmgren,1860; *parviceps* Thomson,1889 Range (in code): AT BE BG CZ SK FI FR DE HU IE NO PL RO RU Sh Pt ES SE CH TR UA GB
757. **Probles (Rugodiaparsis) sp.** (Ichneumonidae) Synonym(s): Range (in code): TR 38
758. **Probles (s.str.) erythrostomus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *erythrostomus* Gravenhorst,1829; *minator* Gravenhorst,1829; *melanarius* Szépligeti,1899 Range (in code): TR AT BE BG HV CZ SK DK FR DE HU IE IT LT PL ES SE GB 03 07
759. **Probles (s.str.) flavipes** (Szépligeti,1899) (Ichneumonidae) Synonym(s): *flavipes* Szépligeti,1899 Range (in code): TR BG CZ SK FI DE HU IE NO PL RO CH UA GB 61
760. **Probolus crassulus** Horstmann,2000 (Ichneumonidae) Synonym(s): *crassicornis* Stephens,1835; *nigriventris* Ulbricht,1922; *crassulus* Horstmann,2000 Range (in code): AT CZ FR DE HU IE IT NO ES GB TR
761. **Procinetus decimator** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *decimator* Gravenhorst,1829; *maculatus* Gravenhorst,1829; *aberrans* Kriechbaumer,1889; *crassulus* Kriechbaumer,1889; *interstitialis* Constantineau,1958; *postfurcalis* Constantineau,1958 Range (in code): TR UZ GB UA TN CH SE ES RU IT MD MA NL PL RO AL DZ AT BE BG HV CZ FR DE HU IR Ak 24
762. **Promethes sulcator** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *sulcator* Gravenhorst,1829; *areolatus* Holmgren,1856; *anomalus* Taschenberg,1865; *longicornis* Provancher,1883; *aciculatus* Provancher,1888; *auriculatus* Provancher,1888; *dodsi* Morley,1906; *splendidus* Dasch,1964 Range (in code): TR AF AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Gn CZ SK DK FI FR DE GR HU IN IE IT JP LT LV Md MD NL NO PL RO RU Kmt Mo Ro ES SE CH US Als Arz Col Nje Ny Oh Org Ut Ws Wy UA GB 06
763. **Protichneumon coqueberti** (Wesmael,1848) (Ichneumonidae) Synonym(s): *coqueberti* Wesmael,1848 Range (in code): TR IR 25
764. **Protichneumon fusorius** (Linnaeus,1761) (Ichneumonidae) Synonym(s): *fusorius* Linnaeus,1761; *fuscus* Linnaeus,1767; *italicus* Rudow,1888; *persicus* Morley,1915; *obscuratus* Habermehl,1916 Range (in code): TR IR 08 25
765. **Protichneumon similatorius** (Fabricius,1798) (Ichneumonidae) Synonym(s): *similatorius* Fabricius,1798 Range (in code): IR TR AT BE HV CZ SK FI FR DE HU IT Sa LT NL NO PL RO RU ES SE CH GB YU
766. **Pseudoamblyteles homocerus** (Wesmael,1854) (Ichneumonidae) Synonym(s): *homocerus* Wesmael,1854; *fumipennis* Rudow,1888; *massiliensis* Berthoumeu,1894; *rufescens* Berthoumeu,1898; *freyi* Pic,1899; *slavonicus* Kiss,1924; *transitorius* Constantineau,1929 Range (in code): TR AF DZ AD AT BY BE BG CA BCo On Yuk CN Ui HV CZ SK FI FR DE GR HU IR IT Si MN MA PL RO RU Ao Kmt Sh ES CH TN US Als Col Wy GB
767. **Pseudoplatylabus violentus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *violentus* Gravenhorst,1829; *infaustus* Wesmael,1845; *thalhammeri* Strobl,1901; *nigricornis* Ulbricht,1910; *caudatus* Smits van Burgst,1931 Range (in code): DZ BY BE BG CZ FI FR DE HU IT Sa NL PL ES TR US YU
768. **Pycnocryptodes reticulator** Aubert,1971 (Ichneumonidae) Synonym(s): *reticulator* Aubert,1971 Range (in code): CY TR 32

- 769. *Pygmaeolus turcicus* Kolarov,1993** (Ichneumonidae) Synonym(s): *turcicus* Kolarov,1993; *#turicus* Kolarov,1993 Original reference: *Pygmaeolus turcicus* Kolarov,1993, Linzer biol. Beitr. 25 (2): 1095-1095. Holotype ♀: Türkiye, Angora 13.6.1925 leg. Biro (HNHM Budapest). Range (in code): **TR o6**
- 770. *Rhyssa persuasoria* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *persuasoria* Linnaeus,1758; *matutina* Christ,1791; *marginalis* Brullé,1846; *gloriosa* Rudow,1889 Range (in code): **TR AU TA AT BY AZ Cc BE BG CA Abt BCo Mnt Nfl Lbr On Qb CN Gn Mc Jn Lng IMn Ts Ui Yu CZ SK FI FR DE GR HU IS IN IR IE IT JP KP KR LT LV MN MA NP NL NZ NO PL PT RO RU Ao Ir Kmt Kc Sh Pt VI YU ES SE CH US Arz Cf Col Ge Id Mch Mns Nh Nje NMx Ny NCa Org Tnn Tx Ut Vr Ws Wy UA GB o8 16 34**
- 771. *Rictichneumon lombardi* (Berthoumieu,1897)** (Ichneumonidae) Synonym(s): *lombardi* Berthoumieu,1897; *solymus* Berthoumieu,1900; *albanicus* Heinrich,1926; *desertorum* Heinrich,1926 Range (in code): **TR AL BG FR HU IL Pa RO CH**
- 772. *Scambus (Atelophadnus) rufator* Aubert,1963** (Ichneumonidae) Synonym(s): *rufator* Aubert,1963 Range (in code): **FR YU BG TR RU**
- 773. *Scambus (s.str.) brevicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brevicornis* Gravenhorst,1829; *concolor* Ratzeburg,1848; *nigriscapous* Thomson,1877; *punctiventris* Thomson,1877; *centaureae* Förster,1888; *infestus* Förster,1888; *bicoloripes* Ashmead,1902; *anomalus* Morley,1906; *fumosus* Ulbricht,1910; *tibialis* Ulbricht,1910; *terrestris* Pfankuch,1921; *pratensis* Pfankuch,1921; *rivalis* Hensch,1923; *ribesii* Hensch,1929 Range (in code): **TR AT AZ Cc BE BG CA Abt BCo Mnt Nfl Lbr On Qb Yu CN IMn CZ SK DK FI FR Co GG DE Grl HU IS IE IR IT Sa JP KG LT LV MK MD MN NL NO PL RO RU Kmt Ro Pt Sr Yr YU ES SE CH TN US Als Cf Col Id Mai Mch Nje Ny Org Rdi Ut Ws Wy UA GB YU 12 13 25 34 36 53 13G 13Gw 25C 36F 36Fb 53N**
- 774. *Scambus (s.str.) buolianae* (Hartig,1838)** (Ichneumonidae) Synonym(s): *buolianae* Hartig,1838; *triangularis* Verhoeff,1890; *flavotrochanteratus* Pfeffer,1913 Range (in code): **TR AT BY BE BG CN Lng Ts CZ SK FI FR DE IT MK MN NL NO PL RO RU Ao Kc Us Pt Yr YU SE CH UA GB**
- 775. *Scambus (s.str.) calobatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calobatus* Gravenhorst,1829; *planatus* Hartig,1838; *ghilianii* Spinola,1843; *nucum* Ratzeburg,1844; *longiventris* Ratzeburg,1848; *cingulatus* Ratzeburg,1852; *ventricosus* Tschek,1871; *gallicola* Giraud,1872; *stramentarius* Kriechbaumer,1890; *zonatus* Habermehl,1903; *calobatarius* Kokujev,1913; *zonatellus* Schmiedeknecht,1914; *nigrodorsalis* Ulbricht,1916; *nigricoxis* Habermehl,1918; *glycinivorellae* Kuwayama,1928 Range (in code): **TR AT AZ Cc BY BE BG CA BCo On Qb CN Jn Lng HV CZ SK DK FI FR Co DE HU IR IE IT JP KP KR LT LV MK MD MN MA NL NO PL RO RU At Ao Da Ir Kmt Mo Om Us Ro Pt ES SE CH TN US Als Nh UA GB UZ YU 25 69 25A 25C 69A**
- 776. *Scambus (s.str.) elegans* (Woldstedt,1877)** (Ichneumonidae) Synonym(s): *elegans* Woldstedt,1877; *albicus* Rondani,1877; *cingulatellus* Costa,1885; *erythronotus* Förster,1888; *ulicidida* Morley,1911; *cottei* Seyrig,1926; *dumeticola* Hensch,1929; *zagoriensis* Hensch,1929 Range (in code): **TR Cc UA Cm AL AT AZ BE BG HV CZ SK EG FR Co DE HU IE IL IT Sa MK PL RO RU Kr YU ES GB 16 35**
- 777. *Scambus (s.str.) foliae* (Cushman,1938)** (Ichneumonidae) Synonym(s): *foliae* Cushman,1938 Range (in code): **TR AT BY BG FI GR IR IT PL RO RU Sh YU SE GB 25**
- 778. *Scambus (s.str.) nigricans* (Thomson,1877)** (Ichneumonidae) Synonym(s): *nigricans* Thomson,1877; *similis* Bridgman,1884; *fulvus* Szépligeti,1898; *lucens* Szépligeti,1898; *interruptecallus* Strobl,1902; *affinis* Habermehl,1903; *kriechbaumeri* Habermehl,1903; *habermehli* Schmiedeknecht,1908; *robustus* Morley,1908; *obscuripes* Hensch,1929; *singularis* Hensch,1929; *nigricoxis* Constantineanu & Pisica,1960; *sparsator* Aubert,1965 Range (in code): **TR AL DZ AT AZ Cc BY BE BG HV CZ SK FI FR Co DE HU IR IE IT KG LT MD MN NL NO PL RO RU Kmt Kc Us Ro YU ME ES SE CH UA GB UZ o8 25 36 69 76 25C 36C 36F 36Fb**
- 779. *Scambus (s.str.) pomorum* (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *pomorum* Ratzeburg,1848 Range (in code): **TR Cc AT AZ BE BG HV CZ SK FR DE HU IE IT LT MD NL NO PL RO RU Kr Pt YU SE CH UA GB 35**
- 780. *Scambus (s.str.) sagax* Hartig,1838** (Ichneumonidae) Synonym(s): *sagax* Hartig,1838; *linearis* Ratzeburg,1844; *coxalis* Ulbricht,1910; *atrocoxatus* Pfeffer,1913; *suecicus* Roman,1917; *sanctarucianus* Glowacki,1967 Range (in code): **TR AT BY BE BG CN IMN HV CZ SK FI FR DE HU IE IT Si KG LT MD NL NO PL RO RU Am Ir Us Sh Pt Sr Yr SE CH UA GB UZ YU 69 69A**
- 781. *Scambus (s.str.) signatus* Pfeffer,1913** (Ichneumonidae) Synonym(s): *signatus* Pfeffer,1913 Range (in code): **TR AT BY BG CZ SK DK FR DE HU IR IT NO PL RO RU Mo CH GB YU 25 53**
- 782. *Scambus (s.str.) strobilorum* (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *strobilorum* Ratzeburg,1848; *laticeps* Ratzeburg,1848; *diversipes* Ulbricht,1909; *varipoda* Strand,1918; *#strobilorum* Çoruh et al.,2014 Range (in code): **TR AT CZ FI FR DE HU JP LT PL RO RU At Am Ao SE CH GB**
- 783. *Scambus (s.str.) vesicarius* (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *vesicarius* Ratzeburg,1844; *cryptocampi* Boie,1857; *euurae* Ashmead,1890; *gallicola* Morley,1908; *ruficoxis*

- Ulbricht,1909; rhenanus Ulbricht,1910; salicicola Hensch,1929; morleyi Schmiedeknecht,1934* - Range (in code): TR AT NY BE BG CA Abt BCo Mnt On Qb Ssk Yuk HV CZ SK DK FI FR DE HU IR IE IT JP LT MD NL NO PL RO RU At Us Pt Ya YU SE CH US Als Arz Cf Col Mns Ws GB 25 25C
- 784. Schizopyga circulator (Panzer,1800)** (Ichneumonidae) *Synonym(s): circulator Panzer,1800; analis Gravenhorst,1829; circulatrix Schulz,1906* - Range (in code): TR AT BY BG CA BCo Mnt On CZ SK FI FR Co DE HU IE JP LV MD NL NO PL RO RU Ao Sh Ya ES SE US Mch Mns Nje Ny NCa GB
- 785. Schizopyga pictifrons (Thomson,1877)** (Ichneumonidae) *Synonym(s): pictifrons Thomson,1877; bridgmani Bignell,1894; stigmata Uchida,1941* - Range (in code): TR AT BY BG CZ SK FI FR DE IE JP MK PL RO RU Kr Cc Us Sh ES GB YU
- 786. Schizopyga podagrica Gravenhorst,1829** (Ichneumonidae) *Synonym(s): podagrica Gravenhorst,1829; minuta Gravenhorst,1829; silbernageli Kiss,1933* - Range (in code): TR AL AM Cc AT AZ BE DK FI FR GG DE HU IR IE KG KK LV MD MN PL RO RU At Da Kmt Or Sh Pt Ya ES SE GB 25
- 787. Schreineria populnea (Giraud,1872)** (Ichneumonidae) *Synonym(s): populnea Giraud,1872; albopicta Kriechbaumer,1892; albomarginata Ulbricht,1911; bimaculata Constantineau,1929; intermedia Constantineau,1929; notonigra Constantineau,1929* - Range (in code): TR AT BE BG CN Gn Mc Ui CZ FR DE GR HU IR IT RO RU Mo CH YU 28
- 788. Scolobates auriculatus (Fabricius,1804)** (Ichneumonidae) *Synonym(s): auriculatus Fabricius,1804; auricator Thunberg,1822; elevator Thunberg,1822; crassitarsus Gravenhorst,1829; hylotomae Kriechbaumer,1877; canadensis Harrington,1892; zonatus Marshall,1898; niger Roman,1917; nigrifacies Teunissen,1953* - Range (in code): TR AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On CZ SK EE FI FR Co HU IN IE IT KG LT LV MD NL NO PL RO RU Am Kmt Kr Us Sh Pt Ya ES SE CH US Col Nje NMx Ny Org Tx UA GB 52
- 789. Scolobates nigripennis Sichel,1860** (Ichneumonidae) *Synonym(s): nigripennis Sichel,1860; nigripennis Giraud,1872; nigripennis Schmiedeknecht,1925 (preocc.)* - Range (in code): BG HV FR GR IT Si SS ES TR UA Cm Cc 80
- 790. Sinophorus geniculatus (Gravenhorst,1829)** (Ichneumonidae) *Synonym(s): geniculatus Gravenhorst,1829; nigritellus Thomson,1887; argentator Aubert,1960* - Range (in code): TR AT AZ BE BG CN IMn TW HV CZ SK FI FR Co DE HU IS IE IL IT LT LV MD MN NL PL RO RU Am Ir Kb Om Us Ro Sh Pt Sr Vi Voo ES SE TJ UA GB
- 791. Sinophorus pleuralis (Thomson,1887)** (Ichneumonidae) *Synonym(s): pleuralis Thomson,1887* - Range (in code): TR RU Sb 34
- 792. Sinophorus sticticalae Sanborne,1984** (Ichneumonidae) *Synonym(s): sticticalae Sanborne,1984* - Range (in code): TR KG Aa UZ DE HU MD RU Kr Us Sr St Vi Voo UA
- 793. Sinophorus turionum (Ratzeburg,1844)** (Ichneumonidae) *Synonym(s): turionum Ratzeburg,1844* - Range (in code): AM AT AZ Cc BE BG CN Jn Lng HV CZ SK EE FI FR GG DE GR HU IS IN IE IT JP KP KR LT MD NL NO PL RO RU Da Kr Om Ro Pt Sr St Voo Yr YU ES LK SE UA TR GB
- 794. Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) *Synonym(s): xanthostomus Gravenhorst,1829* - Range (in code): DZ TR CY IL Pa JO Cc AM IR SA
- 795. Spilichneumon ammonius (Gravenhorst,1820)** (Ichneumonidae) *Synonym(s): ammonius Gravenhorst,1820; nonagriae Holmgren,1871; stagnicola Thomson,1888* - Range (in code): TR AT BY BE CN Mc HV CZ SK FI FR DE HU IT JP LT NL NO PL RO RU Ao Sh ES SE UA GB
- 796. Spilichneumon limnophilus (Thomson,1888)** (Ichneumonidae) *Synonym(s): limnophilus Thomson,1888; brischkei Berthoumieu,1896* - Range (in code): TR BY EE FI DE IT MN PL RU ES SE
- 797. Spilichneumon occisorius (Fabricius,1793)** (Ichneumonidae) *Synonym(s): occisorius Fabricius,1793; sanguinatorius Gravenhorst,1829; rufinus Berthoumieu,1896; nigrinus Berthoumieu,1896; rufinus Berthoumieu,1896; plicatus Morley,1903; morvandicus Pic,1925* - Range (in code): TR AD AT AZ Cc BE BG CZ SK DK FI FR DE GR HU IR IE IT Si MD NL NO PL RO ES CH UA GB 65 65N 65Np 65Nm
- 798. Spilothyrateles illuminatorius (Gravenhorst,1820)** (Ichneumonidae) *Synonym(s): illuminatorius Gravenhorst,1820; zonalis Gravenhorst,1829* - Range (in code): TR DZ AT AZ Cc BE BG HV CZ SK DK FR Co DE GR HU IR IT Sa PL RO ES CH GB
- 799. Spilothyrateles nuptatorius (Fabricius,1893)** (Ichneumonidae) *Synonym(s): nuptatorius Fabricius,1893; fabricii Schrank,1802; terminator Panzer,1804; insidiator Fonscolombe,1847; melanocerus Wesmael,1855; cubicularis Desvignes,1856; truncicola Thomson,1888; paganus Berthoumieu,1892; frustrator Berthoumieu,1892; australis Habermehl,1917* - Range (in code): DZ AT B-H HV DK FI FR DE HU IE IT PL RO RU ES SE TR GB YU
- 800. Spudaeus scaber (Gravenhorst,1829)** (Ichneumonidae) *Synonym(s): scaber Gravenhorst,1829; lapponicus Holmgren,1858* - Range (in code): AT BG CA Abt BCo CZ SK FI FR DE HU IT KG LT LV NO PL RO RU Yr ES SE US Arz Cf Ws Wy UA TR



- 801. *Stenarella domator* (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761; *gladiator* Scopoli,1763; *tarsosa* Geoffroy,1785; *insignitor* Villers,1789; *macroua* Gmelin,1790; *transsylvanica* Kiss,1924 \_ Range (in code): **TR CY DZ AT BY BE BG HV CZ SK FI FR Co DE GR Cr HU IR IT Si LT LV MA NL NO PL RO RU Ao ES SE CH TN UA GB YU 32 34**
- 802. *Stenichneumon culpator* (Schrank,1802)** (Ichneumonidae) Synonym(s): *culpator* Schrank,1802; *nigriventris* Kriechbaumer,1894; *nigrotibialis* Kiss,1929 \_ Range (in code): **AT AZ Cc BY BE B-H BG CA Abt BCo Nfl Lbr On Yuk CZ SK FI FR Co DE HU IR IE IT Si JP KG KP KR LT LV MD NL NO PL RO RU At Da Kc Kr Mo Sh Pt Yr ES SE TN TR US Als Col Nje Ny UA GB YU**
- 803. *Stenomacrus affinator* Aubert,1981** (Ichneumonidae) Synonym(s): *affinator* Aubert,1981 Range (in code): **TR BG FR DE GR Md ES 06 34**
- 804. *Stictopisthus bilineatus* (Thomson,1886)** (Ichneumonidae) Synonym(s): *bilineatus* Thomson,1886; *africanus* Ferrière,1925 \_ Range (in code): **TR AF AT CA Abt Ssk Cn ZR EG FI FR Co DE IT LT MX NL PL RO ES SD US Arz Cf Col NMx Tx Ws 02 32**
- 805. *Stictopisthus maroccanus* Schwenke,1999** (Ichneumonidae) Synonym(s): *maroccanus* Schwenke,1999 \_ Range (in code): **TR MA 02 32 33 59**
- 806. *Stilbops ruficornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ruficornis* Gravenhorst,1829; *abdominalis* Gravenhorst,1829; *nematorum* Rudow,1881; *longiceps* Strobl,1903; *basiniger* Constantineanu & Pisica,1970 \_ Range (in code): **TR AT BE BG HV CZ SK FI FR DE HU IT Si LT LV MD PL RO RU Kc Cc Or Yr ES SE CH UA GB**
- 807. *Stilpnus adanensis* Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): *adanensis* Kolarov & Beyarslan,1994 \_ Range (in code): **TR 01**
- 808. *Stilpnus gagates* (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *gagates* Gravenhorst,1807; *americanus* Cresson,1868; *politus* Provancher,1875; *aequilongus* Förster,1876; *cyclodes* Förster,1876; *denticulatus* Förster,1876; *diffinis* Förster,1876; *dimidiatus* Förster,1876; *elimatus* Förster,1876; *eurygaster* Förster,1876; *fulvicornis* Förster,1876; *gallicus* Förster,1876; *orbicularis* Provancher,1879; *anthomyidiperdus* Viereck,1912; *robinsoni* Roman,1920 \_ Range (in code): **AT AZ Cc TR Az BE B-H BG CA Abt Qb Cn CL CZ SK DK FI FR Co DE HU IL IE IT Si Md MD MN NL NO PL RO RU Pt ES SE CH US Cf Ge Nje Ny Pns Tnn GB**
- 809. *Strongylopsis abdominalis* Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 \_ Range (in code): **BG HU RO RU Cc TR 41**
- 810. *Strongylopsis belua* Kuzin,1850** (Ichneumonidae) Synonym(s): *belua* Kuzin,1850 Range (in code): **TR AM AZ Cc IR KG KK MN RU Da St TJ UA 25 25C**
- 811. *Sympherta antilope* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *antilope* Gravenhorst,1829; *irata* Gravenhorst,1829; *pulchricornis* Holmgren,1857; *scabra* Brischke,1871; *nipponica* Uchida,1930 \_ Range (in code): **AT AZ BE Cc BG JP LT LV MD NL NO PL RO RU Ir Kmt Kr Us Sh Yr Sb ES SE CH TR GB**
- 812. *Sympherta obligator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790 (preocc.); *obligator* Thunberg,1822; *waltoni* Curtis,1837 \_ Range (in code): **TR AT AZ Cc BY BE BG CZ SK FI FR GG DE HU IE LT LV MD MN NL NO PL RO RU Ir Kmt Pt ES SE CH GB**
- 813. *Sympherta ullrichi* (Tschek,1869)** (Ichneumonidae) Synonym(s): *ullrichi* Tschek,1869 Range (in code): **AT BG CZ SK FI FR DE HU IE LV NL NO PL RU SE CH TR GB**
- 814. *Synechocryptus mactator* (Tschek,1871)** (Ichneumonidae) Synonym(s): *mactator* Tschek,1871; *leucozonius* Rudow,1882; *leucozonatus* Costa,1883 \_ Range (in code): **TR Cc DZ AT CZ SK DE GR Cr HU IT Sa LY MA ES TN 03 34**
- 815. *Synomelix albipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829; *sieboldii* Kriechbaumer,1897; *kriechbaumeri* Schmiedeknecht,1913 \_ Range (in code): **SE FI GB DE FR IT BG TR AT AZ Cc BE CZ SK DK EE HU IE LT LV NL NO PL RO CH UA GB**
- 816. *Syrphoctonus tarsatorius* (Panzer,1809)** (Ichneumonidae) Synonym(s): *tarsatorius* Panzer,1809; *exsultans* Gravenhorst,1829; *insignis* Gravenhorst,1829; *flavus* Desvignes,1862; *pulchellus* Desvignes,1862; *desvignesii* Marshall,1870; *indicus* Cameron,1909; *flavetrochanterus* Uchida,1956 \_ Range (in code): **TR AT AZ Cc BE BG CA Abt BCo On CN TW HV CZ SK FI FR Co DE HU IN IE IT Sa Si JP Oki KP KR LT LV MD MN NL NO PL RO RU Kmt Us Sh Pt ES SE CH TN US Als Col Id Ny Org GB 03 06 35**
- 817. *Syrphophilus asperatus* Dasch,1964** (Ichneumonidae) Synonym(s): *asperatus* Dasch,1964 \_ Range (in code): **BE RU Kmt Mgd SE TR US Als**
- 818. *Syrphophilus bizonarius* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *bizonarius* Gravenhorst,1829; *cingulatus* Holmgren,1858; *frontalis* Brischke,1878; *saginus* Provancher,1879; *inconstans* Davis,1895; *iwatensis* Uchida,1930; *satoi* Uchida,1930 Range (in code): **TR AT AZ Cc BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN HV CY CZ SK DK FI FR Co DE HU IN IE IL Pa IT Si JP LT LV MD MN MA NL NO PL PT RO RU Sh ES SE CH TN US Als Arz Cf Col Ny Mon Ne Org Ut Ws Wy GB 03 06 15 22 25 26 32 34 39 42 51 59**

- 819. *Syspasis carinator* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *carinator* Fabricius,1798; *helleri* Holmgren,1878; *tenuidens* Berthoumieu,1904 - Range (in code): **AT BE HV FR Co DE IT PL TR YU**
- 820. *Syspasis scutellator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *scutellator* Gravenhorst,1829; *rufescens* Berthoumieu,1894; *iberica* Seyrig,1927 - Range (in code): **DZ AD AT AZ Cc BY BE BG HV CZ SK DK FI FR DE HU IR IT Si LT LV NL PL RO RU Kc Pt Yr ES CH TN TR UA GB**
- 821. *Syzeuctus irrisorius* (Rossi,1794)** (Ichneumonidae) Synonym(s): *irrisorius* Rossi,1794 - Range (in code): **TR AT BG HV CZ SK FR DE HU IE IT LT LV MD PL RO ES GB YU**
- 822. *Syzeuctus tenuifasciatus* Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): *punctiventris* Thomson,1894 (preocc.); *tenuifasciatus* Schmiedeknecht,1900 - Range (in code): **TR AT HV CZ SK FI FR DE HU IT MD NL PL RO SS SE YU 03**
- 823. *Syzeuctus turcator* Aubert,1984** (Ichneumonidae) Synonym(s): *turcator* Aubert,1984 - Range (in code): **TR 42**
- 824. *Temelucha afghana* Sedivy,1968** (Ichneumonidae) Synonym(s): *afghana* Sedivy,1968 - Range (in code): **TR AF**
- 825. *Temelucha anatolica* (Sedivy,1959)** (Ichneumonidae) Synonym(s): *anatolica* Sedivy,1959 - Range (in code): **TN TR FR GG Cc IL Pa Da RU TM 01 07 33**
- 826. *Temelucha annulata* (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *annulata* Szépligeti,1899; *brevicornis* Kolarov & Beyarslan,1999 - Range (in code): **TR AT BG CZ FR GR MD PL RO YU SE 39 58**
- 827. *Temelucha arenosa* (Szépligeti,1900)** (Ichneumonidae) Synonym(s): *arenosa* Szépligeti,1900 - Range (in code): **TR BG CZ FR Co DE HU IR GB LT MK NL PL RO ES SE YU 01 25 27 46**
- 828. *Temelucha brevipetiolata* Kolarov,1989** (Ichneumonidae) Synonym(s): *brevipetiolata* Kolarov,1989 - Range (in code): **TR BG 59**
- 829. *Temelucha caudata* (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *caudata* Szépligeti,1899; *oculata* Szépligeti,1899; *gallicator* Aubert,1960 - Range (in code): **TR AT BG HV CZ FR HU IT IR LT RU Da Cc ES 22**
- 830. *Temelucha confluens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *confluens* Gravenhorst,1829 - Range (in code): **TR AT BE BG HV CZ FI FR Co DE HU IL Pa IT Si LT MD NL PL RO RU ES SE YU 25 38 39**
- 831. *Temelucha decorata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decorata* Gravenhorst,1829; *ornatus* Szépligeti,1900 - Range (in code): **TR AZ Cc MD DK 01 54**
- 832. *Temelucha discoidalis* (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *discoidalis* Szépligeti,1899 - Range (in code): **BG CZ FR DE HU IR PL RO RU ES TR YU**
- 833. *Temelucha genalis* (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *genalis* Szépligeti,1899; *rostrata* Abdinbekova,1965 - Range (in code): **TR AM Cc AZ BG CZ DE HU IT Si LT MD PL ES 22 32**
- 834. *Temelucha interruptor* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *interruptor* Gravenhorst,1829; *buoliana* Curtis,1854 - Range (in code): **AT BE B-H BG HV CZ DK FI FR DE IT IR LT LV MK MD MN NL NO PL RO RU YU SE TR UA GB 39**
- 835. *Temelucha lucida* (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *lucida* Szépligeti,1899 - Range (in code): **TR BG CZ GR HU IT IR MD RO RU At Da Cc**
- 836. *Temelucha meridionellator* Aubert,1981** (Ichneumonidae) Synonym(s): *meridionellator* Aubert,1981 - Range (in code): **MT TR IL Pa 36 63**
- 837. *Temelucha observator* Aubert,1966** (Ichneumonidae) Synonym(s): *observator* Aubert,1966 - Range (in code): **TN RO TR IL Pa EG 09**
- 838. *Temelucha ophthalmica* (Holmgren,1860)** (Ichneumonidae) Synonym(s): *ophthalmica* Holmgren,1860; *macrostigma* Thomson,1890 - Range (in code): **TR AT BE BG HV CZ FR Co HU IT PL RO SE GB 39**
- 839. *Temelucha pseudocaudata* (Kolarov,1982)** (Ichneumonidae) Synonym(s): *pseudocaudata* Kolarov,1982 - Range (in code): **TR BG**
- 840. *Temelucha schoenobia* (Thomson,1890)** (Ichneumonidae) Synonym(s): *schoenobia* Thomson,1890; *caucasica* Kokujev,1912 - Range (in code): **Cc BG CZ FI HU IR PL RO RU Us SE TR TM 07**
- 841. *Temelucha tricolorata* Sedivy,1968** (Ichneumonidae) Synonym(s): *tricolorata* Sedivy,1968 - Range (in code): **AF IR TR Cn**
- 842. *Temelucha tuberculata* (homonym)** (Ichneumonidae) Synonym(s): *tuberculata* Kolarov & Beyarslan,1999 nec Dasch,1979 - Range (in code): **TR 23**

- 843. Temelucha turcata Kolarov & Beyarslan,1999** (Ichneumonidae) Synonym(s): *turcata* Kolarov & Beyarslan,1999 \_ Range (in code): **TR 63**
- 844. Temelucha variipes (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *variipes* Szépligeti,1899 \_ Range (in code): **TR AT B-H BG CZ DK DE HU IT Si LT MD MN RO YU ES SE**
- 845. Tersilochus (Gonolochus) caudatus (Holmgren,1860)** (Ichneumonidae) Synonym(s): *caudatus* Holmgren,1860; *pratensis* Szépligeti,1899; *salinus* Kiss,1924 \_ Range (in code): **TR AT BE BG CZ SK DK FI FR DE HU IE IT MK MD NO PL RO RU Pt YU ES SE CH UA GB 22 25**
- 846. Tersilochus (Gonolochus) nitens Horstmann & Kolarov,1988** (Ichneumonidae) Synonym(s): *nitens* Horstmann & Kolarov,1988 \_ Range (in code): **AT BG UA TR Cm Cc Kr RU 24 37**
- 847. Tersilochus (Gonolochus) rugulosus Horstmann,1980** (Ichneumonidae) Synonym(s): *rugulosus* Horstmann,1980 \_ Range (in code): **TR GB IT SS 03**
- 848. Tersilochus (s.str.) cognatus Holmgren,1860** (Ichneumonidae) Synonym(s): *cognatus* Holmgren,1860 \_ Range (in code): **TR KG DE SE 22**
- 849. Tersilochus (s.str.) heterocerus (Thomson,1889)** (Ichneumonidae) Synonym(s): *heterocerus* Thomson,1889; *stanionyteus* Jonaitis,1974; *vicinus* Jonaitis,1974 \_ Range (in code): **Cc GG TR AT AZ BE CZ SK DK FI FR DE HU IE LV PL RU Pt SE CH GB 16**
- 850. Tersilochus (s.str.) jocator Holmgren,1859** (Ichneumonidae) Synonym(s): *jocator* Holmgren,1859 \_ Range (in code): **TR AT BE BG CZ SK DK EE FI FR DE HU IE IT NL NO PL RO RU Mo Pt Yr SS ES SE CH UA GB**
- 851. Tersilochus (s.str.) obscurator (Aubert,1959)** (Ichneumonidae) Synonym(s): *obscurator* Aubert,1959 \_ Range (in code): **TR AT BG CZ SK FR DE HU IE PL SS ES SE UA GB 06 22 25 42**
- 852. Tersilochus (s.str.) triangularis (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *triangularis* Gravenhorst,1807; *minutus* Szépligeti,1899 \_ Range (in code): **TR AT BG CZ SK FI FR DE HU MD NL PL RU Pe Pt UA GB 03 22**
- 853. Tersilochus (s.str.) tripartitus (Brischke,1880)** (Ichneumonidae) Synonym(s): *tripartitus* Brischke,1880; *melanogaster* Thomson,1889; *nigricans* Szépligeti,1899 \_ Range (in code): **TR AT BE BG DK FI FR DE HU IE PL RO ES SE GB 22 25**
- 854. Therion brevicorne Gravenhorst,1829** (Ichneumonidae) Synonym(s): *brevicorne* Gravenhorst,1829 \_ Range (in code): **TR HV CZ SK FR DE HU NO PL RU Mo GB**
- 855. Therion circumflexum (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *circumflexum* Linnaeus,1758; *ramidulum* Christ,1791;... \_ Range (in code): **TR DZ AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Pkn Gn Mc IMn Ui HV CZ SK FI FR Co FR GG DE GR HU IN IE IL Pa IT Sa Si JP KP KR LT LV MD MN NL NO PL RO RU No Mo Us Ro Sh Pt Yr ES SE CH US Als Arz Cf Col Nje NMx Ny Oh Org Ws Wy UA GB YU 03 06 25 34 36 42**
- 856. Therion tarsatum (Shestakov,1923)** (Ichneumonidae) Synonym(s): *tarsatum* Shestakov,1923 \_ Range (in code): **TR KG 25**
- 857. Theronia atalantae (Poda,1761)** (Ichneumonidae) Synonym(s): *atalantae* Poda,1761; *speculator* Scopoli,1763; *acuminator* Müller,1776; *vineta* Schrank,1781; *melanops* Schrank,1781; *nigroculus* Schrank,1781; *quadripunctata* Schrank,1781; *scutellata* Geoffroy,1785; *crassipes* Rossi,1790; *albiscutata* Gmelin,1790; *incisa* Gmelin,1790; *superba* Christ,1791; *vulpes* Christ,1791; *varia* Olivier,1792; *flavicans* Fabricius,1793; *varia* Fabricius,1793; *variatoria* Fabricius,1804; *colonator* Thunberg,1822; *femoralis* Benoit,1953 \_ Range (in code): **TR Cc AT AZ BY BE BG CA Abt BCo Mnt On Qb Ssk CN Pkn Mc Hnn Hun Jn Lng Shs Sz Yu HV CZ SK DK FI FR Co DE GR HU IN IR IT Sa JP KP KR LT MK MD NL PL RO RU Am Ao Kr Us St YU SS ES SE CH TM Us Arz Cf Col Ge Id Knt Mai Mrl Mch Mns Mon Neb Nh Nje NMx Ny NCa Oh Org Ws Wy UA GB YU 03 06 25 34 36 42**
- 858. Theroscopus esenbeckii (Gravenhorst,1815)** (Ichneumonidae) Synonym(s): *esenbeckii* Gravenhorst,1815; *subzonatus* Gravenhorst,1815; *gravenhorstii* Ratzeburg,1844; *inaequalis* Förster,1850; *transsylvanicus* Kiss,1929 \_ Range (in code): **TR AT BE CZ SK FI FR DE HU IS IE IT LT NO PL RO SE GB 06**
- 859. Theroscopus hemipteron (Riche,1791)** (Ichneumonidae) Synonym(s): *hemipteron* Riche,1791; *hemipterus* Fabricius,1793; *hemipterator* Thunberg,1822; *dissimilis* Gravenhorst,1829; *scrupulosus* Gravenhorst,1829; *brevipennis* Brischke,1891; *nanopterus* Kieffer,1903; *insignipennis* Schmiedeknecht,1905; *kandaviensis* Ozols,1934 \_ Range (in code): **TR AT AZ Cc BE BG HV CZ SK DK FI FR DE HU IE IT LT Md MD NL PL RO RU Sr YU ES LK CH UA GB 42**
- 860. Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): *acerbus* Victorov,1964 \_ Range (in code): **TR Cc RU 32**
- 861. Thrybius praedator (Rossi,1792)** (Ichneumonidae) Synonym(s): *praedator* Rossi,1792; *leucopygus* Gravenhorst,1829; *praedator* Gravenhorst,1829; *elegans* Desvignes,1856; *drewseni* Thomson,1873; *picticornis* Rudow,1882; *praedatrix* Schulz,1906; *continuus* Ulbricht,1910 \_ Range (in code): **TR AT BE CZ SK DK FI GG FR DE GR Cc HU IE IT LT PL RO SS ES SE TN GB 34**



- 862. *Thyrateles camelinus* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *certator* Müller,1776; *cardui* Schrank,1786; *adustus* Gmelin,1790; *camelinus* Wesmael,1845; *malignus* Tischbein,1868; *brunnipes* Tischbein,1879; *rufomaculatus* Kriechbaumer,1894; *brischkei* Berthoumieu,1896; *alticola* Habermehl,1920; *oisanensis* Pic,1927; *bimaculatus* Constantineanu,1954 - Range (in code): AT BY BE CZ SK FI FR GG Cc DE HU IR IT NL PL RO RU Da Om ES CH TR UA GB
- 863. *Thyrateles pandur* (Kriechbaumer,1882)** (Ichneumonidae) Synonym(s): *pandur* Kriechbaumer,1882; *tardus* Berthoumieu,1897 - Range (in code): FR HU KG PL RO RU Ao Da Cc ES TR
- 864. *Trathala hieronchotica* (Schmiedeknecht,1910)** (Ichneumonidae) Synonym(s): *hieronchotica* Schmiedeknecht,1910; *europator* Aubert,1964; *romanica* Sedivy,1965 - Range (in code): TR BG EG FR IR IL Pa MA RO RU Cc Da oi
- 865. *Trematopygus triangulator* Aubert,1981** (Ichneumonidae) Synonym(s): *triangulator* Aubert,1981 - Range (in code): TR IL Pa
- 866. *Trematopygus vellicans* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *vellicans* Gravenhorst,1829; *bicolor* Zetterstedt,1838; *ruficornis* Holmgren,1857 - Range (in code): AT AZ Cc BE CZ SK DK FI FR DE GR HU IE IT LT LV NL NO PL RO RU Kr Pe Pt SE CH TR GB
- 867. *Trichomma enecator* (Rossi,1790)** (Ichneumonidae) Synonym(s): *enecator* Rossi,1790; *ruficoxis* Förster,1860 - Range (in code): TR AT BE BG Cn HV CZ SK FI FR Co DE HU IT JP KG KP KR LT LV MD NL PL RU Us Pt Sr ES SE CH UA GB YU o6 40
- 868. *Triclistus areolatus* Thomson,1887** (Ichneumonidae) Synonym(s): *areolatus* Thomson,1887 - Range (in code): TR AT BE CZ SK DK FR DE LT PL RU Kmt Us SE UA GB
- 869. *Triclistus globulipes* (Desvignes,1856)** (Ichneumonidae) Synonym(s): *globulipes* Desvignes,1856; *holmgreni* Boheman,1863; *fuscopicalis* Uchida,1930 - Range (in code): AT AZ Cc BY BE BG CN TW CZ SK DK FI FR DE HU IE IT JP KP KR LT LV MD MA NL PL RU Kr Pe Pt Sr SE CH UA GB TR 28
- 870. *Triclistus lativentris* Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris* Thomson,1887 - Range (in code): TR Cc BE BG CZ SK FI FR DE HU IE IT LT LV Md MD NL NO PL RO ES SE CH UA GB 61
- 871. *Triclistus longicalcar* Thomson,1887** (Ichneumonidae) Synonym(s): *longicalcar* Thomson,1887; *#longicalcor* Çoruh et al.,2014 - Range (in code): BG CZ SK FI DE HU LT NL NO PL RO ES SE UA GB TR
- 872. *Triclistus niger* (Bridgman,1883)** (Ichneumonidae) Synonym(s): *niger* Bridgman,1883 - Range (in code): AT BG TR CZ SK FR DE IE LV MD PL RO RU Pt ES SE CH UA GB
- 873. *Triclistus podagricus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *podagricus* Gravenhorst,1829; *nigritellus* Holmgren,1873 - Range (in code): AT BE BY BG CA Abt BCo On Ssk CZ SK DK FI FR GG Cc DE HU IE IT JP KG LT LV NL NO PL RO RU Kr Us Ro Sh Pt Ya Yr ES SE CH US Als UA GB TR 69
- 874. *Trieces tricarinatus* (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1856; *nigrofemur* Telenga,1929 - Range (in code): TR Cc KG AT BE BG CZ SK EE FI FR DE HU IE IT LT MD NL NO PL RO RU Kr Yr ES SE CH UA GB 33 61
- 875. *Triptognathus atripes* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1820; *pratensis* Gravenhorst,1829; *quadrilingulatus* Gravenhorst,1829; *interruptus* Gravenhorst,1829; *goedarti* Gravenhorst,1829; *flavifemur* Tischbein,1873; *subfasciatus* Tischbein,1879; *stygius* Berthoumieu,1896; *alpestris* Berthoumieu,1905; *alpinus* Berthoumieu,1905; *caucasicus* Berthoumieu,1905; *nec Berth.*,1896; *infuscatus* Berthoumieu,1905; *luctuosus* Berthoumieu,1905; *nivernensis* Berthoumieu,1905; *obesus* Berthoumieu,1905; *simplex* Berthoumieu,1905; *notostictus* Kriechbaumer,1894; *taiyudongus* Uchida,1926; *albocingulatus* Constantineanu,1954; *nigripes* Constantineanu,1954; *quadrialbatus* Constantineanu,1954 - Range (in code): TR DZ AT BE BG HV CZ SK FR Cc GG DE GR HU IR IT Si KP KR LT MD MN MA NL PL RO RU Kr Ro Pt ES SE CH SY GB 38
- 876. *Triptognathus fumigator* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *fumigator* Gravenhorst,1820; *conspurcatus* Gravenhorst,1829; *flavolimbatus* Gravenhorst,1829; *nigripes* Gravenhorst,1829; *alternator* Tischbein,1879; *quadrimaculatus* Rudow,1888; *severus* Rudow,1888 - Range (in code): AT BE HV FR DE GR HU IR TR IT LT MN NL PL ES CH GB
- 877. *Triptognathus unifasciatus* (Spinola,1843)** (Ichneumonidae) Synonym(s): *unifasciatus* Spinola,1843; *zonatus* Rudow,1888; *unidentatus* Berthoumieu,1894; *jugorum* Strobl,1901; *hungaricus* Kiss,1915; *dammholzi* Heinrich,1929 - Range (in code): AT BG FR HU IR KG PL ES CH TR 25 51
- 878. *Triptognathus uniguttatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttatus* Gravenhorst,1829; *stephani* Pic,1903 - Range (in code): DZ AT BE BG CZ SK FR Cc GG DE HU IT Si KK LT MN MA NL PL RO Kr Ro Pt ES CH SY TR GB
- 879. *Trogus lapidator* (Fabricius,1787)** (Ichneumonidae) Synonym(s): *anthracinus* Scopoli,1763; *lapidator* Fabricius,1787; *coerulator* Weber,1795; *coerulator* Fabricius,1796; *saxator* Thunberg,1822; *fuscipennis* Gravenhorst,1829; *violaceus* Mocsary,1883; *cyaneipennis* Costa,1886; *cyaneus* Kriechbaumer,1892; *romani* Uchida,1942; *brevicaudae* Heinrich,1975 - Range (in code): TR DZ AT BY BE

**BG CA Abt BCo Nfl Lbr Ssk Yuk CN Gn Mc Sz CZ SK FI FR Co DE HU IN IT Sa Si JP KG KP KR LT NL NO PL RO RU Da Cc Us Pt ES SE CH UA GB 25**

- 880. *Tromatobia ornata* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *ornata* Gravenhorst,1829; *soror* Ratzeburg,1848; *arachnicida* Förster,1888; *concors* Kriechbaumer,1890; *semivaria* Kriechbaumer,1894; *tricolor* Kriechbaumer,1894; *kriechbaumeri* Dalla Torre,1901 **Range (in code):** **AZ Cc IL Pa PK KG TR AL AT BE BG HV CZ SK FI FR DE HU IE IT Si LT MK NL NO PL RO RU Sr YU ES SE CH GB 10 25 32 36 62 10N 25C 36D 36F 36Fb 62C**
- 881. *Tromatobia ovivora* (Boheman,1821)** (Ichneumonidae) **Synonym(s):** *ovivora* Boheman,1821; *armillatoria* Thunberg,1822; *vexatoria* Thunberg,1822; *angens* Gravenhorst,1829; *scriptifrons* Cresson,1870; *vidua* Walsh,1873; *parallela* Thomson,1877; *contraria* Thomson,1888; *evacuans* Förster,1888; *rufipleura* Bignell,1889; *albipes* Brischke,1891; *defensator* Davis,1898; *brischkei* Dalla Torre,1901; *defensatrix* Schulz,1906; *landerensis* Viereck,1906; *obscurata* Ulbricht,1910; *viduiformis* Viereck,1912; *rugulosa* Morley,1914; *obscurascens* Strand,1918; *simulans* Hensch,1929 **Range (in code):** **TR AT AZ Cc BY BE BG CA Abt BCo Mnt Nbw Nsc On Ped Qb Ssk HV CZ SK FI FR Co DE HU IE IT Si JP KG KK LT LV MK MX MN NL NO PL RO RU Am Ir Pe Us Sh Pt To Voo Ya Yr YU ES SE CH US Als Arz Cf Col Cnt Hw Id Iln Io Kan Mai Mrl Mch Mns Mis Mon Nh Nje NMx Ny NCa Oh Org Pns Rdi SCa Tnn Tx Ut Vr Vi Ws Wc Wy GB 25 53**
- 882. *Tromatobia variabilis* (Holmgren,1856)** (Ichneumonidae) **Synonym(s):** *abdominalis* Brullé,1846; *variabilis* Holmgren,1856; *rufovariata* Cresson,1870; *cingulata* Provancher,1875; *epeirae* Bignell,1893; *hibernica* Morley,1908; *ruficoxa* Kokujev,1913; *inornata* Ulbricht,1926; *sapporensis* Uchida,1928 **Range (in code):** **TR AF AL AM Cc AZ BY BG CA Abt BCo Mnt Nbw On Ped Qb Ssk Yuk CZ SK EG FI FR DE HU IE JP Hkk KG MD MN NO PL RO RU At Us Sh YU ES SE US Als Arz Cf Col Id Iln Io Kan Mai Mch Mns Mon Neb Nje Ny Ndk Oh Ok Msc Org Pns Sdk Vr Ws Wc UA GB 06 11 32**
- 883. *Trychosis ambigua* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *ambigua* Tschek,1871; *mesocastana* Tschek,1871; *molesta* Tschek,1871; *annulicornis* Thomson,1896; *trisculpta* Habermehl,1929 **Range (in code):** **AT AZ Cc BE BG CZ FI FR DE HU IL Pa MD NO PL RO ES SE TR YU**
- 884. *Trychosis atripes* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *atripes* Gravenhorst,1829; *castaniventris* Tschek,1871; *curvipes* Tschek,1871; *jugorum* Strobl,1901 **Range (in code):** **TR AT AZ Cc BG HV FI FR DE GR HU IR IT Si LT MN PL RO ES UA 32**
- 885. *Trychosis legator* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *legator* Thunberg,1822 **Range (in code):** **TR TJ 15 25 32 62 62C**
- 886. *Trychosis neglecta* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *neglecta* Tschek,1871; *annulitarsis* Thomson,1873 **Range (in code):** **TR AT AZ Cc BY BE BG CZ SK FI FR Co DE HU IT LT LV MD NO PL RO ES SE CH GB 01 16 32**
- 887. *Trychosis pauper* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *pauper* Tschek,1871; *lapponica* Thomson,1894; *pictula* Heinrich,1951 **Range (in code):** **TR AT AZ Cc BG CZ FI FR Co DE GR HU IR IT MD NL PL RO ES 25 32 62 62C**
- 888. *Trychosis priesneri* Rossem,1971** (Ichneumonidae) **Synonym(s):** *priesneri* Rossem,1971 **Original reference:** *Trychosis priesneri* Rossem,1971, Tijdschr. Ent. 114: 215. Holotype: Turkey: Konya. **Range (in code):** **TR FR CH AT PL YU GR 07 32 42**
- 889. *Trychosis tristator* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *tristator* Tschek,1871; *glabricula* Thomson,1873; *pleuralis* Thomson,1896; *tristatrix* Schulz,1906; *quadrirufa* Constantineanu,1929 **Range (in code):** **TR AT AZ Cc BY BE BG HV CZ SK DK FI FR Co DE GR HU IR LV MD NL NO PL RO ES SE CH GB 32 62 62C**
- 890. *Tryphon* (s.str.) *abditus* Kasparyan,1969** (Ichneumonidae) **Synonym(s):** *pleuralis* Thomson,1883; *abditus* Kasparyan,1969 **Range (in code):** **TR AZ BY Cc CZ SK FI DE KG KP KR LT NL NO PL RO RU Ir Pt Yr SE UA GB**
- 891. *Tryphon* (s.str.) *atriceps* Stephens,1835** (Ichneumonidae) **Synonym(s):** *atriceps* Stephens,1835; *ephippium* Holmgren,1857 **Range (in code):** **TR AF AL AT AZ Cc BY BE BG CZ FR GG DE HU IR IE IT LT MD NL NO PL RO RU Mo YU ES SE CH UA GB**
- 892. *Tryphon* (s.str.) *caucasicus* Kasparyan,1969** (Ichneumonidae) **Synonym(s):** *caucasicus* Kasparyan,1969 **Range (in code):** **TR AM AZ Cc BG GG IR RU Kr Kc St**
- 893. *Tryphon* (s.str.) *latrator* (Fabricius,1781)** (Ichneumonidae) **Synonym(s):** *latrator* Fabricius,1781; *auricularis* Thomson,1883 **Range (in code):** **KG TR AL AT BY BE BG CZ SK DK EE FI FR DE HU IS IR IT KK LT LV MD MN NL NO PL RO RU Da Cc Ir Or Pt Ya To ES SE CH TJ TM UA GB UZ**
- 894. *Tryphon* (s.str.) *psilosagator* Aubert,1966** (Ichneumonidae) **Synonym(s):** *psilosagator* Aubert,1966 **Range (in code):** **TR BG FR GR IR IT KG RU Da Cc VI UA**
- 895. *Tryphon* (s.str.) *rarus* Kasparyan,1969** (Ichneumonidae) **Synonym(s):** *rarus* Kasparyan,1969 **Range (in code):** **TR AT FR DE IT CH 32**
- 896. *Tryphon* (s.str.) *relator* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *relator* Thunberg,1822; *vulgaris* Holmgren,1857; *erythrogaster* Thomson,1883 **Range (in code):** **TR AL AT AZ Cc BY BG HV CZ SK EE FI FR GG DE HU IE IT LT LV NL NO PL RO RU Ir Mo Pe Pt Tt Ya Yr ES SE CH UA GB**

- 897. Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761; *impraegnator* Schrank,1781; *cepa* Geoffroy,1785; *anodon* Schrank,1802; *ceparum* Schrank,1802; *insultator* Gravenhorst,1807; *quadratus* Stephens,1835 \_ Range (in code): **TR IR Cc AL AM AT AZ BY BE BG HV CZ SK DK EE FI FR GG DE GR HU IT LT LV MD NL NO PL RO RU Kr Pe Ya Yr ES SE CH SY UA GB YU 03 07 10 14 22 25 26 32 33 34 39 53 53M**
- 898. Tryphon (s.str.) signator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *signator* Gravenhorst,1829; *facialis* Stephens,1835; *nigrifacies* Ulbricht,1926 \_ Range (in code): **TR RU Sb Ya AL AT AZ BY BE BG HV CZ SK DK FI FR DE HU IE IL Pa IT LV MD NL NO PL RO RU Kr Yr SE ES CH UA GB 22 25 32 33 34 39**
- 899. Tryphon (s.str.) talitzkii Telenga,1930** (Ichneumonidae) Synonym(s): *talitzkii* Telenga,1930 \_ Range (in code): **TR AZ Cc BG RU Da VI ES UA**
- 900. Tryphon (s.str.) thomsoni Roman,1939** (Ichneumonidae) Synonym(s): *thomsoni* Roman,1939 \_ Range (in code): **TR AL AM Cc AT AZ BY BE BG CZ SK FI FR GG DE IR IE IT LV NL NO PL RU Ir Pt ES TJ UA GB 25 32 39 46 53 53M**
- 901. Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) Synonym(s): *trochanteratus* Holmgren,1855; *nigrifemur* Kiss,1924 \_ Range (in code): **Cc KG TR Sb AL AT BY BE BG CZ SK FI FR GG DE HU IR IE LT LV MD NL NO PL RO RU Ir Mo Or Pt Tt Voo Ya Yr YU ES SE UA GB 34**
- 902. Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939; *spatiator* Kasparyan,1969 \_ Range (in code): **LU BG TR Cc KG AM AZ CZ SK GG DE MD PL RU Or VI UA 06 25**
- 903. Tryphon (Stenocrotaphon) subsulcatus Holmgren,1857** (Ichneumonidae) Synonym(s): *subsulcatus* Holmgren,1857 \_ Range (in code): **TR AT BY BE BG CN Lng CZ SK FI FR DE HU IE LT MN NL PL RU Ya Yr Pt SE UA GB**
- 904. Tycherus nigrident (Wesmael,1845)** (Ichneumonidae) Synonym(s): *nigrident* Wesmael,1845; *major* Berthoumieu,1901 \_ Range (in code): **TR AT BE BG HV CZ SK EE FI FR Co DE HU IT JP NL NO PL RO RU Mo Yr ES SE CH UA Vi GB 34**
- 905. Venturia anatolica Horstmann,1987** (Ichneumonidae) Synonym(s): *anatolica* Horstmann,1987 \_ Range (in code): **TR 08**
- 906. Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens* Gravenhorst,1829; *ductilis* Say,1835; *frumentaria* Rondani,1874; *gracilis* Tosquinet,1896; *insularis* Ashmead,1901; *oahuensis* Ashmead,1901; *garrula* Cameron,1905; *orientalis* Schmiedeknecht,1909; *ephestiae* Cameron,1912; *australica* Girault,1915; *christianae* Cheesman,1928; *pyraustae* Uchida,1930; *compressa* Hedwig,1962 \_ Range (in code): **TR Cc RU AF DZ AU NSw QAU AT AZ Az BE BR BG CA Abt On Cn CN Pkn Mc HV CZ SK EG FI FR Co DE GR HU IR IQ IE IL IT Si JP Oki KE LT LB MT MD MA NZ NO PE PL PT PR RO RU Ao Kr Mo Us Ro Pt RE ZA ES SE CH TG TM US Cf Col Ge Hw Idp Ny Nca Oh Pns Vi UA GB UY YU BM 01**
- 907. Virgichneumon albosignatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albosignatus* Gravenhorst,1829; *mesostipnus* Thomson,1888; *punctus* Berthoumieu,1895; *nigrifrons* Constantineanu,1942; *nigricollis* Constantineanu,1954; *bipunctatus* Constantineanu et al.,1957 \_ Range (in code): **TR AF AD AT AZ Cc BY BE BG CN HV CZ SK FI FR DE HU IR IT JP KG LT LV MD MN NL NO PL RO RU Om Yr ES SE CH UA GB**
- 908. Virgichneumon callicerus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *callicerus* Gravenhorst,1820; *plurialbatus* Wesmael,1855; *eremita* Kokujev,1909; *nigrifemur* Constantineanu et al.,1957 \_ Range (in code): **TR AT AZ Cc BY BE B-H BG CN Ui HV CZ SK FI FR DE HU IR IT KG MD NL NO PL RO RU Ao Pt ES SE CH UA GB**
- 909. Virgichneumon digrammus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *digrammus* Gravenhorst,1820; *nudicoxa* Thomson,1888; *balearicus* Kriechbaumer,1894 \_ Range (in code): **AD AT AZ Cc BY BE BG CZ FI FR DE HU IR IT Sa KG LT MT MD NL PL RO RU Kr Cc ES SE GB YU TR**
- 910. Virgichneumon maculicauda Perkins,1953** (Ichneumonidae) Synonym(s): *perscrutator* Wesmael,1845; *maculicauda* Perkins,1953 \_ Range (in code): **TR AZ Cc BE FI FR Co DE HU IR IE NL NO PL RO ES GB**
- 911. Vulgichneumon deceptor (Scopoli,1763)** (Ichneumonidae) Synonym(s): *deceptor* Scopoli,1763; *deceptorius* Thunberg,1822; *vestigator* Wesmael,1851; *completus* Berthoumieu,1894; *obscurior* Berthoumieu,1895; *nigritegulis* Constantineanu,1951; *quadrialbatus* Constantineanu,1951; *nigrofaciatus* Constantineanu et al.,1957 \_ Range (in code): **TR AD AT BY BE CZ SK FI FR Co GG Cc DE HU IE IT KG NL NO PL PT RO RU Kr ES SE CH UA GB**
- 912. Vulgichneumon saturatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *saturatorius* Linnaeus,1758; *nigratorius* Pontoppidan,1763; *carnifex* Müller,1776; *clavatorius* Müller,1776; *fuscocastaneus* Gravenhorst,1829; *saturator* Zetterstedt,1838; *albotrochanteratus* Ulbricht,1926; *nigripedis* Kiss,1929 \_ Range (in code): **TR AT AZ Cc BY BE BG CZ SK DK FI FR Co DE GR HU IR IE IL PT Sa Si JP KG LT LV NL NO PK PL RO RU Kr Om Pt Yr ES SE CH UA GB 25 75 25K 75F**



- 913. Vulgichneumon suavis (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *suavis* Gravenhorst,1820; *fallax* Gravenhorst,1829; *lepidus* Gravenhorst,1829 \_ Range (in code): **TR AZ Cc AT BY BE CZ SK DK FI FR Co DE HU IR IE IL Pa IT LT NL NO PL RO RU Kr Pt ES SE CH GB 25 250**
- 914. Xenoschesis (Polycinetis) ustulata (Desvignes,1856)** (Ichneumonidae) Synonym(s): *ustulata* Desvignes,1856; *resplendens* Holmgren,1857; *polita* Kriechbaumer,1891; *montana* Habermehl,1922 Range (in code): **TR AT BY BE BG CN Mc CZ SK EE FI FR DE HU LT LV NL NO PL RO RU Kmt Mgd Pt Ya SE CH US Tx UA GB 53**
- 915. Xenoschesis (s.str.) fulvipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fulvipes* Gravenhorst,1829; *ruficornis* Rudow,1883; *ruficornis* Rudow,1886; *varicoxa* Heinrich,1949 \_ Range (in code): **TR AT BY BE BG CZ SK DK FI FR DE HU IT JP LT LV NL NO PL RU Pt Sr ES SE CH UA GB 34**
- 916. Xorides (Gonophonus) annulator (Fabricius,1804)** (Ichneumonidae) Synonym(s): *annulator* Fabricius,1804; *circulator* Thunberg,1822; *fasciipennis* Kriechbaumer,1894 \_ Range (in code): **UA Cm TR AT BG HV CZ SK FR HU IT RO RU Ir ES YU**
- 917. Xorides (Moerophora) rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes* Gravenhorst,1829 \_ Range (in code): **TR Cc AT AZ B-H BG CN Lng CZ SK FI FR GG DE HU IT PL RO RU Pt Sr Voo ES SE CH GB**
- 918. Xorides (s.str.) filiformis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *filiformis* Gravenhorst,1829; *habermehli* Kiss,1926; *obscuripes* Kiss,1929; *bicolor* Clement,1938 \_ Range (in code): **TR AT BY BE BG CZ SK FI FR DE HU IT LT NL PL RO RU YU SE CH UA 16 34**
- 919. Xorides (s.str.) fuligator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822; *sordator* Thunberg,1822; *pilicornis* Gravenhorst,1829 \_ Range (in code): **Cc Da RU TR BG AT BY BE HV CZ SK FI FR Co GG DE HU IE IT NL NO PL RO RU Kr SS ES SE CH UA GB YU**
- 920. Xorides (s.str.) gracilicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829; *baueri* Haupt,1917; *nigripes* Kiss,1929; *nigripes* Clement,1938 \_ Range (in code): **TR BY BE BG CZ SK FI FR DE HU IT JP MK PL RO RU At Da Cc Mo Om Pt Yr YU SS ES SE UA 32**
- 921. Xorides (s.str.) gravenhorstii (Curtis,1831)** (Ichneumonidae) Synonym(s): *gravenhorstii* Curtis,1831; *securicornis* Holmgren,1860; *glyptus* Thomson,1877; *clavicornis* Kriechbaumer,1879; *hungaricus* Széplgeti,1899; *seticornis* Strobl,1902; *kokujevi* Meyer,1922; *rufus* Kiss,1924; *caucasicus* Shestakov,1925 \_ Range (in code): **Cc TR DZ AT AZ BE BG HV CY CZ SK FR GG DE GR Cr HU IE IL IT LV NL NO PL RO RU Ao YU SS ES SE CH GB**
- 922. Xorides (s.str.) praecatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *articulatus* Geoffroy,1785; *falsatorius* Olivier,1792; *praecatorius* Fabricius,1793; *parvulus* Gravenhorst,1829; *rufopictus* Kiss,1926; *ruficoxis* Kiss,1929; *temporalis* Kiss,1929; *funebis* Kiss,1929; *holsaticus* Heinrich,1951 Range (in code): **TR AT BY BE BG CN Mc HV CZ SK FR Co DE GR Cr HU IE IT MK MD NL PL RO RU Ao YU SE CH UA GB 78**
- 923. Xylophrurus augustus (Dalman,1823)** (Ichneumonidae) Synonym(s): *augustus* Dalman,1823; *bimaculatus* Gravenhorst,1829; *odynericidus* Dufour & Perris,1840; *apum* Thomson,1873; *illustris* Rudow,1882; *haematorius* Costa,1883; *adstrictus* Tosquinet,1896; *nigripes* Ulbricht,1910 \_ Range (in code): **TR TN DZ AT BE BG CZ SK FR FI Co DE HU IL Pa IT Sa Si LV MD MA NL NO PL RO RU ES SE CH UA 03 42 62 62C**
- 924. Zabrachypus primus Cushman,1920** (Ichneumonidae) Synonym(s): *primus* Cushman,1920; *gregori* Sedivy,1961 Range (in code): **TR AM AT Cc BG CA Abt BCo CZ SK HU MD MN PL RU Us US Arz Mrl Mon NCa NDk Oh Vi UA 25 62 62C**
- 925. Zaglyptus multicolor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *multicolor* Gravenhorst,1829; *fairmairii* Laboulbene,1858; *ephippius* Rudow,1883; *moldavicus* Constantineanu,1929; *rufus* Aubert,1959 nec Hell.,1949 Range (in code): **TR AT BY BE BG CN Yu CZ SK FI FR Co GG DE HU IR IE IT Si KG LT MD MN NL NO PL RO RU Us Pt Yr ES SE CH UA GB UZ 25 36 25C 36F 36Fb**
- 926. Zaglyptus varipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *varipes* Gravenhorst,1829; *tringulatus* Gravenhorst,1829; *variipes* Dalla Torre,1901; *cingulatus* Kriechbaumer,1894; *rufithorax* Habermehl,1917; *silbernageli* Kiss,1926 Range (in code): **TR AF AT AZ Cc BY BE BG CA Abt BCo On Ssk CN Mc CZ SK DK FI FR Co DE HU IR IE IT KG LT LV MK MD NL NO PL RO RU Kmt Us Sh Pt Ya Yr ES SE CH US Als Cf Col Fl Ge Kan Knt Mon Nje NMx Ny NCa Oh Org SCa Tx Ws Wy UA GB YU 03 06 08 36 36F 36Fb**
- 927. Zaplethocornia procurator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *procurator* Gravenhorst,1829 Range (in code): **TR AT BY BE CZ SK DK FI FR DE IT LV NL NO PL RO RU Pt SE CH UA GB YU 25**
- 928. Zatypota anomala (Holmgren,1860)** (Ichneumonidae) Synonym(s): *anomala* Holmgren,1860; *dictynae* Howard,1888; *minuta* Davis,1898; *meridionator* Aubert,1960; *minor* Kolarov,1982 Range (in code): **TR AT BG CA Abt On CZ SK FI FR DE IL MX NO PL RO RU Mo Us YU ME ES SE US Als Arz Cf Col Fl Ge Ilm Mrl Mch Mns Ny NCa Org Pns Ws Wc**

- 929. *Zatypota bohemani* (Holmgren,1860)** (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1860 Range (in code): **TR Cc AM KG Aa US Mon UA GB AT BE BG CA BCo Cn CY CZ SK FI FR DE HU IR LT NL PL RO YU ES SE TJ 25 34 36 25C 36F 36Fb**
- 930. *Zatypota percontatoria* (Müller,1776)** (Ichneumonidae) Synonym(s): *percontatoria* Müller,1776; *phoenicea* Haliday,1838; *gracilis* Holmgren,1860; *scutellaris* Holmgren,1860; *pulchrator* Thomson,1877; *theridii* Howard,1892; *granulosa* Davis,1898; *pulchratrix* Schulz,1906; *decorata* Haupt,1954; *rhombifer* Haupt,1954 Range (in code): **TR AT AZ Cc BY BE BG CA Abt BCo On Qb CZ SK DK FI FR GG DE GR IR IE IT JP KG LV Md MD NL NO PL RO RU Am Mo Us St Yr SK ES SE CH US Als Cf Mai Mch Mns Ny Oh SDk Ws Wc UA GB 14 37**

## Additional References

In addition to the previous reference list (Koçak & Kemal, 2015), the following articles have also been evaluated here.

- Azmaz,M. & Y.Katılmış,** 2015, Four new records of oak gall wasp (Hymenoptera, Cynipidae, Cynipini) from Turkey. *Munis ent. Zool.* 10 (1): 201-204, figs. **TR 34 FAU ATL BIB Cynipidae**
- Barahoei,H., Rakhshani,E. & M.Riedel,** 2012, A checklist of Ichneumonidae (Hymenoptera, Ichneumonidae) from Iran. *Iranian J. Anim. Biosyst.* 8 (2): 83-132. **IR FAU DIS BIB Ichneumonidae**
- Çoruh,S. & H.Özbek,** 2008, A faunistic and systematic study on Pimplinae (Hymenoptera, Ichneumonidae) in Eastern and Northeastern parts of Turkey. *Linzer biol. Beitr.* 40 (1): 419-462, figs. **TR 08 12 13 24 25 29 36 49 53 69 75 76 FAU ATL KEY MOR Ichneumonidae Pimplinae**
- Çoruh,S. & M.Kesdek,** 2008, Ichneumonidae (Hymenoptera) collected from under stone in Eastern Anatolia Region of Turkey. *Munis ent. Zool.* 3 (2): 763-764. **TR 25 75 76 FAU Ichneumonidae**
- Diller,E.,** 1986, Neue Arten der Gattung Diplazon Vierecck,1914 (Hymenoptera, Ichneumonidae, Diplazoninae). *Entomofauna* 7 (36): 485-495, figs. **TR 73 73A Co CH TAX MOR FAU ATL Ichneumonidae Diplazon Diplazoninae**
- Doğanlar,M. & O.Doğanlar,** 2013, Hypopygia of Hercyna species group of Entedon Dalman (Hymenoptera, Eulophidae), with descriptions of new species. *Munis ent. Zool.* 8 (2): 812-824, 8 figs. **TR 02 04 24 25 27 31 46 58 60 75 TAX MOR FAU ATL GEN KEY Eulophidae Entedon**
- Doğanlar,M. & O.Doğanlar,** 2013, Revision of the cyanelus species group of Entedon Dalman (Hymenoptera, Eulophidae), with descriptions of new species. *Munis ent. Zool.* 8 (2): 532-548, 11 figs. **TR 02 04 24 25 27 31 46 58 60 75 TAX MOR FAU ATL GEN KEY Eulophidae Entedon**
- Doğanlar,M.,** 2003, Notes on the species of Tetracampidae, with descriptions of some new species from Turkey (Hymenoptera, Chalcidoidea). *Entomofauna* 24 (27): 382-394, figs. **TR 24 31 60 TAX MOR FAU ATL KEY Tetracampidae**
- Doğanlar,M.,** 2013, A peculiar new species of Entedon Dalman,1820 (Hymenoptera, Eulophidae) from Şanlıurfa province, Turkey. *Munis ent. Zool.* 8 (2): 654-658, 3 figs. **TR 63 TAX MOR FAU ATL Eulophidae Entedon bakacakus**
- Doğanlar,M., Doğanlar,O. & P.S.Boyadziev,** 2013, Hypopygia of sparetus species group of Entedon Dalman (Hymenoptera, Eulophidae), with descriptions of new species. *Munis ent. Zool.* 8 (2): 831-851, 20 figs. **TR 02 04 24 25 27 31 46 58 60 75 TAX MOR FAU ATL GEN KEY Eulophidae Entedon**
- Dunford,J.C., Turbyville,J.C. & J.M.Leavengood,** 2014, Checklist of medically important Hymenoptera of Afghanistan. *Insecta Mundi* 0339: 1-13. **AF CAT Andrenidae Apidae Colletidae Halictidae Megachilidae Melittidae Crabronidae Sphecidae Mutillidae Ampulicidae Formicidae Bradynobaenidae Pompilidae Vespidae Apoidea Vespoidea**
- Gauld,I.D.,** 1976, The classification of the Anomaloninae (Hymenoptera, Ichneumonidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 33: 1-135, figs. **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM TR GR BG KG TAX MOR FAU GEN KEY BIB Ichneumonidae Anomaloninae**
- Gürbüz,M.F. & J.Kolarov,** 2006, A review of the Collyriinae (Hymenoptera, Ichneumonidae). *Ent. fenn.* 17: 118-122, figs. **TR 32 AF AT AZ BE BG CA Abt On Ssk CN Ts CZ SK FI FR GG DE GR HU IR IT Sa JO KG LT LV MD NL NO PL PT RO RU Ao Kmt Kr Ro Pt St ES SE CH SY US Nje Ny Mrl Pns Vi UA GB UZ TAX MOR KEY FAU Ichneumonidae Collyriinae Collyria**
- Gürbüz,M.F., Aksoylar,M.Y. & A.Buncukçu,** 2009, A faunistic study on Ichneumonidae (Hymenoptera) in Isparta, Turkey. *Linzer biol. Beitr.* 41 (2): 1969-1984. **TR 32 FAU Ichneumonidae**
- Gürbüz,M.F., Kırtay,H. & O.Birol,** 2009, A study of Ichneumonidae (Hymenoptera) of Kasnak Oak Forest Nature Reserve in Turkey with new records. *Linzer biol. Beitr.* 41 (2): 1985-2003. **TR 32 FAU Ichneumonidae**
- İpekdağ,K., Coşkunçu,K.S., Aytar,F. & M.Doğanlar,** 2014, Kestane Gal Arısı *Dryocosmus kuriphilus* Yasumatsu (Hymenoptera, Cynipidae): geçmişten günümüze dünyada ve Türkiye'deki son durumu ve mücadelesi. *Türk. ent. bült.* 4 (4):241-247. **TR MOR FAU ECO BIO Cynipidae Dryocosmus kuriphilus**

17. **Katılmış, Y. & M. Azmaz**, 2015, Investigation on the inquiline (Hymenoptera, Cynipidae, Synergini) of oak galls from inner western Anatolia, Turkey. *Turk J. Zool.* 39: 168-173. **TR 03 20 43 64 FAU Cynipidae Synergini**
18. **Kemal, M. & A.Ö. Koçak**, 2015, Parapolybia escalerae (Meado-Waldo) from SE Turkey with further faunistical records (Hymenoptera, Vespidae, Polistinae). *Cesa News* 110: 6-9, 3 figs. 1 map. **TR 30 30A 30Ab 30B 30Bs 73A 73Ad 73Ad1 ECO DIS MAP FAU ATL Vespidae Polistinae Parapolybia escalerae**
19. **Koçak, A.Ö. & M. Kemal**, 2015, Hymenoptera of Turkey. *Priamus* (Suppl.) 38: 1-393, 79 maps, 3 tables. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 FAU CAT DIS MAP BIB** Agaonidae Andrenidae Aphelinidae Apidae Aulacidae Braconidae Cephidae Chalcididae Chrysididae Cimbicidae Colletidae Crabronidae Cynipidae Dryinidae Encyrtidae Eucharidae Eulophidae Eupelmidae Eurytomidae Evaniidae Figitidae Formicidae Ibalidae Tiphidae Gasterupidae Halictidae Ichneumonidae Leucospidae Megachilidae Megalodontesidae Melittidae Mutillidae Myrmecidae Ormyridae Orussidae Pamphiliidae Perilampidae Platygasteridae Pompilidae Pteromalidae Sapygidae Scelionidae Scoliidae Signiphoridae Sphecidae Stephanidae Tenthredinidae Tetracampidae Torymidae Trichogrammatidae Vespidae Xyelidae
20. **Özbek, H.**, [2015], Distribution of the tribe Osmiini bees (Hymenoptera, Megachilidae) of Turkey Part II. The genera Haetosmia, Osmia and Protosmia. *Atatürk Üniv. Ziraat Fak. Derg.* 44 (2) (2013): 121-143. **TR FAU DIS Megachilidae Osmiini Haetosmia Osmia Protosmia**
21. **Özdemir, Y. & Y. Güler**, 2009, Sultansazlığı havzası Kiraz bahçelerinde tespit edilen Ichneumonidae (Hymenoptera) türleri. *Bitki kor. bült.* 49 (3): 135-143. **TR 03 42 FAU Ichneumonidae**
22. **Riedel, M.**, 2015, Revision of the European species of the genus Astiphromma Förster, 1869 (Hymenoptera, Ichneumonidae, Mesochorinae). *Spixiana* 38 (1): 85-132, figs. **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM TR GR BG KG TAX MOR FAU ATL GEN KEY BIB Ichneumonidae Mesochorinae Astiphromma**
23. **Sawoniewicz, J. & J.C. Luhman**, 1992, Revision of European species of the subtribe Endaseina, III. Genus Endasys Foerster, 1868 (Hymenoptera, Ichneumonidae). *Entomofauna* 13 (1): 1-96, figs. **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM TR GR BG KG TAX MOR FAU ATL KEY Ichneumonidae Endaseina Endasys**
24. **Yu, D.S.K.**, 1997-2012, Home of Ichneumonoidea. [www.ichneumonoidea.name/index.php](http://www.ichneumonoidea.name/index.php) [last access 20 10 2015] **AR CL BO PE BR VE CO PA GT MX US AU NZ PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ER ET SO CI CM NG NE SN SL GH GN GA GM ML TD SD ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH LK DIS BIB Ichneumonoidea**
25. **Zerova, M.D. & L.Y. Seryogina**, 2006, Review of Palaearctic Ormyridae (Hymenoptera, Chalcidoidea), with description of two new species. *Vestn. zool.* 40 (1): 27-40, figs. **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY Cc LB GR BG TM UA UZ KK KG CN Ch PK EG TAX MOR FAU KEY Ormyridae**



## Updated species list of the Hymenoptera of Turkey

In this list totally 5858 species are given in alphabetical order under their families.

### Agaonidae

1. *Blastophaga psenes* (Linnaeus,1758) (Agaonidae)

### Andrenidae

2. *Andrena* (*Aciandrena*) *aciculata* Morawitz,1886 (Andrenidae)
3. *Andrena* (*Aciandrena*) *janthina* Warncke,1975 (Andrenidae)
4. *Andrena* (*Aciandrena*) *konyella* Warncke,1975 (Andrenidae)
5. *Andrena* (*Aciandrena*) *lamiana* Warncke,1965 (Andrenidae)
6. *Andrena* (*Aciandrena*) *pulicaria* Warncke,1975 (Andrenidae)
7. *Andrena* (*Aciandrena*) *tenuiformis* Pittioni,1950 (Andrenidae)
8. *Andrena* (*Aciandrena*) *tenuis* Morawitz,1878 (Andrenidae)
9. *Andrena* (*Aciandrena*) *yelkouan* Warncke,1975 (Andrenidae)
10. *Andrena* (*Aeandrena*) *hystrix* Schmiedeknecht,1883 (Andrenidae)
11. *Andrena* (*Aenandrena*) *aeneiventris* Morawitz,1872 (Andrenidae)
12. *Andrena* (*Aenandrena*) *bisulcata* Morawitz,1878 (Andrenidae)
13. *Andrena* (*Aenandrena*) *bonasia* Warncke,1969 (Andrenidae)
14. *Andrena* (*Aenandrena*) *chaetogastra* Pittioni,1950 (Andrenidae)
15. *Andrena* (*Avandrena*) *canohirta* (Friese,1922) (Andrenidae)
16. *Andrena* (*Avandrena*) *caudata* Warncke,1965 (Andrenidae)
17. *Andrena* (*Brachyandrena*) *colletiformis* Morawitz,1874 (Andrenidae)
18. *Andrena* (*Brachyandrena*) *pinguis* Ariana, Scheuchl, Tadauchi & Gusenleitner,2009 (Andrenidae)
19. *Andrena* (*Brachyandrena*) *punctatissima* Morawitz,1866 (Andrenidae)
20. *Andrena* (*Campylogaster*) *caroli* Pérez,1895 (Andrenidae)
21. *Andrena* (*Campylogaster*) *erberi* Morawitz,1872 (Andrenidae)
22. *Andrena* (*Campylogaster*) *incisa* Eversmann,1852 (Andrenidae)
23. *Andrena* (*Campylogaster*) *lateralis* Morawitz,1876 (Andrenidae)
24. *Andrena* (*Carandrena*) *aeriniifrons* Dours,1873 (Andrenidae)
25. *Andrena* (*Carandrena*) *cara* Nurse,1904 (Andrenidae)
26. *Andrena* (*Carandrena*) *falcinella* Warncke,1969 (Andrenidae)
27. *Andrena* (*Carandrena*) *hieroglyphica* Morawitz,1876 (Andrenidae)
28. *Andrena* (*Carandrena*) *levantina* Hedicke,1938 (Andrenidae)
29. *Andrena* (*Carandrena*) *nubica* Warncke,1975 (Andrenidae)
30. *Andrena* (*Carandrena*) *purpureomicans* Alfken,1935 (Andrenidae)
31. *Andrena* (*Carandrena*) *schlettereri* Friese,1896 (Andrenidae)
32. *Andrena* (*Carandrena*) *zostera* Warncke,1975 (Andrenidae)
33. *Andrena* (*Charitandrena*) *hattorfiana* (Fabricius,1775) (Andrenidae)
34. *Andrena* (*Chlorandrena*) *astica* Warncke,1967 (Andrenidae)
35. *Andrena* (*Chlorandrena*) *cinerea* Brullé,1832 (Andrenidae)
36. *Andrena* (*Chlorandrena*) *cinereophila* Warncke,1965 (Andrenidae)
37. *Andrena* (*Chlorandrena*) *clypella* Strand,1921 (Andrenidae)
38. *Andrena* (*Chlorandrena*) *exquisita* Warncke,1975 (Andrenidae)
39. *Andrena* (*Chlorandrena*) *galbula* Warncke,1975 (Andrenidae)
40. *Andrena* (*Chlorandrena*) *gordia* Warncke,1975 (Andrenidae)
41. *Andrena* (*Chlorandrena*) *humabilis* Warncke,1965 (Andrenidae)
42. *Andrena* (*Chlorandrena*) *humilis* Imhoff,1832 (Andrenidae)
43. *Andrena* (*Chlorandrena*) *orientana* Warncke,1965 (Andrenidae)
44. *Andrena* (*Chlorandrena*) *panurgimorpha* Mavromoustakis,1957 (Andrenidae)
45. *Andrena* (*Chlorandrena*) *taduchii* Gusenleitner,1998 (Andrenidae)
46. *Andrena* (*Chlorandrena*) *taraxaci* Giraud,1861 (Andrenidae)

47. *Andrena* (*Chrysandrena*) *dilleri* Gusenleitner,1998 (Andrenidae)
48. *Andrena* (*Chrysandrena*) *fulvago* (Christ,1791) (Andrenidae)
49. *Andrena* (*Chrysandrena*) *glandaria* Warncke,1975 (Andrenidae)
50. *Andrena* (*Chrysandrena*) *henotica* Warncke,1975 (Andrenidae)
51. *Andrena* (*Chrysandrena*) *hesperia* Smith,1853 (Andrenidae)
52. *Andrena* (*Chrysandrena*) *merula* Warncke,1969 (Andrenidae)
53. *Andrena* (*Cnemidandrena*) *nigriceps* (Kirby,1802) (Andrenidae)
54. *Andrena* (*Cordandrena*) *cordialis* Morawitz,1878 (Andrenidae)
55. *Andrena* (*Cordandrena*) *cypria* Pittioni,1950 (Andrenidae)
56. *Andrena* (*Cordandrena*) *hedikae* Jaeger,1934 (Andrenidae)
57. *Andrena* (*Cordandrena*) *pagophila* Warncke,1975 (Andrenidae)
58. *Andrena* (*Cordandrena*) *torda* Warncke,1965 (Andrenidae)
59. *Andrena* (*Cryptandrena*) *brumanensis* Friese,1899 (Andrenidae)
60. *Andrena* (*Cryptandrena*) *clypeata* Brullé,1832 (Andrenidae)
61. *Andrena* (*Cryptandrena*) *monacha* Warncke,1965 (Andrenidae)
62. *Andrena* (*Cryptandrena*) *ventricosa* Dours,1873 (Andrenidae)
63. *Andrena* (*Cubiandrena*) *cubiceps* Friese,1914 (Andrenidae)
64. *Andrena* (*Cubiandrena*) *cubicepsella* Warncke,1975 (Andrenidae)
65. *Andrena* (*Didonia*) *mucida* Kriechbaumer,1873 (Andrenidae)
66. *Andrena* (*Didonia*) *nasuta* Giraud,1863 (Andrenidae)
67. *Andrena* (*Didonia*) *teunissenii* Gusenleitner,1998 (Andrenidae)
68. *Andrena* (*Euandrena*) *allosa* Warncke,1975 (Andrenidae)
69. *Andrena* (*Euandrena*) *alutacea* Stoeckert,1942 (Andrenidae)
70. *Andrena* (*Euandrena*) *bicolor* Fabricius,1775 (Andrenidae)
71. *Andrena* (*Euandrena*) *canuta* Warncke,1975 (Andrenidae)
72. *Andrena* (*Euandrena*) *chrysopus* Pérez,1903 (Andrenidae)
73. *Andrena* (*Euandrena*) *glabriventris* Alfken,1935 (Andrenidae)
74. *Andrena* (*Euandrena*) *rufitibialis* Friese,1899 (Andrenidae)
75. *Andrena* (*Euandrena*) *rufula* Schmiedeknecht,1883 (Andrenidae)
76. *Andrena* (*Euandrena*) *symphyti* Schmiedeknecht,1883 (Andrenidae)
77. *Andrena* (*Fumandrena*) *griseigena* Warncke,1975 (Andrenidae)
78. *Andrena* (*Fumandrena*) *immaculata* Warncke,1975 (Andrenidae)
79. *Andrena* (*Fumandrena*) *kurda* Warncke,1975 (Andrenidae)
80. *Andrena* (*Fumandrena*) *pandosa* Warncke,1968 (Andrenidae)
81. *Andrena* (*Fumandrena*) *querquedula* Warncke,1975 (Andrenidae)
82. *Andrena* (*Fumandrena*) *tomora* Warncke,1975 (Andrenidae)
83. *Andrena* (*Graecandrena*) *butea* Warncke,1966 (Andrenidae)
84. *Andrena* (*Graecandrena*) *hyemala* Warncke,1973 (Andrenidae)
85. *Andrena* (*Graecandrena*) *impunctata* Pérez,1895 (Andrenidae)
86. *Andrena* (*Graecandrena*) *schwarzi* Warncke,1975 (Andrenidae)
87. *Andrena* (*Graecandrena*) *volka* Warncke,1969 (Andrenidae)
88. *Andrena* (*Holandrena*) *decipiens* Schenck,1859 (Andrenidae)
89. *Andrena* (*Holandrena*) *forsterella* Osytshnjuk,1978 (Andrenidae)
90. *Andrena* (*Holandrena*) *labialis* (Kirby,1802) (Andrenidae)
91. *Andrena* (*Holandrena*) *variabilis* Smith,1853 (Andrenidae)
92. *Andrena* (*Holandrena*) *wilhelmi* Schuberth,1995 (Andrenidae)
93. *Andrena* (*Hoplendrena*) *clusia* Warncke,1966 (Andrenidae)
94. *Andrena* (*Hoplendrena*) *ferox* Smith,1847 (Andrenidae)

95. *Andrena* (*Hoplendrena*) *labergeiella* Gusenleitner,1998 (Andrenidae)
96. *Andrena* (*Hoplendrena*) *najadana* Warncke,1975 (Andrenidae)
97. *Andrena* (*Hoplendrena*) *rosae* Panzer,1801 (Andrenidae)
98. *Andrena* (*Hoplendrena*) *schnitzleri* Gusenleitner,1998 (Andrenidae)
99. *Andrena* (*Hoplendrena*) *schuberthi* Gusenleitner,1998 (Andrenidae)
100. *Andrena* (*Hoplendrena*) *trimmerana* (Kirby,1802) (Andrenidae)
101. *Andrena* (*Hyperandrena*) *bicolorata* (Rossi,1790) (Andrenidae)
102. *Andrena* (*Larandrena*) *larisana* Warncke,1965 (Andrenidae)
103. *Andrena* (*Larandrena*) *sericata* Imhoff,1868 (Andrenidae)
104. *Andrena* (*Larandrena*) *ventralis* Imhoff,1832 (Andrenidae)
105. *Andrena* (*Leimelissa*) *ispida* Warncke,1966 (Andrenidae)
106. *Andrena* (*Lepidandrena*) *tinaria* Gusenleitner,1998 (Andrenidae)
107. *Andrena* (*Lepidandrena*) *caprimulga* Warncke,1975 (Andrenidae)
108. *Andrena* (*Lepidandrena*) *curvungula* Thomson,1870 (Andrenidae)
109. *Andrena* (*Lepidandrena*) *dorsalis* Brullé,1832 (Andrenidae)
110. *Andrena* (*Lepidandrena*) *elisaria* Gusenleitner,1998 (Andrenidae)
111. *Andrena* (*Lepidandrena*) *florivaga* Eversmann,1852 (Andrenidae)
112. *Andrena* (*Lepidandrena*) *mocsaryi* Schmiedeknecht,1884 (Andrenidae)
113. *Andrena* (*Lepidandrena*) *pandellei* Pérez,1895 (Andrenidae)
114. *Andrena* (*Lepidandrena*) *paucisquama* Noskiewicz,1924 (Andrenidae)
115. *Andrena* (*Lepidandrena*) *statusa* Gusenleitner,1998 (Andrenidae)
116. *Andrena* (*Leucandrena*) *argentata* Smith,1844 (Andrenidae)
117. *Andrena* (*Leucandrena*) *barbilabris* (Kirby,1802) (Andrenidae)
118. *Andrena* (*Leucandrena*) *christineae* Dubitzky,2006 (Andrenidae)
119. *Andrena* (*Leucandrena*) *mistrensis* Grünwaldt,2005 (Andrenidae)
120. *Andrena* (*Leucandrena*) *parviceps* Kriechbaumer,1873 (Andrenidae)
121. *Andrena* (*Margandrena*) *hyacinthina* Mavromoustakis,1958 (Andrenidae)
122. *Andrena* (*Margandrena*) *marginata* Fabricius,1776 (Andrenidae)
123. *Andrena* (*Melanapis*) *atrocoerulea* Giraud,1863 (Andrenidae)
124. *Andrena* (*Melanapis*) *fuscata* Erichson,1835 (Andrenidae)
125. *Andrena* (*Melanapis*) *rutula* Spinola,1838 (Andrenidae)
126. *Andrena* (*Melandrena*) *albopunctata* (Rossi,1792) (Andrenidae)
127. *Andrena* (*Melandrena*) *assimilis* Radoszkowski,1876 (Andrenidae)
128. *Andrena* (*Melandrena*) *atrotegularis* Hedicke,1923 (Andrenidae)
129. *Andrena* (*Melandrena*) *cineraria* (Linnaeus,1758) (Andrenidae)
130. *Andrena* (*Melandrena*) *cussariensis* Morawitz,1886 (Andrenidae)
131. *Andrena* (*Melandrena*) *danuvia* Stoeckert,1950 (Andrenidae)
132. *Andrena* (*Melandrena*) *dubiosa* Kohl,1905 (Andrenidae)
133. *Andrena* (*Melandrena*) *elmaria* Gusenleitner,1998 (Andrenidae)
134. *Andrena* (*Melandrena*) *grandilabris* Pérez,1903 (Andrenidae)
135. *Andrena* (*Melandrena*) *induta* Morawitz,1895 (Andrenidae)
136. *Andrena* (*Melandrena*) *limata* Smith,1853 (Andrenidae)
137. *Andrena* (*Melandrena*) *magna* Warncke,1965 (Andrenidae)
138. *Andrena* (*Melandrena*) *morio* Brullé,1832 (Andrenidae)
139. *Andrena* (*Melandrena*) *nigroaenea* (Kirby,1802) (Andrenidae)
140. *Andrena* (*Melandrena*) *nitida* (Müller,1776) (Andrenidae)
141. *Andrena* (*Melandrena*) *nitidemula* Scheuchl & Hazır,2012 (Andrenidae)
142. *Andrena* (*Melandrena*) *pyropygia* Kriechbaumer,1873 (Andrenidae)

143. *Andrena* (*Melandrena*) *thoracica* (Fabricius,1775) (Andrenidae)
144. *Andrena* (*Melandrena*) *vaga* Panzer,1799 (Andrenidae)
145. *Andrena* (*Melittoides*) *coromanda* Warncke,1975 (Andrenidae)
146. *Andrena* (*Melittoides*) *curiosa* (Morawitz,1878) (Andrenidae)
147. *Andrena* (*Melittoides*) *melittoides* Friese,1899 (Andrenidae)
148. *Andrena* (*Melittoides*) *ramlehiana* Pérez,1903 (Andrenidae)
149. *Andrena* (*Melittoides*) *innesi* Gribodo,1894 (Andrenidae)
150. *Andrena* (*Micrandrena*) *alkfenella* Perkins,1914 (Andrenidae)
151. *Andrena* (*Micrandrena*) *alkfenelloides* Warncke,1965 (Andrenidae)
152. *Andrena* (*Micrandrena*) *biarmica* Warncke,1975 (Andrenidae)
153. *Andrena* (*Micrandrena*) *calandra* Warncke,1975 (Andrenidae)
154. *Andrena* (*Micrandrena*) *crypta* Warncke,1975 (Andrenidae)
155. *Andrena* (*Micrandrena*) *enslinella* Stöckert,1924 (Andrenidae)
156. *Andrena* (*Micrandrena*) *floricola* Eversmann,1852 (Andrenidae)
157. *Andrena* (*Micrandrena*) *garzetta* Warncke,1975 (Andrenidae)
158. *Andrena* (*Micrandrena*) *incognita* Warncke,1975 (Andrenidae)
159. *Andrena* (*Micrandrena*) *luscini* Warncke,1975 (Andrenidae)
160. *Andrena* (*Micrandrena*) *magunta* Warncke,1965 (Andrenidae)
161. *Andrena* (*Micrandrena*) *minutula* (Kirby,1802) (Andrenidae)
162. *Andrena* (*Micrandrena*) *minutuloides* Perkins,1914 (Andrenidae)
163. *Andrena* (*Micrandrena*) *niveata* Friese,1887 (Andrenidae)
164. *Andrena* (*Micrandrena*) *oedinema* Warncke,1975 (Andrenidae)
165. *Andrena* (*Micrandrena*) *oenas* Warncke,1975 (Andrenidae)
166. *Andrena* (*Micrandrena*) *paganettina* Warncke,1965 (Andrenidae)
167. *Andrena* (*Micrandrena*) *proxima* (Kirby,1802) (Andrenidae)
168. *Andrena* (*Micrandrena*) *puffina* Warncke,1975 (Andrenidae)
169. *Andrena* (*Micrandrena*) *rugothorace* Warncke,1965 (Andrenidae)
170. *Andrena* (*Micrandrena*) *rugulosa* Stöckert,1935 (Andrenidae)
171. *Andrena* (*Micrandrena*) *saxonica* Stöckert,1935 (Andrenidae)
172. *Andrena* (*Micrandrena*) *scirpacea* Warncke,1975 (Andrenidae)
173. *Andrena* (*Micrandrena*) *sedentaria* Warncke,1975 (Andrenidae)
174. *Andrena* (*Micrandrena*) *sillata* Warncke,1975 (Andrenidae)
175. *Andrena* (*Micrandrena*) *simontornyella* Noskiewicz,1939 (Andrenidae)
176. *Andrena* (*Micrandrena*) *stoeckertella* Pittioni,1948 (Andrenidae)
177. *Andrena* (*Micrandrena*) *stolida* Warncke,1975 (Andrenidae)
178. *Andrena* (*Micrandrena*) *strepera* Warncke,1975 (Andrenidae)
179. *Andrena* (*Micrandrena*) *taprobana* Warncke,1975 (Andrenidae)
180. *Andrena* (*Micrandrena*) *tkalcui* Gusenleitner & Schwarz,2002 (Andrenidae)
181. *Andrena* (*Micrandrena*) *tinga* Warncke,1973 (Andrenidae)
182. *Andrena* (*Micrandrena*) *virgata* Warncke,1975 (Andrenidae)
183. *Andrena* (*Micrandrena*) *warncke* Gusenleitner & Schwarz,2000 (Andrenidae)
184. *Andrena* (*Nobandrena*) *anatolica* Alfken,1935 (Andrenidae)
185. *Andrena* (*Nobandrena*) *asiatica* Friese,1921 (Andrenidae)
186. *Andrena* (*Nobandrena*) *athensis* Warncke,1965 (Andrenidae)
187. *Andrena* (*Nobandrena*) *comptaeformis* Gusenleitner & Schwarz,2000 (Andrenidae)
188. *Andrena* (*Nobandrena*) *flavobila* Warncke,1975 (Andrenidae)
189. *Andrena* (*Nobandrena*) *fratercula* Warncke,1975 (Andrenidae)
190. *Andrena* (*Nobandrena*) *iliaca* Warncke,1969 (Andrenidae)
191. *Andrena* (*Nobandrena*) *nobilis* Morawitz,1873 (Andrenidae)
192. *Andrena* (*Nobandrena*) *probata* Warncke,1972 (Andrenidae)
193. *Andrena* (*Notandrena*) *chrysocoles* (Kirby,1802) (Andrenidae)
194. *Andrena* (*Notandrena*) *erythrocnemis* Morawitz,1870 (Andrenidae)
195. *Andrena* (*Notandrena*) *langadensis* Warncke,1965 (Andrenidae)
196. *Andrena* (*Notandrena*) *nitidiuscula* Schenck,1853 (Andrenidae)
197. *Andrena* (*Notandrena*) *optata* Warncke,1975 (Andrenidae)
198. *Andrena* (*Notandrena*) *pontica* Warncke,1972 (Andrenidae)
199. *Andrena* (*Notandrena*) *recurvirostra* Warncke,1975 (Andrenidae)
200. *Andrena* (*Notandrena*) *selcuki* Scheuchl & Hazır,2008 (Andrenidae)
201. *Andrena* (*Notandrena*) *stellaris* Warncke,1966 (Andrenidae)
202. *Andrena* (*Notandrena*) *ungeri* Mavroumoustakis,1952 (Andrenidae)
203. *Andrena* (*Notandrena*) *urdula* Warncke,1965 (Andrenidae)
204. *Andrena* (*Opandrena*) *schencki* Morawitz,1866 (Andrenidae)
205. *Andrena* (*Orandrena*) *acrana* Warncke,1967 (Andrenidae)
206. *Andrena* (*Orandrena*) *gallinula* Warncke,1975 (Andrenidae)
207. *Andrena* (*Orandrena*) *garrula* Warncke,1965 (Andrenidae)
208. *Andrena* (*Orandrena*) *gunaca* Warncke,1975 (Andrenidae)
209. *Andrena* (*Orandrena*) *monilia* Warncke,1967 (Andrenidae)
210. *Andrena* (*Orandrena*) *oralis* Morawitz,1876 (Andrenidae)
211. *Andrena* (*Orandrena*) *platalea* Warncke,1975 (Andrenidae)
212. *Andrena* (*Oreomelissa*) *coitana* (Kirby,1802) (Andrenidae)
213. *Andrena* (*Pallandrena*) *braunsiana* Friese,1887 (Andrenidae)
214. *Andrena* (*Pallandrena*) *korbella* Grünwaldt,2005 (Andrenidae)
215. *Andrena* (*Pallandrena*) *pallidicincta* Brullé,1832 (Andrenidae)
216. *Andrena* (*Parandrena*) *bicarinata* Morawitz,1876 (Andrenidae)
217. *Andrena* (*Parandrena*) *crispa* Warncke,1975 (Andrenidae)
218. *Andrena* (*Parandrena*) *dentiventris* Morawitz,1874 (Andrenidae)
219. *Andrena* (*Parandrena*) *figurata* Morawitz,1866 (Andrenidae)
220. *Andrena* (*Parandrena*) *nisoria* Warncke,1969 (Andrenidae)
221. *Andrena* (*Pecilandrena*) *kilikiae* Warncke,1969 (Andrenidae)
222. *Andrena* (*Plastandrena*) *apiformis* Kriechbaumer,1873 (Andrenidae)
223. *Andrena* (*Plastandrena*) *bimaculata* (Kirby,1802) (Andrenidae)
224. *Andrena* (*Plastandrena*) *carbonaria* (Linnaeus,1767) (Andrenidae)
225. *Andrena* (*Plastandrena*) *eversmanni* Radoszkowski,1867 (Andrenidae)
226. *Andrena* (*Plastandrena*) *mongolica* Morawitz,1880 (Andrenidae)
227. *Andrena* (*Plastandrena*) *pilipes* Fabricius,1781 (Andrenidae)
228. *Andrena* (*Plastandrena*) *tibialis* (Kirby,1802) (Andrenidae)
229. *Andrena* (*Poecilandrena*) *bytinskii* Warncke,1969 (Andrenidae)
230. *Andrena* (*Poecilandrena*) *ciconia* Warncke,1975 (Andrenidae)
231. *Andrena* (*Poecilandrena*) *crassana* Warncke,1965 (Andrenidae)
232. *Andrena* (*Poecilandrena*) *efeana* Scheuchl & Hazır,2012 (Andrenidae)
233. *Andrena* (*Poecilandrena*) *hybrida* Warncke,1975 (Andrenidae)
234. *Andrena* (*Poecilandrena*) *labiata* Fabricius,1781 (Andrenidae)
235. *Andrena* (*Poecilandrena*) *laticeps* Morawitz,1877 (Andrenidae)
236. *Andrena* (*Poecilandrena*) *paradisaea* Warncke,1975 (Andrenidae)
237. *Andrena* (*Poecilandrena*) *regina* Friese,1921 (Andrenidae)
238. *Andrena* (*Poecilandrena*) *rusticola* Warncke,1975 (Andrenidae)
239. *Andrena* (*Poecilandrena*) *saturata* Warncke,1975 (Andrenidae)
240. *Andrena* (*Poecilandrena*) *seminuda* Friese,1896 (Andrenidae)
241. *Andrena* (*Poecilandrena*) *semirubra* Morawitz,1876 (Andrenidae)
242. *Andrena* (*Poecilandrena*) *viridescens* Viereck,1916 (Andrenidae)
243. *Andrena* (*Poliandrena*) *caspica* Morawitz,1886 (Andrenidae)
244. *Andrena* (*Poliandrena*) *castanea* Warncke,1975 (Andrenidae)
245. *Andrena* (*Poliandrena*) *floreana* Fabricius,1793 (Andrenidae)
246. *Andrena* (*Poliandrena*) *hibernica* Warncke,1975 (Andrenidae)
247. *Andrena* (*Poliandrena*) *limbata* Eversmann,1852 (Andrenidae)
248. *Andrena* (*Poliandrena*) *melanota* Warncke,1975 (Andrenidae)
249. *Andrena* (*Poliandrena*) *mollissima* Warncke,1975 (Andrenidae)
250. *Andrena* (*Poliandrena*) *ornata* Morawitz,1866 (Andrenidae)
251. *Andrena* (*Poliandrena*) *polita* Smith,1847 (Andrenidae)
252. *Andrena* (*Poliandrena*) *pyrozonata* Friese,1921 (Andrenidae)
253. *Andrena* (*Poliandrena*) *toelgiana* Friese,1921 (Andrenidae)
254. *Andrena* (*Ptilandrena*) *glidia* Warncke,1965 (Andrenidae)
255. *Andrena* (*Ptilandrena*) *vetula* Lepeletier,1841 (Andrenidae)
256. *Andrena* (*s.str.*) *bulgariensis* Warncke,1965 (Andrenidae)
257. *Andrena* (*s.str.*) *fucata* Smith,1847 (Andrenidae)
258. *Andrena* (*s.str.*) *helvola* (Linnaeus,1758) (Andrenidae)
259. *Andrena* (*s.str.*) *inconstans* Morawitz,1877 (Andrenidae)
260. *Andrena* (*s.str.*) *praecox* (Scopoli,1763) (Andrenidae)
261. *Andrena* (*s.str.*) *synadelpha* Perkins,1914 (Andrenidae)
262. *Andrena* (*s.str.*) *varians* (Kirby,1802) (Andrenidae)
263. *Andrena* (*s.str.*) *mitis* Schmiedeknecht,1883 (Andrenidae)
264. *Andrena* (*Scitandrena*) *scita* Eversmann,1852 (Andrenidae)
265. *Andrena* (*Simandrena*) *cinnamomea* Warncke,1975 (Andrenidae)
266. *Andrena* (*Simandrena*) *combinata* (Christ,1791) (Andrenidae)
267. *Andrena* (*Simandrena*) *congruens* Schmiedeknecht,1883 (Andrenidae)
268. *Andrena* (*Simandrena*) *dorsata* (Kirby,1802) (Andrenidae)
269. *Andrena* (*Simandrena*) *gasparella* Patiny,1998 (Andrenidae)
270. *Andrena* (*Simandrena*) *lepidula* Schenck,1861 (Andrenidae)
271. *Andrena* (*Simandrena*) *mehelyi* Alfken,1936 (Andrenidae)
272. *Andrena* (*Simandrena*) *melba* Warncke,1966 (Andrenidae)
273. *Andrena* (*Simandrena*) *nucleola* Warncke,1972 (Andrenidae)
274. *Andrena* (*Simandrena*) *thomsoni* Ducke,1898 (Andrenidae)
275. *Andrena* (*Simandrena*) *transitoria* Morawitz,1872 (Andrenidae)
276. *Andrena* (*Simandrena*) *venerabilis* Alfken,1935 (Andrenidae)
277. *Andrena* (*Suandrena*) *mirna* Warncke,1969 (Andrenidae)
278. *Andrena* (*Suandrena*) *sobrina* Warncke,1975 (Andrenidae)
279. *Andrena* (*Taeniandrena*) *gelrae* Van der Vecht,1927 (Andrenidae)
280. *Andrena* (*Taeniandrena*) *hova* Warncke,1975 (Andrenidae)
281. *Andrena* (*Taeniandrena*) *intermedia* Thomson,1870 (Andrenidae)
282. *Andrena* (*Taeniandrena*) *lathyri* Alfken,1899 (Andrenidae)
283. *Andrena* (*Taeniandrena*) *leucopsis* Warncke,1967 (Andrenidae)
284. *Andrena* (*Taeniandrena*) *morinella* Warncke,1975 (Andrenidae)
285. *Andrena* (*Taeniandrena*) *ocrea* (Christ,1791) (Andrenidae)
286. *Andrena* (*Taeniandrena*) *ovatula* (Kirby,1802) (Andrenidae)
287. *Andrena* (*Taeniandrena*) *phoenicura* Warncke,1975 (Andrenidae)
288. *Andrena* (*Taeniandrena*) *producta* Warncke,1973 (Andrenidae)
289. *Andrena* (*Taeniandrena*) *sextuttata* Morawitz,1878 (Andrenidae)
290. *Andrena* (*Taeniandrena*) *similis* Smith,1849 (Andrenidae)
291. *Andrena* (*Taeniandrena*) *solitaria* Warncke,1975 (Andrenidae)
292. *Andrena* (*Taeniandrena*) *wilkella* (Kirby,1802) (Andrenidae)
293. *Andrena* (*Tarsandrena*) *tarsata* Nylander,1848 (Andrenidae)
294. *Andrena* (*Thysandrena*) *hypopolia* Schmiedeknecht,1883 (Andrenidae)
295. *Andrena* (*Thysandrena*) *lunata* Warncke,1975 (Andrenidae)
296. *Andrena* (*Thysandrena*) *ranunculum* Morawitz,1878 (Andrenidae)
297. *Andrena* (*Trachandrena*) *haemorrhoea* (Fabricius,1781) (Andrenidae)
298. *Andrena* (*Trachandrena*) *noacki* Alfken,1935 (Andrenidae)
299. *Andrena* (*Troandrena*) *saettana* Warncke,1975 (Andrenidae)
300. *Andrena* (*Troandrena*) *troica* Warncke,1975 (Andrenidae)

301. *Andrena* (*Truncandrena*) *albopicta* Radoszkowski, 1874 (Andrenidae)  
302. *Andrena* (*Truncandrena*) *bassana* Warncke, 1969 (Andrenidae)  
303. *Andrena* (*Truncandrena*) *canear* Strand, 1915 (Andrenidae)  
304. *Andrena* (*Truncandrena*) *citrinella* Warncke, 1967 (Andrenidae)  
305. *Andrena* (*Truncandrena*) *delphiensis* Warncke, 1965 (Andrenidae)  
306. *Andrena* (*Truncandrena*) *derbentina* Morawitz, 1886 (Andrenidae)  
307. *Andrena* (*Truncandrena*) *fabalis* Warncke, 1966 (Andrenidae)  
308. *Andrena* (*Truncandrena*) *fuligula* Warncke, 1966 (Andrenidae)  
309. *Andrena* (*Truncandrena*) *medeninensis* Pérez, 1895 (Andrenidae)  
310. *Andrena* (*Truncandrena*) *mizorhina* Warncke, 1975 (Andrenidae)  
311. *Andrena* (*Truncandrena*) *oulskii* Radoszkowski, 1867 (Andrenidae)  
312. *Andrena* (*Truncandrena*) *paramythenis* Mavromoustakis, 1957 (Andrenidae)  
313. *Andrena* (*Truncandrena*) *roseotincta* Warncke, 1975 (Andrenidae)  
314. *Andrena* (*Truncandrena*) *rufomaculata* Friese, 1921 (Andrenidae)  
315. *Andrena* (*Truncandrena*) *schmiedeknechti* Magretti, 1883 (Andrenidae)  
316. *Andrena* (*Truncandrena*) *seitzii* Alfken, 1935 (Andrenidae)  
317. *Andrena* (*Truncandrena*) *serraticornis* Warncke, 1965 (Andrenidae)  
318. *Andrena* (*Truncandrena*) *truncatilabris* Morawitz, 1877 (Andrenidae)  
319. *Andrena* (*Truncandrena*) *tscheki* Morawitz, 1872 (Andrenidae)  
320. *Andrena* (*Truncandrena*) *ulula* Warncke, 1969 (Andrenidae)  
321. *Andrena* (*Truncandrena*) *urfanella* Scheuchl & Hazır, 2012 (Andrenidae)  
322. *Andrena* (*Ulandrena*) *abbreviata* Dours, 1873 (Andrenidae)  
323. *Andrena* (*Ulandrena*) *acerba* Warncke, 1967 (Andrenidae)  
324. *Andrena* (*Ulandrena*) *cantiaca* Warncke, 1975 (Andrenidae)  
325. *Andrena* (*Ulandrena*) *combaella* Warncke, 1966 (Andrenidae)  
326. *Andrena* (*Ulandrena*) *concinna* Smith, 1853 (Andrenidae)  
327. *Andrena* (*Ulandrena*) *dauma* Warncke, 1969 (Andrenidae)  
328. *Andrena* (*Ulandrena*) *elegans* Giraud, 1863 (Andrenidae)  
329. *Andrena* (*Ulandrena*) *fulvitaris* Brullé, 1832 (Andrenidae)  
330. *Andrena* (*Ulandrena*) *glareola* Warncke, 1969 (Andrenidae)  
331. *Andrena* (*Ulandrena*) *heinrichi* Grünwaldt, 2005 (Andrenidae)  
332. *Andrena* (*Ulandrena*) *isabellina* Warncke, 1969 (Andrenidae)  
333. *Andrena* (*Ulandrena*) *neocyprica* Mavromoustakis, 1956 (Andrenidae)  
334. *Andrena* (*Ulandrena*) *osychniukae* Radoszkowski, 1867 (Andrenidae)  
335. *Andrena* (*Ulandrena*) *polemiediana* Mavromoustakis, 1956 (Andrenidae)  
336. *Andrena* (*Ulandrena*) *schulzi* Strand, 1921 (Andrenidae)  
337. *Andrena* (*Zoandrena*) *gazella* Friese, 1922 (Andrenidae)  
338. *Andrena* (*Zoandrena*) *chrysopyga* Schenck, 1853 (Andrenidae)  
339. *Andrena* (*Zoandrena*) *flavipes* Panzer, 1799 (Andrenidae)  
340. *Andrena* (*Zoandrena*) *gravida* Imhoff, 1832 (Andrenidae)  
341. *Andrena* (*Zoandrena*) *hungarica* Friese, 1887 (Andrenidae)  
342. *Andrena* (*Zoandrena*) *lophura* Warncke, 1975 (Andrenidae)  
343. *Andrena* (*Zoandrena*) *quadrimaculata* Friese, 1921 (Andrenidae)  
344. *Andrena* (*Zoandrena*) *soror* Dours, 1872 (Andrenidae)  
345. *Andrena* *biguttata* Friese, 1922 (Andrenidae)  
346. *Andrena* *fuscocalcarata* Morawitz, 1878 (Andrenidae)  
347. *Andrena* *oxyura* Warncke, 1975 (Andrenidae)  
348. *Andrena* *rotundilabris* Morawitz, 1878 (Andrenidae)  
349. *Andrena* *tkalcui* Gusenleitner & Schwarz, 2002 (Andrenidae)  
350. *Camptopoeum* (*Epimethea*) *nigrotum* (Warncke, 1987) (Andrenidae)  
351. *Camptopoeum* (*Epimethea*) *pictipes* (Morawitz, 1876) (Andrenidae)  
352. *Camptopoeum* (*Epimethea*) *rubrum* (Warncke, 1987) (Andrenidae)  
353. *Camptopoeum* (*Epimethea*) *subflavum* (Warncke, 1987) (Andrenidae)  
354. *Camptopoeum* (*Epimethea*) *variegatum* (Morawitz, 1876) (Andrenidae)  
355. *Camptopoeum* (*s.str.*) *frontale* (Fabricius, 1804) (Andrenidae)  
356. *Camptopoeum* *friesei* Mocsary, 1894 (Andrenidae)  
357. *Clavipanurgus* *anatolicus* (Warncke, 1972) (Andrenidae)  
358. *Clavipanurgus* *clavatus* (Warncke, 1972) (Andrenidae)  
359. *Clavipanurgus* *impressus* (Warncke, 1972) (Andrenidae)  
360. *Clavipanurgus* *orientalicus* (Warncke, 1972) (Andrenidae)  
361. *Clavipanurgus* *punctiventris* (Morawitz, 1876) (Andrenidae)  
362. *Clavipanurgus* *sculpturatus* (Morawitz, 1873) (Andrenidae)  
363. *Clavipanurgus* *stylus* (Warncke, 1987) (Andrenidae)  
364. *Melitturga* *clavicornis* (Latreille, 1806) (Andrenidae)  
365. *Melitturga* *pictipes* Morawitz, 1892 (Andrenidae)  
366. *Melitturga* *praestans* Giraud, 1861 (Andrenidae)  
367. *Melitturga* *spinosa* Morawitz, 1892 (Andrenidae)  
368. *Melitturga* *taurica* Friese, 1922 (Andrenidae)  
369. *Panurginus* *anatolicus* (Warncke, 1972) (Andrenidae)  
370. *Panurginus* *brullei* (Lepelletier, 1841) (Andrenidae)  
371. *Panurginus* *cavus* (Warncke, 1972) (Andrenidae)  
372. *Panurginus* *clavatus* (Warncke, 1972) (Andrenidae)  
373. *Panurginus* *corpanus* (Warncke, 1972) (Andrenidae)  
374. *Panurginus* *labiatus* (Eversmann, 1852) (Andrenidae)  
375. *Panurginus* *lactipennis* Friese, 1897 (Andrenidae)  
376. *Panurginus* *minutulus* (Warncke, 1987) (Andrenidae)  
377. *Panurginus* *montanus* Giraud, 1861 (Andrenidae)  
378. *Panurginus* *orientalicus* (Warncke, 1972) (Andrenidae)  
379. *Panurginus* *punctiventris* (Morawitz, 1876) (Andrenidae)  
380. *Panurginus* *sculpturatus* (Morawitz, 1872) (Andrenidae)  
381. *Panurginus* *stylus* (Warncke, 1987) (Andrenidae)  
382. *Panurgus* *banksianus* (Kirby, 1802) (Andrenidae)  
383. *Panurgus* *calcaratus* (Scopoli, 1783) (Andrenidae)  
384. *Panurgus* *dentipes* Latreille, 1811 (Andrenidae)  
385. *Plesiopanurgus* (*Zizopanurgus*) *ibex* Baker, 1972 (Andrenidae)  
386. *Plesiopanurgus* (*Zizopanurgus*) *zizus* (Warncke, 1987) (Andrenidae)  
**Aphelinidae**  
387. *Ablerus* *atomon* (Walker, 1847) (Aphelinidae)  
388. *Ablerus* *celsus* (Walker, 1839) (Aphelinidae)  
389. *Ablerus* *perspicuosus* Girault, 1916 (Aphelinidae)  
390. *Aphelinus* *aschis* Walker, 1839 (Aphelinidae)  
391. *Aphelinus* *chaonia* Walker, 1839 (Aphelinidae)  
392. *Aphelinus* *mali* (Haldeman, 1851) (Aphelinidae)  
393. *Aphelinus* *semiflavus* Howard, 1908 (Aphelinidae)  
394. *Aphelinus* *varipes* (Förster, 1841) (Aphelinidae)  
395. *Aphytis* *abnormis* (Howard, 1881) (Aphelinidae)  
396. *Aphytis* *aonidiae* (Mercet, 1911) (Aphelinidae)  
397. *Aphytis* *chilensis* Howard, 1900 (Aphelinidae)  
398. *Aphytis* *chrysomphali* (Mercet, 1912) (Aphelinidae)  
399. *Aphytis* *dispidis* (Howard, 1881) (Aphelinidae)  
400. *Aphytis* *hispanicus* (Mercet, 1912) (Aphelinidae)  
401. *Aphytis* *lepidosaphes* Compere, 1955 (Aphelinidae)  
402. *Aphytis* *libanicus* Traboulsi, 1969 (Aphelinidae)  
403. *Aphytis* *lingnanensis* Compere, 1955 (Aphelinidae)  
404. *Aphytis* *maculicornis* (Masi, 1911) (Aphelinidae)  
405. *Aphytis* *melinus* DeBach, 1959 (Aphelinidae)  
406. *Aphytis* *mytilaspidis* (Le Baron, 1870) (Aphelinidae)  
407. *Aphytis* *neuter* Yasnovsh & Myartseva, 1971 (Aphelinidae)  
408. *Aphytis* *proclia* (Walker, 1839) (Aphelinidae)  
409. *Cales* *noacki* Howard, 1907 (Aphelinidae)  
410. *Coccobius* *annulicornis* (Ratzeburg, 1852) (Aphelinidae)  
411. *Coccophagoides* *moeris* (Walker, 1839) (Aphelinidae)  
412. *Coccophagus* *aterrimus* Vikberg, 1966 (Aphelinidae)  
413. *Coccophagus* *diffrens* Yasnovsh, 1966 (Aphelinidae)  
414. *Coccophagus* *insidiator* (Dalman, 1826) (Aphelinidae)  
415. *Coccophagus* *kvavadze* Japoshvili & Karaca, 2002 (Aphelinidae)  
416. *Coccophagus* *lycimnia* (Walker, 1839) (Aphelinidae)  
417. *Coccophagus* *palaeolecanii* Yasnovsh, 1957 (Aphelinidae)  
418. *Coccophagus* *piceae* Erdős, 1956 (Aphelinidae)  
419. *Coccophagus* *proximus* Yasnovsh, 1956 (Aphelinidae)  
420. *Coccophagus* *scutellaris* (Dalman, 1826) (Aphelinidae)  
421. *Coccophagus* *spartanus* Japoshvili & Karaca, 2002 (Aphelinidae)  
422. *Encarsia* *aspidioticola* (Mercet, 1929) (Aphelinidae)  
423. *Encarsia* *berlesii* (Howard, 1906) (Aphelinidae)  
424. *Encarsia* *citrina* (Craw, 1891) (Aphelinidae)  
425. *Encarsia* *formosa* Gahan, 1924 (Aphelinidae)  
426. *Encarsia* *inaron* (Walker, 1839) (Aphelinidae)  
427. *Encarsia* *lahorensis* (Howard, 1911) (Aphelinidae)  
428. *Encarsia* *leucaspis* (Mercet, 1912) (Aphelinidae)  
429. *Encarsia* *lounsburyi* (Berlese & Paoli, 1916) (Aphelinidae)  
430. *Encarsia* *perniciosa* (Tower, 1913) (Aphelinidae)  
431. *Encarsia* *sophia* (Girault & Dodd, 1915) (Aphelinidae)  
432. *Encarsia* *strenua* (Silvestri, 1927) (Aphelinidae)  
433. *Encarsia* *tricolor* Förster, 1878 (Aphelinidae)  
434. *Eretmocerus* *debachi* Rose & Rosen, 1992 (Aphelinidae)  
435. *Eretmocerus* *diversiciliatus* Silvestri, 1915 (Aphelinidae)  
436. *Eretmocerus* *mundus* Mercet, 1931 (Aphelinidae)  
437. *Marietta* *leopardina* Motschoulsky, 1863 (Aphelinidae)  
438. *Marietta* *picta* (André, 1878) (Aphelinidae)  
439. *Pteroptrix* *bicolor* (Howard, 1898) (Aphelinidae)  
440. *Pteroptrix* *lauri* (Mercet, 1911) (Aphelinidae)  
**Apidae**  
441. *Allodape* *libanensis* (Friese, 1899) (Apidae)  
442. *Amegilla* *albigena* (Lepelletier, 1841) (Apidae)  
443. *Amegilla* *garrula* (Rossi, 1790) (Apidae)  
444. *Amegilla* *quadrifasciata* (Villers, 1789) (Apidae)  
445. *Amegilla* *salviae* (Morawitz, 1876) (Apidae)  
446. *Ammobates* *ancylae* (Warncke, 1983) (Apidae)  
447. *Ammobates* *armeniacus* Morawitz, 1876 (Apidae)  
448. *Ammobates* *baueri* (Warncke, 1983) (Apidae)  
449. *Ammobates* *biastoides* Friese, 1895 (Apidae)  
450. *Ammobates* *depressus* Friese, 1911 (Apidae)  
451. *Ammobates* *iranicus* (Warncke, 1983) (Apidae)  
452. *Ammobates* *mavromoustakisi* Popov, 1944 (Apidae)  
453. *Ammobates* *rostratus* Friese, 1899 (Apidae)  
454. *Ammobates* *sanguineus* Friese, 1911 (Apidae)  
455. *Ammobates* *similis* Mocsary, 1894 (Apidae)  
456. *Ammobates* *vinctus* Gerstaecker, 1869 (Apidae)  
457. *Ammobatoides* (*s.str.*) *abdominalis* (Eversmann, 1852) (Apidae)  
458. *Ammobatoides* (*s.str.*) *luctuosus* (Friese, 1911) (Apidae)  
459. *Ammobatoides* (*s.str.*) *rubescens* (Bischoff, 1923) (Apidae)  
460. *Ammobatoides* (*Schmiedeknechtia*) *oraniensis* (Friese, 1896) (Apidae)  
461. *Ancyla* *asiatica* Friese, 1922 (Apidae)  
462. *Ancyla* *cretensis* Friese, 1902 (Apidae)  
463. *Ancyla* *holtzi* Friese, 1902 (Apidae)  
464. *Ancyla* *nigricornis* Friese, 1902 (Apidae)  
465. *Ancyla* *orientalis* Warncke, 1979 (Apidae)  
466. *Anthophora* (*Clisodon*) *furcata* (Panzer, 1798) (Apidae)  
467. *Anthophora* (*Lophanthophora*) *mucida* Gribodo, 1873 (Apidae)  
468. *Anthophora* (*Mystacanthophora*) *borealis* Morawitz, 1864 (Apidae)  
469. *Anthophora* (*Paramegilla*) *fulvipes* Eversmann, 1846 (Apidae)  
470. *Anthophora* (*Paramegilla*) *lydia* Tkalcu, 1994 (Apidae)  
471. *Anthophora* (*Paramegilla*) *prshewalskii* Morawitz, 1880 (Apidae)  
472. *Anthophora* (*Petalosternon*) *crassipes* Lepelletier, 1841 (Apidae)  
473. *Anthophora* (*Pyganthophora*) *aestivalis* (Panzer, 1801) (Apidae)  
474. *Anthophora* (*Pyganthophora*) *retusa* (Linnaeus, 1758) (Apidae)  
475. *Anthophora* (*s.str.*) *fulvitaris* Brullé, 1832 (Apidae)  
476. *Anthophora* (*s.str.*) *plumipes* (Pallas, 1772) (Apidae)  
477. *Anthophora* *agama* Radoszkowski, 1866 (Apidae)  
478. *Anthophora* *albigena* Lepelletier, 1841 (Apidae)  
479. *Anthophora* *atroalba* Lepelletier, 1841 (Apidae)  
480. *Anthophora* *biciliata* Lepelletier, 1841 (Apidae)  
481. *Anthophora* *crinipes* Smith, 1854 (Apidae)  
482. *Anthophora* *orientalis* Morawitz, 1877 (Apidae)  
483. *Anthophora* *pedata* Eversmann, 1852 (Apidae)  
484. *Anthophora* *plagiata* (Illiger, 1806) (Apidae)  
485. *Anthophora* *robusta* (Klug, 1845) (Apidae)  
486. *Anthophora* *rogenhoferi* Morawitz, 1872 (Apidae)  
487. *Apis* (*Micrapis*) *floreae* Fabricius, 1787 (Apidae)  
488. *Apis* (*s.str.*) *mellifera* Linnaeus, 1758 (Apidae)  
489. *Bombus* (*Alpigenobombus*) *wurfleni* Radoszkowski, 1859 (Apidae)  
490. *Bombus* (*Cullumanobombus*) *apollineus* Skorikov, 1910 (Apidae)  
491. *Bombus* (*Kallobombus*) *soroensis* (Fabricius, 1793) (Apidae)  
492. *Bombus* (*Megabombus*) *argillaceus* (Scopoli, 1763) (Apidae)  
493. *Bombus* (*Megabombus*) *armeniacus* (Radoszkowski, 1877) (Apidae)  
494. *Bombus* (*Megabombus*) *humilis* (Illiger, 1806) (Apidae)  
495. *Bombus* (*Megabombus*) *mesomelas* (Gerstaecker, 1869) (Apidae)  
496. *Bombus* (*Melanobombus*) *alagesianus* Reinig, 1930 (Apidae)  
497. *Bombus* (*Melanobombus*) *erzurumensis* (Özbek, 1990) (Apidae)  
498. *Bombus* (*Melanobombus*) *incertus* Morawitz, 1881 (Apidae)  
499. *Bombus* (*Melanobombus*) *lapidarius* (Linnaeus, 1761) (Apidae)  
500. *Bombus* (*Mendacibombus*) *handlirschianus* Vogt, 1909 (Apidae)  
501. *Bombus* (*Mendacibombus*) *shaposhnikov* Skorikov, 1910 (Apidae)  
502. *Bombus* (*Psithyrus*) *barbutellus* (Kirby, 1802) (Apidae)  
503. *Bombus* (*Psithyrus*) *bohemicus* Seidl, 1837 (Apidae)  
504. *Bombus* (*Psithyrus*) *campestris* (Panzer, 1801) (Apidae)  
505. *Bombus* (*Psithyrus*) *maxillosus* Klug, 1817 (Apidae)



506. *Bombus* (*Psithyrus*) *quadrivittatus* (Lepelletier, 1832) (Apidae)  
507. *Bombus* (*Psithyrus*) *rupestris* (Fabricius, 1793) (Apidae)  
508. *Bombus* (*Psithyrus*) *silvestris* (Lepelletier, 1832) (Apidae)  
509. *Bombus* (*Psithyrus*) *vestalis* (Fourcroy, 1785) (Apidae)  
510. *Bombus* (*Pyrobombus*) *brodmannicus* Vogt, 1909 (Apidae)  
511. *Bombus* (*Pyrobombus*) *haematurus* Kriechbaumer, 1870 (Apidae)  
512. *Bombus* (*Pyrobombus*) *niveatus* (Kriechbaumer, 1870) (Apidae)  
513. *Bombus* (*Pyrobombus*) *pratensis* (Linnaeus, 1761) (Apidae)  
514. *Bombus* (s.str.) *lucorum* Linnaeus, 1761 (Apidae)  
515. *Bombus* (s.str.) *terrestris* Linnaeus, 1758 (Apidae)  
516. *Bombus* (*Sibiricobombus*) *niveatus* Kriechbaumer, 1870 (Apidae)  
517. *Bombus* (*Sibiricobombus*) *sulfureus* Friese, 1905 (Apidae)  
518. *Bombus* (*Sibiricobombus*) *vorticatus* Gerstaecker, 1872 (Apidae)  
519. *Bombus* (*Subterraneobombus*) *fragrans* (Pallas, 1771) (Apidae)  
520. *Bombus* (*Subterraneobombus*) *melanurus* Lepelletier, 1836 (Apidae)  
521. *Bombus* (*Subterraneobombus*) *subterraneus* (Linnaeus, 1758) (Apidae)  
522. *Bombus* (*Thoracobombus*) *brodmanni* Vogt, 1909 (Apidae)  
523. *Bombus* (*Thoracobombus*) *humilis* Illiger, 1806 (Apidae)  
524. *Bombus* (*Thoracobombus*) *laesus* Morawitz, 1875 (Apidae)  
525. *Bombus* (*Thoracobombus*) *mesomelas* Gerstaecker, 1869 (Apidae)  
526. *Bombus* (*Thoracobombus*) *mlkosievitzi* Radoszkowski, 1877 (Apidae)  
527. *Bombus* (*Thoracobombus*) *muscorum* (Linnaeus, 1763) (Apidae)  
528. *Bombus* (*Thoracobombus*) *pascuorum* (Scopoli, 1763) (Apidae)  
529. *Bombus* (*Thoracobombus*) *persicus* Radoszkowski, 1881 (Apidae)  
530. *Bombus* (*Thoracobombus*) *pomorum* (Panzer, 1805) (Apidae)  
531. *Bombus* (*Thoracobombus*) *rudarius* (Müller, 1776) (Apidae)  
532. *Bombus* (*Thoracobombus*) *sylvaticus* (Linnaeus, 1761) (Apidae)  
533. *Bombus* (*Thoracobombus*) *velox* Skorikov, 1914 (Apidae)  
534. *Bombus* (*Thoracobombus*) *zonatus* Smith, 1854 (Apidae)  
535. *Bombus* *hortorum* (Linnaeus, 1761) (Apidae)  
536. *Ceratina* *acuta* Friese, 1896 (Apidae)  
537. *Ceratina* *bifida* Friese, 1900 (Apidae)  
538. *Ceratina* *bispinosa* Handlirsch, 1889 (Apidae)  
539. *Ceratina* *calceus* Germar, 1839 (Apidae)  
540. *Ceratina* *christellae* Terzo, 1998 (Apidae)  
541. *Ceratina* *chrysomalla* Gerstaecker, 1869 (Apidae)  
542. *Ceratina* *cucurbitina* (Rossi, 1792) (Apidae)  
543. *Ceratina* *cyanea* (Kirby, 1802) (Apidae)  
544. *Ceratina* *denesi* Terzo, 1998 (Apidae)  
545. *Ceratina* *hakkariae* Kocourek, 1908 (Apidae)  
546. *Ceratina* *loewi* Gerstaecker, 1869 (Apidae)  
547. *Ceratina* *mandibularis* Friese, 1896 (Apidae)  
548. *Ceratina* *moricei* Friese, 1899 (Apidae)  
549. *Ceratina* *nigroaenea* Gerstaecker, 1869 (Apidae)  
550. *Ceratina* *parvula* Smith, 1854 (Apidae)  
551. *Ceratina* *rasmonti* Terzo, 1998 (Apidae)  
552. *Ceratina* *sakagami* Terzo, 1998 (Apidae)  
553. *Ceratina* *schwarzi* Kocourek, 1908 (Apidae)  
554. *Ceratina* *schwarziana* Terzo, 1998 (Apidae)  
555. *Ceratina* *tibialis* Morawitz, 1895 (Apidae)  
556. *Ceratina* *warneckei* Terzo, 1998 (Apidae)  
557. *Ceratina* *zandeni* Terzo, 1998 (Apidae)  
558. *Ceratina* *zwakhalsi* Terzo & Rasmont, 1997 (Apidae)  
559. *Cubitalia* *monstruosa* (Risch, 1999) (Apidae)  
560. *Cubitalia* *morio* (Friese, 1922) (Apidae)  
561. *Eucera* (*Pileteucera*) *fasciata* Risch, 1999 (Apidae)  
562. *Eucera* (*Rhyteucera*) *ebneri* Risch, 1999 (Apidae)  
563. *Eucera* *atricollis* Friese, 1922 (Apidae)  
564. *Eucera* *caerulea* Friese, 1899 (Apidae)  
565. *Eucera* *caspica* Morawitz, 1873 (Apidae)  
566. *Eucera* *cineraria* Eversmann, 1852 (Apidae)  
567. *Eucera* *clypeata* (Erichson, 1835) (Apidae)  
568. *Eucera* *dalmatica* Lepelletier, 1841 (Apidae)  
569. *Eucera* *excisa* Mocsary, 1876 (Apidae)  
570. *Eucera* *furfurea* Vachal, 1907 (Apidae)  
571. *Eucera* *graeeca* Radoszkowski, 1876 (Apidae)  
572. *Eucera* *helvola* Klug, 1845 (Apidae)  
573. *Eucera* *hispana* Lepelletier, 1841 (Apidae)  
574. *Eucera* *interrupta* Bär, 1850 (Apidae)  
575. *Eucera* *kilikiae* Risch, 1999 (Apidae)  
576. *Eucera* *longicornis* (Linnaeus, 1758) (Apidae)  
577. *Eucera* *longicornis* (Linnaeus, 1758) (Apidae)  
578. *Eucera* *maxima* Tkalcu, 1987 (Apidae)  
579. *Eucera* *morio* Friese, 1922 (Apidae)  
580. *Eucera* *nigrescens* Friese, 1879 (Apidae)  
581. *Eucera* *nigritarsis* Lepelletier, 1841 (Apidae)  
582. *Eucera* *nigritarsis* Lepelletier, 1841 (Apidae)  
583. *Eucera* *nitidiventris* Mocsary, 1879 (Apidae)  
584. *Eucera* *pollinosa* Smith, 1854 (Apidae)  
585. *Eucera* *seminuda* Brullé, 1832 (Apidae)  
586. *Eucera* *serraticornis* Risch, 1999 (Apidae)  
587. *Eucera* *sogdiana* Morawitz, 1875 (Apidae)  
588. *Eucera* *squamosa* Lepelletier, 1841 (Apidae)  
589. *Eucera* *tegularis* Morawitz, 1875 (Apidae)  
590. *Eucera* *tuberculata* (Fabricius, 1793) (Apidae)  
591. *Eucera* *vittulata* Noskiewicz, 1934 (Apidae)  
592. *Eupavlovskia* *funeraria* (Smith, 1854) (Apidae)  
593. *Eupavlovskia* *obscura* (Friese, 1855) (Apidae)  
594. *Exoneuridia* (s.str.) *hakkariensis* (Warncke, 1983) (Apidae)  
595. *Habropoda* *annae* Schwarz & Gusenleitner, 2001 (Apidae)  
596. *Habropoda* *hakkariensis* Schwarz & Gusenleitner, 2001 (Apidae)  
597. *Habropoda* *schafelneri* Schwarz & Gusenleitner, 2001 (Apidae)  
598. *Habropoda* *tarsata* (Spinola, 1838) (Apidae)  
599. *Habropoda* *zonatula* Smith, 1854 (Apidae)  
600. *Melecta* *albifrons* (Förster, 1771) (Apidae)  
601. *Melecta* *ashabadensis* Radoszkowski, 1893 (Apidae)  
602. *Melecta* *crassicornis* Friese, 1921 (Apidae)  
603. *Melecta* *duodecimmaculata* (Rossi, 1790) (Apidae)  
604. *Melecta* *festiva* Lefthick, 1980 (Apidae)  
605. *Melecta* *fulgida* Lefthick, 1980 (Apidae)  
606. *Melecta* *guichardi* Lefthick, 1980 (Apidae)  
607. *Melecta* *luctuosa* (Scopoli, 1770) (Apidae)  
608. *Melecta* *transcaspica* Morawitz, 1895 (Apidae)  
609. *Nomada* *caspia* Morawitz, 1895 (Apidae)  
610. *Nomada* *cruenta* Schmiedeknecht, 1882 (Apidae)  
611. *Nomada* *curvispinosa* Schwarz, 1981 (Apidae)  
612. *Nomada* *diacantha* Schwarz, 1981 (Apidae)  
613. *Nomada* *gracilicornis* Morawitz, 1895 (Apidae)  
614. *Nomada* *guichardi* Schwarz, 1981 (Apidae)  
615. *Nomada* *gusenleitneri* Schwarz, 1981 (Apidae)  
616. *Nomada* *imperialis* Schmiedeknecht, 1882 (Apidae)  
617. *Nomada* *kervilleana* Pérez, 1913 (Apidae)  
618. *Nomada* *kusdasi* Schwarz, 1981 (Apidae)  
619. *Nomada* *lateritia* Mocsary, 1883 (Apidae)  
620. *Nomada* *lucida* Schwarz, 1967 (Apidae)  
621. *Nomada* *mocsaryi* Schmiedeknecht, 1882 (Apidae)  
622. *Nomada* *nausicaa* Schmiedeknecht, 1882 (Apidae)  
623. *Nomada* *nobilis* Herrich-Schäffer, 1839 (Apidae)  
624. *Nomada* *oculata* Friese, 1921 (Apidae)  
625. *Nomada* *oralis* Schwarz, 1981 (Apidae)  
626. *Nomada* *ovaliceps* Schwarz, 1981 (Apidae)  
627. *Nomada* *pallispinosa* Schwarz, 1967 (Apidae)  
628. *Nomada* *platythorax* Schwarz, 1981 (Apidae)  
629. *Nomada* *pleurosticta* Herrich-Schäffer, 1839 (Apidae)  
630. *Nomada* *pygidialis* Schwarz, 1981 (Apidae)  
631. *Nomada* *quadrifasciata* Schwarz, 1981 (Apidae)  
632. *Nomada* *quinquefasciata* Schwarz, 1981 (Apidae)  
633. *Nomada* *rubricollis* Schwarz, 1967 (Apidae)  
634. *Nomada* *rubriventris* Schwarz, 1981 (Apidae)  
635. *Nomada* *smynaensis* Friese, 1920 (Apidae)  
636. *Nomada* *unispinosa* Schwarz, 1981 (Apidae)  
637. *Nomada* *yarrowi* Schwarz, 1981 (Apidae)  
638. *Parammobatodes* *minutus* (Mocsary, 1878) (Apidae)  
639. *Parammobatodes* *orientatus* (Warncke, 1983) (Apidae)  
640. *Psites* *atrufus* Warncke, 1983 (Apidae)  
641. *Psites* *latitarsis* (Friese, 1899) (Apidae)  
642. *Psites* *maculatus* Jurine, 1807 (Apidae)  
643. *Psites* *oraniensis* (Lepelletier, 1841) (Apidae)  
644. *Tetralonia* *alternans* Brullé, 1832 (Apidae)  
645. *Tetralonia* *compacta* (Morawitz, 1875) (Apidae)  
646. *Tetralonia* *hungarica* Friese, 1895 (Apidae)  
647. *Tetralonia* *julianii* Pérez, 1879 (Apidae)  
648. *Tetralonia* *malvae* (Rossi, 1790) (Apidae)  
649. *Tetralonia* *persica* Friese, 1895 (Apidae)  
650. *Tetralonia* *ruficollis* (Friese, 1911) (Apidae)  
651. *Tetralonia* *ruficornis* (Fabricius, 1804) (Apidae)  
652. *Tetralonia* *salicariae* (Lepelletier, 1841) (Apidae)  
653. *Tetralonia* *tricornis* (Erichson, 1835) (Apidae)  
654. *Tetralonia* *vicina* Morawitz, 1876 (Apidae)  
655. *Tetraloniella* *dentata* (Germar, 1839) (Apidae)  
656. *Tetraloniella* *fulvipes* (Giraud, 1863) (Apidae)  
657. *Tetraloniella* *graja* (Eversmann, 1852) (Apidae)  
658. *Tetraloniella* *inulae* Tkalcu, 1979 (Apidae)  
659. *Tetraloniella* *nana* (Morawitz, 1874) (Apidae)  
660. *Thyreus* *affinis* (Morawitz, 1874) (Apidae)  
661. *Thyreus* *elegans* (Morawitz, 1877) (Apidae)  
662. *Thyreus* *hellenicus* Lefthick, 1968 (Apidae)  
663. *Thyreus* *hirtus* (Beaumont, 1939) (Apidae)  
664. *Thyreus* *histrionicus* (Illiger, 1806) (Apidae)  
665. *Thyreus* *orbatus* (Lepelletier, 1841) (Apidae)  
666. *Thyreus* *praevalens* (Kohl, 1905) (Apidae)  
667. *Thyreus* *ramosus* (Lepelletier, 1841) (Apidae)  
668. *Thyreus* *scutellaris* (Fabricius, 1781) (Apidae)  
669. *Thyreus* *sibiricus* (Radoszkowski, 1893) (Apidae)  
670. *Thyreus* *truncatus* (Friese, 1883) (Apidae)  
671. *Xylocopa* (*Ancylcopa*) *parviceps* Morawitz, 1895 (Apidae)  
672. *Xylocopa* (*Copoxyla*) *armeniaca* Warncke, 1982 (Apidae)  
673. *Xylocopa* (*Copoxyla*) *iris* (Christ, 1791) (Apidae)  
674. *Xylocopa* (*Ctenoxylocopa*) *fenestrata* (Fabricius, 1798) (Apidae)  
675. *Xylocopa* (*Koptortosoma*) *pubescens* Spinola, 1838 (Apidae)  
676. *Xylocopa* (*Proxycopa*) *olivieri* Lepelletier, 1841 (Apidae)  
677. *Xylocopa* (*Proxycopa*) *rufa* Friese, 1901 (Apidae)  
678. *Xylocopa* (s.str.) *valga* Gerstaecker, 1872 (Apidae)  
679. *Xylocopa* (s.str.) *varentzowi* Morawitz, 1895 (Apidae)  
680. *Xylocopa* (s.str.) *violacea* (Linnaeus, 1758) (Apidae)

## Argidae

681. *Aprosthemella* *bifurcum* (Klug, 1834) (Argidae)  
682. *Aprosthemella* *melanurum* (Klug, 1814) (Argidae)  
683. *Aprosthemella* *syriensis* (Mocsary, 1897) (Argidae)  
684. *Aprosthemella* *tardum* (Klug, 1814) (Argidae)  
685. *Arge* *aurata* (Zaddach, 1864) (Argidae)  
686. *Arge* *auripennis* Konow, 1891 (Argidae)  
687. *Arge* *beckeri* Tournier, 1889 (Argidae)  
688. *Arge* *berberidis* (Schrank, 1802) (Argidae)  
689. *Arge* *ciliaris* (Linnaeus, 1758) (Argidae)  
690. *Arge* *clavicornis* (Fabricius, 1781) (Argidae)  
691. *Arge* *cyanocrocea* (Forster, 1771) (Argidae)  
692. *Arge* *debilis* Konow, 1887 (Argidae)  
693. *Arge* *enodis* (Linnaeus, 1767) (Argidae)  
694. *Arge* *frivaldskyi* (Tischbein, 1852) (Argidae)  
695. *Arge* *fuscipes* (Fallén, 1808) (Argidae)  
696. *Arge* *gracilicornis* (Klug, 1814) (Argidae)  
697. *Arge* *melanochra* (Gmelin, 1790) (Argidae)  
698. *Arge* *nigripes* (Retzius, 1783) (Argidae)  
699. *Arge* *ochropus* (Gmelin, 1790) (Argidae)  
700. *Arge* *pagana* (Panzer, 1798) (Argidae)  
701. *Arge* *pleuritica* (Klug, 1834) (Argidae)  
702. *Arge* *proxima* (André, 1881) (Argidae)  
703. *Arge* *pullata* (Zaddach, 1864) (Argidae)  
704. *Arge* *pyrenaica* (André, 1879) (Argidae)  
705. *Arge* *rustica* (Linnaeus, 1758) (Argidae)  
706. *Arge* *scita* (Mocsary, 1880) (Argidae)  
707. *Arge* *simulatrix* Konow, 1887 (Argidae)  
708. *Arge* *ustulata* (Linnaeus, 1758) (Argidae)  
709. *Kokujewia* *clementi* Zirnig, 1949 (Argidae)  
710. *Kokujewia* *ectrapela* Konow, 1902 (Argidae)  
711. *Sterictiphora* *furcata* (Villers, 1789) (Argidae)  
712. *Sterictiphora* *geminata* (Gmelin, 1790) (Argidae)

## Aulacidae

713. *Pristaulacus* *barbeyi* (Ferrière, 1933) (Aulacidae)  
714. *Pristaulacus* *compressus* (Spinola, 1808) (Aulacidae)  
715. *Pristaulacus* *galitae* (Gribodo, 1879) (Aulacidae)  
716. *Pristaulacus* *gloriorum* (Fabricius, 1804) (Aulacidae)  
717. *Pristaulacus* *obscuripennis* (Westwood, 1841) (Aulacidae)

## Braconidae

718. *Agathis* *anglica* Marshall, 1885 (Braconidae)  
719. *Agathis* *assimilis* Kokujev, 1895 (Braconidae)  
720. *Agathis* *berkei* Çetin Erdoğan, 2010 (Braconidae)  
721. *Agathis* *brevistata* Nees von Esenbeck, 1814 (Braconidae)  
722. *Agathis* *fischeri* Zettl & Beyarslan, 1992 (Braconidae)  
723. *Agathis* *fulmeki* Fischer, 1957 (Braconidae)  
724. *Agathis* *fuscipennis* (Zetterstedt, 1838) (Braconidae)  
725. *Agathis* *glabricula* Thomson, 1895 (Braconidae)  
726. *Agathis* *glaucoptera* Nees von Esenbeck, 1834 (Braconidae)  
727. *Agathis* *griseifrons* Thomson, 1895 (Braconidae)  
728. *Agathis* *lugubris* (Förster, 1862) (Braconidae)  
729. *Agathis* *malvacarum* Latreille, 1805 (Braconidae)  
730. *Agathis* *melpomene* Nixon, 1986 (Braconidae)  
731. *Agathis* *nigra* Nees von Esenbeck, 1814 (Braconidae)  
732. *Agathis* *persephone* Nixon, 1986 (Braconidae)  
733. *Agathis* *rubens* Tobias, 1963 (Braconidae)  
734. *Agathis* *rufipalpis* Nees von Esenbeck, 1814 (Braconidae)  
735. *Agathis* *synthesiae* Nees von Esenbeck, 1814 (Braconidae)  
736. *Agathis* *tatarica* Telenga, 1933 (Braconidae)  
737. *Agathis* *taurica* Telenga, 1935 (Braconidae)  
738. *Agathis* *umbellatarum* Nees von Esenbeck, 1814 (Braconidae)  
739. *Agathis* *varipes* Thomson, 1895 (Braconidae)  
740. *Aleiodes* (*Chelonorhagus*) *miniatus* (Herrich-Schäffer, 1838) (Braconidae)  
741. *Aleiodes* (*Neorhagus*) *dissector* (Nees von Esenbeck, 1834) (Braconidae)  
742. *Aleiodes* (*Neorhagus*) *ductor* (Thunberg, 1822) (Braconidae)  
743. *Aleiodes* (s.str.) *albitibia* (Herrich-Schäffer, 1838) (Braconidae)  
744. *Aleiodes* (s.str.) *bicolor* (Spinola, 1808) (Braconidae)  
745. *Aleiodes* (s.str.) *circumscriptus* (Nees von Esenbeck, 1834) (Braconidae)  
746. *Aleiodes* (s.str.) *esenbeckii* (Hartig, 1838) (Braconidae)  
747. *Aleiodes* (s.str.) *gastritor* (Thunberg, 1822) (Braconidae)  
748. *Aleiodes* (s.str.) *moldavicus* Tobias, 1986 (Braconidae)  
749. *Aleiodes* (s.str.) *pallidator* (Thunberg, 1822) (Braconidae)  
750. *Aleiodes* (s.str.) *signatus* (Nees von Esenbeck, 1811) (Braconidae)  
751. *Aleiodes* (s.str.) *varius* (Herrich-Schäffer, 1838) (Braconidae)  
752. *Aleiodes* (*Tetrasphaeropyx*) *arcticus* (Thomson, 1892) (Braconidae)  
753. *Aleiodes* *apicalis* (Brullé, 1832) (Braconidae)  
754. *Aleiodes* *caucasicus* Tobias, 1976 (Braconidae)

755. *Aleiodes dimidiatus* (Spinola,1808) (Braconidae)
756. *Aleiodes gasterator* (Jurine,1807) (Braconidae)
757. *Aleiodes grandis* Giraud,1857 (Braconidae)
758. *Aleiodes nocturnus* (Telenga,1941) (Braconidae)
759. *Aleiodes praetor* (Reinhard,1863) (Braconidae)
760. *Aleiodes rossicus* (Kokujev,1898) (Braconidae)
761. *Aleiodes rufipes* (Thomson,1892) (Braconidae)
762. *Aleiodes schirjajevi* (Kokujev,1898) (Braconidae)
763. *Aleiodes unguicularis* (Thomson,1891) (Braconidae)
764. *Aleiodes venustulus* (Kokujev,1905) (Braconidae)
765. *Aleiodes vittiger* Wesmael,1838 (Braconidae)
766. *Alysia* (Anarcha) *fuscipennis* Haliday,1838 (Braconidae)
767. *Alysia* (Anarcha) *puncticollis* Thomson,1895 (Braconidae)
768. *Alysia* (Anarcha) *rufidens* Nees,1834 (Braconidae)
769. *Alysia* (s.str.) *lucicola* Haliday,1838 (Braconidae)
770. *Alysia* (s.str.) *luciella* Stelfox,1941 (Braconidae)
771. *Alysia* (s.str.) *manducator* (Panzer,1799) (Braconidae)
772. *Apanteles aragatzi* Tobias,1976 (Braconidae)
773. *Apanteles ater* (Ratzeburg,1852) (Braconidae)
774. *Apanteles atreus* Nixon,1973 (Braconidae)
775. *Apanteles brunnistigma* Abdinbekova,1969 (Braconidae)
776. *Apanteles carpatius* Say,1836 (Braconidae)
777. *Apanteles evanidus* Papp,1975 (Braconidae)
778. *Apanteles gallerie* Wilkinson,1932 (Braconidae)
779. *Apanteles hemara* Nixon,1965 (Braconidae)
780. *Apanteles ingenuoides* Papp,1971 (Braconidae)
781. *Apanteles kubensis* Abdinbekova,1975 (Braconidae)
782. *Apanteles myron* Nixon,1973 (Braconidae)
783. *Apanteles obscurus* (Nees ab Esenbeck,1834) (Braconidae)
784. *Aphaereta minuta* (Nees,1811) (Braconidae)
785. *Aphaereta tenuicornis* Nixon,1939 (Braconidae)
786. *Aphidius absinthii* Marshall,1896 (Braconidae)
787. *Aphidius avenae* Haliday,1834 (Braconidae)
788. *Aphidius ervi* Haliday,1834 (Braconidae)
789. *Aphidius funebris* Mackauer,1961 (Braconidae)
790. *Aphidius matricariae* Haliday,1834 (Braconidae)
791. *Aphidius rosae* Haliday,1834 (Braconidae)
792. *Aphidius salicis* Haliday,1834 (Braconidae)
793. *Aphidius transcaspicus* Telenga,1958 (Braconidae)
794. *Aphidius urticae* Haliday,1834 (Braconidae)
795. *Apodesmia aethiops* (Haliday,1837) (Braconidae)
796. *Apodesmia altimontanus* (Fischer,1969) (Braconidae)
797. *Apodesmia angelus* (Fischer,1971) (Braconidae)
798. *Apodesmia arenaceus* (Jakimavicius,1986) (Braconidae)
799. *Apodesmia austriacus* (Fischer,1958) (Braconidae)
800. *Apodesmia geniculatus* (Thomson,1895) (Braconidae)
801. *Apodesmia irregularis* (Wesmael,1835) (Braconidae)
802. *Apodesmia karesuandensis* (Fischer,1964) (Braconidae)
803. *Apodesmia nitidulator* (Nees ab Esenbeck,1834) (Braconidae)
804. *Apodesmia novosimilis* (Fischer,1989) (Braconidae)
805. *Apodesmia nowakowskii* (Fischer,1959) (Braconidae)
806. *Apodesmia rex* (Fischer,1958) (Braconidae)
807. *Apodesmia rugatus* (Fischer,1992) (Braconidae)
808. *Apodesmia saevus* (Haliday,1837) (Braconidae)
809. *Apodesmia selimbassai* (Fischer,1992) (Braconidae)
810. *Apodesmia similis* (Szépligeti,1898) (Braconidae)
811. *Apodesmia simioides* (Fischer,1972) (Braconidae)
812. *Apodesmia tirolensis* (Fischer,1958) (Braconidae)
813. *Apodesmia tuberculatus* (Fischer,1959) (Braconidae)
814. *Apodesmia uttoisimilis* (Fischer,1999) (Braconidae)
815. *Ascogaster armatus* Wesmael,1835 (Braconidae)
816. *Ascogaster instabilis* Wesmael,1835 (Braconidae)
817. *Ascogaster rufipes* (Latreille,1809) (Braconidae)
818. *Asobara tabida* (Nees,1834) (Braconidae)
819. *Aspilota ruficornis* (Nees,1834) (Braconidae)
820. *Aspilota stenogaster* Stelfox & Graham,1951 (Braconidae)
821. *Atanycolus denigrator* (Linnaeus,1758) (Braconidae)
822. *Atanycolus fulvipes* (Kriechbaumer,1898) (Braconidae)
823. *Atanycolus initiator* (Fabricius,1793) (Braconidae)
824. *Atanycolus neesii* (Marshall,1897) (Braconidae)
825. *Atormus victus* (Haliday,1837) (Braconidae)
826. *Baryproctus barypus* (Marshall,1885) (Braconidae)
827. *Bassus armeniacus* (Telenga,1955) (Braconidae)
828. *Bassus beyarslani* Çetin Erdoğan,2005 (Braconidae)
829. *Bassus calculator* (Fabricius,1798) (Braconidae)
830. *Bassus cingulipes* (Nees ab Esenbeck,1814) (Braconidae)
831. *Bassus conspicuus* (Wesmael,1837) (Braconidae)
832. *Bassus dimidiator* (Nees von Esenbeck,1834) (Braconidae)
833. *Bassus graecus* Achterberg,1992 (Braconidae)
834. *Bassus linguarius* (Nees ab Esenbeck,1814) (Braconidae)
835. *Bassus rufipes* (Nees ab Esenbeck,1814) (Braconidae)
836. *Bassus rugulosus* (Nees ab Esenbeck,1834) (Braconidae)
837. *Bassus tegularis* (Thomson,1895) (Braconidae)
838. *Bassus tumidulus* (Nees von Esenbeck,1814) (Braconidae)
839. *Bassus zaykovi* (Nixon,1986) (Braconidae)
840. *Biosteres* (Chilotrachia) *arenarius* (Stelfox,1959) (Braconidae)
841. *Biosteres* (Chilotrachia) *blandus* (Haliday,1837) (Braconidae)
842. *Biosteres* (Chilotrachia) *brevipalpis* (Thomson,1895) (Braconidae)
843. *Biosteres* (Chilotrachia) *clypealis* (Thomson,1895) (Braconidae)
844. *Biosteres* (Chilotrachia) *haemorrhoeus* (Haliday,1836) (Braconidae)
845. *Biosteres* (Chilotrachia) *rusticus* (Haliday,1837) (Braconidae)
846. *Biosteres* (Chilotrachia) *scabriculus* (Wesmael,1835) (Braconidae)
847. *Biosteres* (Chilotrachia) *sylvaticus* (Haliday,1837) (Braconidae)
848. *Biosteres* (Chilotrachia) *ultor* (Förster,1862) (Braconidae)
849. *Biosteres* (Chilotrachia) *wesmaelii* (Haliday,1835) (Braconidae)
850. *Biosteres* (s.str.) *analisis* (Wesmael,1835) (Braconidae)
851. *Biosteres* (s.str.) *carbonarius* (Nees ab Esenbeck,1834) (Braconidae)
852. *Biosteres* (s.str.) *kayapinarensis* Fischer & Beyarslan,2005 (Braconidae)
853. *Biosteres* (s.str.) *lentulus* Papp,1979 (Braconidae)
854. *Biosteres* (s.str.) *longicauda* (Thomson,1895) (Braconidae)
855. *Biosteres* (s.str.) *remigii* (Fischer,1971) (Braconidae)
856. *Biosteres* (s.str.) *spinaciae* (Thomson,1895) (Braconidae)
857. *Bitomus* (s.str.) *castus* (Zaykov,1983) (Braconidae)
858. *Bitomus* (s.str.) *valdepusillus* Fischer & Beyarslan,2005 (Braconidae)
859. *Blacometeorus brevicauda* (Hellén,1958) (Braconidae)
860. *Blacometeorus intermedius* Tobias,1976 (Braconidae)
861. *Blacus* (Ganychorus) *armatulus* (Ruthe,1861) (Braconidae)
862. *Blacus* (Ganychorus) *capeki* Haeselbarth,1973 (Braconidae)
863. *Blacus* (Ganychorus) *conformis* Wesmael,1835 (Braconidae)
864. *Blacus* (Ganychorus) *diversicornis* (Nees ab Esenbeck,1834) (Braconidae)
865. *Blacus* (Ganychorus) *maculipes* Wesmael,1835 (Braconidae)
866. *Blacus* (Ganychorus) *madli* Haeselbarth,1992 (Braconidae)
867. *Blacus* (Ganychorus) *pallipes* Haliday,1835 (Braconidae)
868. *Blacus* (Ganychorus) *ruficornis* (Nees ab Esenbeck,1811) (Braconidae)
869. *Blacus* (Hysteroobolus) *nixonii* Haeselbarth,1973 (Braconidae)
870. *Blacus* (Neoblacus) *koenigi* Fischer,1966 (Braconidae)
871. *Blacus* (s.str.) *bovistae* Haeselbarth,1973 (Braconidae)
872. *Blacus* (s.str.) *errans* (Nees ab Esenbeck,1811) (Braconidae)
873. *Blacus* (s.str.) *exilis* (Nees ab Esenbeck,1811) (Braconidae)
874. *Blacus* (s.str.) *filicornis* Haeselbarth,1973 (Braconidae)
875. *Blacus* (s.str.) *forticornis* Haeselbarth,1973 (Braconidae)
876. *Blacus* (s.str.) *fuscipes* Goureau,1861 (Braconidae)
877. *Blacus* (s.str.) *hastatus* (Haliday,1835) (Braconidae)
878. *Blacus* (s.str.) *humilis* (Nees ab Esenbeck,1811) (Braconidae)
879. *Blacus* (s.str.) *instabilis* Ruthe,1861 (Braconidae)
880. *Blacus* (s.str.) *interstitialis* (Ruthe,1861) (Braconidae)
881. *Blacus* (s.str.) *leptostigma* Ruthe,1861 (Braconidae)
882. *Blacus* (s.str.) *longipennis* (Gravenhorst,1807) (Braconidae)
883. *Blacus* (s.str.) *nigricornis* Haeselbarth,1973 (Braconidae)
884. *Blacus* (s.str.) *paganus* (Haliday,1835) (Braconidae)
885. *Blacus* (s.str.) *rufescens* Ruthe,1861 (Braconidae)
886. *Blacus* (s.str.) *stelfoxi* Haeselbarth,1973 (Braconidae)
887. *Bracon* (Asiabracon) *quadrifaculatus* Telenga,1936 (Braconidae)
888. *Bracon* (Cyanopterobracon) *armeniacus* Telenga,1936 (Braconidae)
889. *Bracon* (Cyanopterobracon) *fallax* Szépligeti,1901 (Braconidae)
890. *Bracon* (Cyanopterobracon) *illyricus* (Marshall,1888) (Braconidae)
891. *Bracon* (Cyanopterobracon) *oculatus* Tobias,1957 (Braconidae)
892. *Bracon* (Cyanopterobracon) *sabulosus* Szépligeti,1896 (Braconidae)
893. *Bracon* (Cyanopterobracon) *spectabilis* (Telenga,1936) (Braconidae)
894. *Bracon* (Glabrobracon) *abbreviator* Nees ab Esenbeck,1834 (Braconidae)
895. *Bracon* (Glabrobracon) *admotus* Papp,2000 (Braconidae)
896. *Bracon* (Glabrobracon) *ahngeri* Telenga,1936 (Braconidae)
897. *Bracon* (Glabrobracon) *angustiventris* Tobias,1957 (Braconidae)
898. *Bracon* (Glabrobracon) *anthracinus* (Nees ab Esenbeck,1834) (Braconidae)
899. *Bracon* (Glabrobracon) *arcuatus* Thomson,1957 (Braconidae)
900. *Bracon* (Glabrobracon) *atrator* (Nees ab Esenbeck,1834) (Braconidae)
901. *Bracon* (Glabrobracon) *baseflavus* Beyarslan,2002 (Braconidae)
902. *Bracon* (Glabrobracon) *bilgini* Beyarslan,2002 (Braconidae)
903. *Bracon* (Glabrobracon) *brevicalcaratus* Tobias,1957 (Braconidae)
904. *Bracon* (Glabrobracon) *caudatus* Ratzeburg,1848 (Braconidae)
905. *Bracon* (Glabrobracon) *caudiger* Nees ab Esenbeck,1834 (Braconidae)
906. *Bracon* (Glabrobracon) *chrysostigma* Greese,1928 (Braconidae)
907. *Bracon* (Glabrobracon) *cingulator* Szépligeti,1901 (Braconidae)
908. *Bracon* (Glabrobracon) *ciscaucasicus* Telenga,1936 (Braconidae)
909. *Bracon* (Glabrobracon) *delusorius* Telenga,1936 (Braconidae)
910. *Bracon* (Glabrobracon) *delusorius* Telenga,1936 (Braconidae)
911. *Bracon* (Glabrobracon) *densipilosus* Tobias,1957 (Braconidae)
912. *Bracon* (Glabrobracon) *dersimensis* Beyarslan,2012 (Braconidae)
913. *Bracon* (Glabrobracon) *dichromus* (Wesmael,1838) (Braconidae)
914. *Bracon* (Glabrobracon) *discoideus* (Wesmael,1838) (Braconidae)
915. *Bracon* (Glabrobracon) *dolichurus* Marshall,1897 (Braconidae)
916. *Bracon* (Glabrobracon) *erzurumensis* Beyarslan,2002 (Braconidae)
917. *Bracon* (Glabrobracon) *fadiche* Beyarslan,1996 (Braconidae)
918. *Bracon* (Glabrobracon) *flavipalpis* Thomson,1892 (Braconidae)
919. *Bracon* (Glabrobracon) *frater* Tobias,1957 (Braconidae)
920. *Bracon* (Glabrobracon) *fumatus* Szépligeti,1901 (Braconidae)
921. *Bracon* (Glabrobracon) *fumipennis* (Thomson,1892) (Braconidae)
922. *Bracon* (Glabrobracon) *helleni* Telenga,1936 (Braconidae)
923. *Bracon* (Glabrobracon) *hemiflavus* Szépligeti,1901 (Braconidae)
924. *Bracon* (Glabrobracon) *immutator* Nees ab Esenbeck,1834 (Braconidae)
925. *Bracon* (Glabrobracon) *jaroslavensis* Telenga,1936 (Braconidae)
926. *Bracon* (Glabrobracon) *janoi* Beyarslan,2010 (Braconidae)
927. *Bracon* (Glabrobracon) *kirgisorum* Telenga,1936 (Braconidae)
928. *Bracon* (Glabrobracon) *larvicida* (Wesmael,1838) (Braconidae)
929. *Bracon* (Glabrobracon) *lividus* Telenga,1936 (Braconidae)
930. *Bracon* (Glabrobracon) *longulus* Thomson,1892 (Braconidae)
931. *Bracon* (Glabrobracon) *maculiger* (Wesmael,1838) (Braconidae)
932. *Bracon* (Glabrobracon) *negativus* Tobias,1957 (Braconidae)
933. *Bracon* (Glabrobracon) *nigripilosus* Tobias,1957 (Braconidae)
934. *Bracon* (Glabrobracon) *obscurator* Nees ab Esenbeck,1812 (Braconidae)
935. *Bracon* (Glabrobracon) *osculator* (Nees ab Esenbeck,1812) (Braconidae)
936. *Bracon* (Glabrobracon) *otiosus* Marshall,1885 (Braconidae)
937. *Bracon* (Glabrobracon) *pachyceri* Quintaret,1912 (Braconidae)
938. *Bracon* (Glabrobracon) *parvicornis* Thomson,1892 (Braconidae)
939. *Bracon* (Glabrobracon) *parvulus* (Wesmael,1838) (Braconidae)
940. *Bracon* (Glabrobracon) *pauris* Beyarslan,1996 (Braconidae)
941. *Bracon* (Glabrobracon) *pineti* Thomson,1892 (Braconidae)
942. *Bracon* (Glabrobracon) *planinotus* Tobias,1957 (Braconidae)
943. *Bracon* (Glabrobracon) *popovi* Telenga,1936 (Braconidae)
944. *Bracon* (Glabrobracon) *praecox* (Wesmael,1838) (Braconidae)
945. *Bracon* (Glabrobracon) *praetermissus* Marshall,1885 (Braconidae)
946. *Bracon* (Glabrobracon) *tekkensis* Telenga,1936 (Braconidae)
947. *Bracon* (Glabrobracon) *terebella* (Wesmael,1838) (Braconidae)
948. *Bracon* (Glabrobracon) *tshitsherini* (Kokoujev,1904) (Braconidae)

949. *Bracon* (*Glabrobracon*) *variator* (Nees ab Esenbeck, 1812) (Braconidae)
950. *Bracon* (*Glabrobracon*) *zonites* Marshall, 1897 (Braconidae)
951. *Bracon* (*Habrobracon*) *breviradiatus* (Tobias, 1957) (Braconidae)
952. *Bracon* (*Habrobracon*) *didemie* Beyarslan, 2002 (Braconidae)
953. *Bracon* (*Habrobracon*) *flavosignatus* (Tobias, 1957) (Braconidae)
954. *Bracon* (*Habrobracon*) *hebetor* Say, 1835 (Braconidae)
955. *Bracon* (*Habrobracon*) *kopetdagi* (Tobias, 1957) (Braconidae)
956. *Bracon* (*Habrobracon*) *nigricans* (Szépligeti, 1901) (Braconidae)
957. *Bracon* (*Habrobracon*) *nygmiae* (Telenga, 1936) (Braconidae)
958. *Bracon* (*Habrobracon*) *pillierianae* (Fischer, 1978) (Braconidae)
959. *Bracon* (*Habrobracon*) *ponticus* Tobias, 1986 (Braconidae)
960. *Bracon* (*Habrobracon*) *radialis* (Telenga, 1936) (Braconidae)
961. *Bracon* (*Habrobracon*) *simonovi* (Kokujev, 1914) (Braconidae)
962. *Bracon* (*Habrobracon*) *stabilis* (Wesmael, 1838) (Braconidae)
963. *Bracon* (*Habrobracon*) *telengai* (Mulyarskaya, 1955) (Braconidae)
964. *Bracon* (*Habrobracon*) *viktorovi* (Tobias, 1936) (Braconidae)
965. *Bracon* (*Lucobracon*) *achterbergi* Beyarslan, 2010 (Braconidae)
966. *Bracon* (*Lucobracon*) *aestivalis* Szépligeti, 1901 (Braconidae)
967. *Bracon* (*Lucobracon*) *brachycerus* Thomson, 1892 (Braconidae)
968. *Bracon* (*Lucobracon*) *brachypterus* Tobias, 1959 (Braconidae)
969. *Bracon* (*Lucobracon*) *breviradius* Beyarslan, 2011 (Braconidae)
970. *Bracon* (*Lucobracon*) *brevitemporis* Tobias, 1959 (Braconidae)
971. *Bracon* (*Lucobracon*) *hyuranicanus* Tobias, 1976 (Braconidae)
972. *Bracon* (*Lucobracon*) *concavus* Tobias, 1957 (Braconidae)
973. *Bracon* (*Lucobracon*) *crassungula* Thomson, 1892 (Braconidae)
974. *Bracon* (*Lucobracon*) *erraticus* (Wesmael, 1838) (Braconidae)
975. *Bracon* (*Lucobracon*) *femoralis* (Brullé, 1832) (Braconidae)
976. *Bracon* (*Lucobracon*) *filizae* Beyarslan, 2002 (Braconidae)
977. *Bracon* (*Lucobracon*) *flagellaris* Thomson, 1892 (Braconidae)
978. *Bracon* (*Lucobracon*) *fortipes* (Wesmael, 1838) (Braconidae)
979. *Bracon* (*Lucobracon*) *fumigidus* Szépligeti, 1901 (Braconidae)
980. *Bracon* (*Lucobracon*) *grandiceps* Thomson, 1892 (Braconidae)
981. *Bracon* (*Lucobracon*) *guttiger* (Wesmael, 1838) (Braconidae)
982. *Bracon* (*Lucobracon*) *humidus* Tobias, 1976 (Braconidae)
983. *Bracon* (*Lucobracon*) *hungaricus* (Szépligeti, 1896) (Braconidae)
984. *Bracon* (*Lucobracon*) *hylobii* Ratzeburg, 1848 (Braconidae)
985. *Bracon* (*Lucobracon*) *infernalis* Telenga, 1936 (Braconidae)
986. *Bracon* (*Lucobracon*) *isklericus* Beyarslan, 2002 (Braconidae)
987. *Bracon* (*Lucobracon*) *iskilipus* Beyarslan & Tobias, 2008 (Braconidae)
988. *Bracon* (*Lucobracon*) *jakuticus* Tobias, 1961 (Braconidae)
989. *Bracon* (*Lucobracon*) *kaszabi* Papp, 1967 (Braconidae)
990. *Bracon* (*Lucobracon*) *kuzguni* Beyarslan, 2011 (Braconidae)
991. *Bracon* (*Lucobracon*) *larvicida* (Wesmael, 1838) (Braconidae)
992. *Bracon* (*Lucobracon*) *meyeri* Telenga, 1936 (Braconidae)
993. *Bracon* (*Lucobracon*) *mirus* Szépligeti, 1901 (Braconidae)
994. *Bracon* (*Lucobracon*) *moczari* Papp, 1969 (Braconidae)
995. *Bracon* (*Lucobracon*) *nigriventris* (Wesmael, 1838) (Braconidae)
996. *Bracon* (*Lucobracon*) *pliginskii* Telenga, 1936 (Braconidae)
997. *Bracon* (*Lucobracon*) *punctifer* Thomson, 1892 (Braconidae)
998. *Bracon* (*Lucobracon*) *punctithorax* Tobias, 1959 (Braconidae)
999. *Bracon* (*Lucobracon*) *radiatus* Tobias, 1957 (Braconidae)
1000. *Bracon* (*Lucobracon*) *semifusus* Papp, 1965 (Braconidae)
1001. *Bracon* (*Lucobracon*) *sphaerocephalus* Szépligeti, 1901 (Braconidae)
1002. *Bracon* (*Lucobracon*) *subhylobii* Tobias, 1986 (Braconidae)
1003. *Bracon* (*Lucobracon*) *suchorukovi* Telenga, 1936 (Braconidae)
1004. *Bracon* (*Lucobracon*) *surucicus* Beyarslan, 2002 (Braconidae)
1005. *Bracon* (*Lucobracon*) *talyshicus* Tobias, 1976 (Braconidae)
1006. *Bracon* (*Lucobracon*) *thuringiacus* Schmiedeknecht, 1897 (Braconidae)
1007. *Bracon* (*Lucobracon*) *triangularis* Nees ab Esenbeck, 1834 (Braconidae)
1008. *Bracon* (*Orthobracon*) *discoideus* (Wesmael, 1838) (Braconidae)
1009. *Bracon* (*Orthobracon*) *epitriptus* Marshall, 1885 (Braconidae)
1010. *Bracon* (*Orthobracon*) *exhilarator* Nees ab Esenbeck, 1834 (Braconidae)
1011. *Bracon* (*Orthobracon*) *filicornis* Thomson, 1892 (Braconidae)
1012. *Bracon* (*Orthobracon*) *longigenis* Tobias, 1957 (Braconidae)
1013. *Bracon* (*Orthobracon*) *malatyensis* Beyarslan, 2009 (Braconidae)
1014. *Bracon* (*Orthobracon*) *picticornis* (Wesmael, 1838) (Braconidae)
1015. *Bracon* (*Orthobracon*) *roberti* (Wesmael, 1838) (Braconidae)
1016. *Bracon* (*Orthobracon*) *tenuicornis* (Wesmael, 1838) (Braconidae)
1017. *Bracon* (*Orthobracon*) *titubans* (Wesmael, 1838) (Braconidae)
1018. *Bracon* (*Pigeria*) *piger* (Wesmael, 1838) (Braconidae)
1019. *Bracon* (*Rostrobracon*) *urinator* (Fabricius, 1798) (Braconidae)
1020. *Bracon* (*s.str.*) *bachtiae* Beyarslan, 2012 (Braconidae)
1021. *Bracon* (*s.str.*) *changrinius* Beyarslan, 2002 (Braconidae)
1022. *Bracon* (*s.str.*) *curticornis* (Brues, 1924) (Braconidae)
1023. *Bracon* (*s.str.*) *fulvipes* Nees ab Esenbeck, 1834 (Braconidae)
1024. *Bracon* (*s.str.*) *gusaricus* Telenga, 1933 (Braconidae)
1025. *Bracon* (*s.str.*) *intercessor* Nees ab Esenbeck, 1834 (Braconidae)
1026. *Bracon* (*s.str.*) *kozak* Telenga, 1936 (Braconidae)
1027. *Bracon* (*s.str.*) *kuslitzkyi* Tobias, 1986 (Braconidae)
1028. *Bracon* (*s.str.*) *laetus* (Wesmael, 1838) (Braconidae)
1029. *Bracon* (*s.str.*) *leptus* Marshall, 1897 (Braconidae)
1030. *Bracon* (*s.str.*) *longicollis* (Wesmael, 1838) (Braconidae)
1031. *Bracon* (*s.str.*) *luteator* Spinola, 1808 (Braconidae)
1032. *Bracon* (*s.str.*) *luteator* Spinola, 1808 (Braconidae)
1033. *Bracon* (*s.str.*) *mariae* Dalla Torre, 1898 (Braconidae)
1034. *Bracon* (*s.str.*) *mimutator* (Fabricius, 1798) (Braconidae)
1035. *Bracon* (*s.str.*) *murgabensis* Tobias, 1957 (Braconidae)
1036. *Bracon* (*s.str.*) *nigratus* (Wesmael, 1838) (Braconidae)
1037. *Bracon* (*s.str.*) *pectoralis* (Wesmael, 1838) (Braconidae)
1038. *Bracon* (*s.str.*) *spurnensis* Hincks, 1951 (Braconidae)
1039. *Bracon* (*s.str.*) *subglaber* Szépligeti, 1901 (Braconidae)
1040. *Bracon* (*s.str.*) *trucidator* Marshall, 1888 (Braconidae)
1041. *Bracon* (*s.str.*) *variagator* Spinola, 1808 (Braconidae)
1042. *Camptothlipis* *armeniaca* (Telenga, 1935) (Braconidae)
1043. *Ceratobracon* *stschegolevi* (Telenga, 1933) (Braconidae)
1044. *Chelonus* (*Microchelonus*) *atripes* (Thomson, 1874) (Braconidae)
1045. *Chelonus* (*Microchelonus*) *basalis* (Curtis, 1837) (Braconidae)
1046. *Chelonus* (*Microchelonus*) *cesa* Koçak & Kemal, 2013 (Braconidae)
1047. *Chelonus* (*Microchelonus*) *contracta* (Nees ab Esenbeck, 1834) (Braconidae)
1048. *Chelonus* (*Microchelonus*) *exilis* (Marshall, 1885) (Braconidae)
1049. *Chelonus* (*Microchelonus*) *fissilis* (Tobias, 1985) (Braconidae)
1050. *Chelonus* (*Microchelonus*) *flavoneavulus* Abidinbekova, 1971 (Braconidae)
1051. *Chelonus* (*Microchelonus*) *hungaricus* (Szépligeti, 1896) (Braconidae)
1052. *Chelonus* (*Microchelonus*) *kopetdagicus* (Tobias, 1966) (Braconidae)
1053. *Chelonus* (*Microchelonus*) *magnifissuralis* Abidinbekova, 1971 (Braconidae)
1054. *Chelonus* (*Microchelonus*) *microphthalmus* Wesmael, 1838 (Braconidae)
1055. *Chelonus* (*Microchelonus*) *nigritibialis* Abidinbekova, 1971 (Braconidae)
1056. *Chelonus* (*Microchelonus*) *nitens* (Reinhard, 1867) (Braconidae)
1057. *Chelonus* (*Microchelonus*) *rostratus* (Tobias, 1966) (Braconidae)
1058. *Chelonus* (*Microchelonus*) *subcontractus* Abidinbekova, 1971 (Braconidae)
1059. *Chelonus* (*Microchelonus*) *sulcatus* Jurine, 1807 (Braconidae)
1060. *Chelonus* (*Microchelonus*) *turcius* (Tobias, 2008) (Braconidae)
1061. *Chelonus* (*s.str.*) *beyarslanii* Aydoğdu, 2008 (Braconidae)
1062. *Chelonus* (*s.str.*) *carbonator* Marshall, 1885 (Braconidae)
1063. *Chelonus* (*s.str.*) *elongatus* Szépligeti, 1898 (Braconidae)
1064. *Chelonus* (*s.str.*) *erythrogaster* Lucas, 1846 (Braconidae)
1065. *Chelonus* (*s.str.*) *gravenhorstii* (Nees ab Esenbeck, 1813) (Braconidae)
1066. *Chelonus* (*s.str.*) *ininitus* (Linnaeus, 1767) (Braconidae)
1067. *Chelonus* (*s.str.*) *mucronatus* Thomson, 1874 (Braconidae)
1068. *Chelonus* (*s.str.*) *obscurator* Herrich-Schäffer, 1838 (Braconidae)
1069. *Chelonus* (*s.str.*) *oculator* (Fabricius, 1775) (Braconidae)
1070. *Chelostes* *robustus* Van Achterberg, 1990 (Braconidae)
1071. *Chelostes* *subrobustus* Yilmaz & Beyarslan, 2009 (Braconidae)
1072. *Choerobus* *dorsalis* (Spinola, 1808) (Braconidae)
1073. *Choerobus* *anasella* (Stelfox, 1952) (Braconidae)
1074. *Choerobus* *aphanthus* (Marshall, 1895) (Braconidae)
1075. *Choerobus* *avesta* (Nixon, 1944) (Braconidae)
1076. *Choerobus* *cyclops* (Nixon, 1937) (Braconidae)
1077. *Choerobus* *diremtus* (Nees ab Esenbeck, 1834) (Braconidae)
1078. *Choerobus* *femoratus* (Tobias, 1962) (Braconidae)
1079. *Choerobus* *flavipes* Goureau, 1851 (Braconidae)
1080. *Choerobus* *iridis* Griffiths, 1968 (Braconidae)
1081. *Choerobus* *perkinsi* (Nixon, 1968) (Braconidae)
1082. *Choerobus* *varuna* (Nixon, 1945) (Braconidae)
1083. *Clinocentrus* *vestigator* (Haliday, 1836) (Braconidae)
1084. *Coelinidea* *albimanus* (Snellen van Vollenhoven, 1873) (Braconidae)
1085. *Coelinidea* *elegans* (Curtis, 1829) (Braconidae)
1086. *Coeloides* *abdominalis* (Zetterstedt, 1838) (Braconidae)
1087. *Coeloides* *foersteri* Haeselbarth, 1967 (Braconidae)
1088. *Colastes* *aciculatus* Tobias, 1986 (Braconidae)
1089. *Colastes* *bracanicus* Haliday, 1833 (Braconidae)
1090. *Colastes* *catenator* (Haliday, 1836) (Braconidae)
1091. *Colastes* *laevis* (Thomson, 1892) (Braconidae)
1092. *Colastes* *lustrator* (Haliday, 1836) (Braconidae)
1093. *Colastes* *vividus* Papp, 1975 (Braconidae)
1094. *Cotesia* *ancilla* (Nixon, 1974) (Braconidae)
1095. *Cotesia* *brevicornis* (Wesmael, 1837) (Braconidae)
1096. *Cotesia* *calodetta* (Nixon, 1974) (Braconidae)
1097. *Cotesia* *cyprea* (Lylé, 1925) (Braconidae)
1098. *Cotesia* *guryonis* (Marshall, 1885) (Braconidae)
1099. *Cotesia* *glabrata* (Telenga, 1955) (Braconidae)
1100. *Cotesia* *hypantria* (Riley, 1887) (Braconidae)
1101. *Cotesia* *jucunda* (Marshall, 1885) (Braconidae)
1102. *Cotesia* *juniperatae* (Bouché, 1834) (Braconidae)
1103. *Cotesia* *kazak* (Telenga, 1949) (Braconidae)
1104. *Cotesia* *kurdjumovi* (Telenga, 1955) (Braconidae)
1105. *Cotesia* *lineola* (Curtis, 1830) (Braconidae)
1106. *Cotesia* *melanoscela* (Ratzeburg, 1844) (Braconidae)
1107. *Cotesia* *memon* (Nixon, 1974) (Braconidae)
1108. *Cotesia* *numen* (Nixon, 1974) (Braconidae)
1109. *Cotesia* *ofella* (Nixon, 1974) (Braconidae)
1110. *Cotesia* *orestes* (Nixon, 1974) (Braconidae)
1111. *Cotesia* *pappi* Inanç, 2002 (Braconidae)
1112. *Cotesia* *risilis* (Nixon, 1974) (Braconidae)
1113. *Cotesia* *ruficrus* (Haliday, 1834) (Braconidae)
1114. *Cotesia* *salatoria* (Balevski, 1980) (Braconidae)
1115. *Cotesia* *setebis* (Nixon, 1974) (Braconidae)
1116. *Cotesia* *telengai* (Tobias, 1972) (Braconidae)
1117. *Cotesia* *tenebrosa* (Wesmael, 1837) (Braconidae)
1118. *Cotesia* *tetrica* (Reinhard, 1880) (Braconidae)
1119. *Cotesia* *tibialis* (Curtis, 1830) (Braconidae)
1120. *Cotesia* *vanessae* (Reinhard, 1880) (Braconidae)
1121. *Cotesia* *villanus* Reinhard, 1880 (Braconidae)
1122. *Cotesia* *zygaenarum* (Marshall, 1885) (Braconidae)
1123. *Cratospila* *circe* (Haliday, 1838) (Braconidae)
1124. *Cremnops* *desertor* (Linnaeus, 1758) (Braconidae)
1125. *Dacnusa* *evadne* Nixon, 1937 (Braconidae)
1126. *Dacnusa* *gentianae* Griffiths, 1967 (Braconidae)
1127. *Dapsilarthra* *balteata* (Thomson, 1895) (Braconidae)
1128. *Dapsilarthra* *rufiventris* (Nees, 1812) (Braconidae)
1129. *Dendrosoter* *protuberans* (Nees ab Esenbeck, 1834) (Braconidae)
1130. *Dendrosotinus* *ferrugineus* (Marshall, 1888) (Braconidae)
1131. *Dendrosotinus* *Telenga*, 1941 (Braconidae)
1132. *Diachasma* *graeffei* (Fischer, 1959) (Braconidae)
1133. *Diachasmimorpha* (*s.str.*) *paconiae* (Tobias, 1980) (Braconidae)
1134. *Dinotrema* *intermissum* (Fischer, 1974) (Braconidae)
1135. *Dinotrema* *longicauda* Tobias, 2003 (Braconidae)
1136. *Dinotrema* *samsunense* Fischer & Sullivan, 2014 (Braconidae)
1137. *Diolcogaster* *alvearia* (Fabricius, 1798) (Braconidae)
1138. *Diolcogaster* *claritibia* (Papp, 1959) (Braconidae)
1139. *Diolcogaster* *spreti* (Marshall, 1885) (Braconidae)
1140. *Diospilus* *angorensis* Beyarslan, 2014 (Braconidae)
1141. *Diospilus* *belokobylskiji* Beyarslan, 2008 (Braconidae)
1142. *Diospilus* *capito* (Nees ab Esenbeck, 1834) (Braconidae)
1143. *Diospilus* *inflexus* Reinhard, 1862 (Braconidae)



1144. *Diospilus melanoscclus* (Nees ab Esenbeck,1834) (Braconidae)
1145. *Diospilus morosus* Reinhard,1862 (Braconidae)
1146. *Diospilus nigricornis* (Wesmael,1835) (Braconidae)
1147. *Diospilus productus* Marshall,1894 (Braconidae)
1148. *Disophrys caesa* (Klug,1835) (Braconidae)
1149. *Dolichogenidea anarsiae* (Faure & Alabouvetle,1924) (Braconidae)
1150. *Dolichogenidea bilecikensis* İnanç & Çetin Erdoğan,2004 (Braconidae)
1151. *Dolichogenidea breviventrís* (Ratzeburg,1848) (Braconidae)
1152. *Dolichogenidea coleophorae* (Wilkinson,1938) (Braconidae)
1153. *Dolichogenidea drusilla* (Nixon,1972) (Braconidae)
1154. *Dolichogenidea emarginata* (Nees ab Esenbeck,1834) (Braconidae)
1155. *Dolichogenidea immissus* (Papp,1977) (Braconidae)
1156. *Dolichogenidea infimus* (Haliday,1834) (Braconidae)
1157. *Dolichogenidea lacteicolor* (Viereck,1911) (Braconidae)
1158. *Dolichogenidea litae* (Nixon,1972) (Braconidae)
1159. *Dolichogenidea longicauda* (Wesmael,1837) (Braconidae)
1160. *Dolichogenidea longipalpis* (Reinhard,1880) (Braconidae)
1161. *Dolichogenidea mycale* (Nixon,1972) (Braconidae)
1162. *Dolichogenidea sicarius* (Marshall,1885) (Braconidae)
1163. *Dolichogenidea soikai* (Nixon,1972) (Braconidae)
1164. *Dolopsidea indagator* (Haliday,1836) (Braconidae)
1165. *Dolopsidea tatiánae* (Telenga,1941) (Braconidae)
1166. *Doryctes leucogaster* (Nees ab Esenbeck,1834) (Braconidae)
1167. *Doryctes molorchii* Fischer,1971 (Braconidae)
1168. *Doryctes striatelli* (Nees ab Esenbeck,1834) (Braconidae)
1169. *Doryctes undulatus* (Ratzeburg,1852) (Braconidae)
1170. *Ecphyllus silesiacus* (Ratzeburg,1848) (Braconidae)
1171. *Ephedrus lacertus* (Haliday,1833) (Braconidae)
1172. *Ephedrus persicae* Froggatt,1904 (Braconidae)
1173. *Ephedrus plagiator* (Nees ab Esenbeck,1811) (Braconidae)
1174. *Eurytenes* (Jucundopius) *campanariae* (Fischer,1959) (Braconidae)
1175. *Exotela umbellina* (Nixon,1954) (Braconidae)
1176. *Foesteria longicauda* Achterberg,1990 (Braconidae)
1177. *Glyptapanteles antione* (Nixon,1973) (Braconidae)
1178. *Glyptapanteles callidus* (Haliday,1834) (Braconidae)
1179. *Glyptapanteles eugeni* (Papp,1972) (Braconidae)
1180. *Glyptapanteles fulvipes* (Haliday,1834) (Braconidae)
1181. *Glyptapanteles mygdoniae* (Nixon,1973) (Braconidae)
1182. *Glyptomorpha baetica* (Spinola,1843) (Braconidae)
1183. *Glyptomorpha discolor* (Thunberg,1822) (Braconidae)
1184. *Glyptomorpha elector* (Kokujev,1898) (Braconidae)
1185. *Glyptomorpha exculpta* Shestakov,1926 (Braconidae)
1186. *Glyptomorpha gracilis* (Szépligeti,1901) (Braconidae)
1187. *Glyptomorpha kasparyani* Tobias,1976 (Braconidae)
1188. *Glyptomorpha pectoralis* (Brullé,1832) (Braconidae)
1189. *Hecabalodes radialis* Tobias,1962 (Braconidae)
1190. *Hellenius semiruber* (Hellen,1958) (Braconidae)
1191. *Heterolexis balteata* (Thomson,1895) (Braconidae)
1192. *Heterolexis boscoloi* Fischer,1993 (Braconidae)
1193. *Heterospilus cephi* Rohwer,1925 (Braconidae)
1194. *Heterospilus genalis* Tobias,1976 (Braconidae)
1195. *Heterospilus hemipterus* (Thomson,1892) (Braconidae)
1196. *Heterospilus leptosoma* Fischer,1960 (Braconidae)
1197. *Heterospilus rubricola* Fischer,1968 (Braconidae)
1198. *Heterospilus tadhicus* Belokobyl'ski,1983 (Braconidae)
1199. *Heterospilus tauricus* Telenga,1941 (Braconidae)
1200. *Hormius moniliatus* (Nees ab Esenbeck,1811) (Braconidae)
1201. *Hormius similis* Szépligeti,1896 (Braconidae)
1202. *Iconella albinervis* (Tobias,1964) (Braconidae)
1203. *Iconella lacteoides* (Nixon,1965) (Braconidae)
1204. *Iconella laspysesiella* (Papp,1972) (Braconidae)
1205. *Iconella vindicia* (Nixon,1965) (Braconidae)
1206. *Idiasta adanacola* Fischer & Beyarslan,2012 (Braconidae)
1207. *Idiasta dichrocera* Königsman,1960 (Braconidae)
1208. *Idiasta rugosipleurum* Fischer & Beyarslan,2012 (Braconidae)
1209. *Idiasta subannellata* (Thomson,1895) (Braconidae)
1210. *Illidops butalidis* (Marshall,1888) (Braconidae)
1211. *Illidops naso* (Marshall,1888) (Braconidae)
1212. *Illidops szaboi* (Papp,1974) (Braconidae)
1213. *Illidops urgo* (Nixon,1965) (Braconidae)
1214. *Illidops vipio* (Reihard,1880) (Braconidae)
1215. *Indiopus cretensis* Fischer,1983 (Braconidae)
1216. *Indiopus sagonensis* Fischer,1966 (Braconidae)
1217. *Indiopus yilmazea* Fischer & Beyarslan,2011 (Braconidae)
1218. *Iphiaulax* (Euglyptobracon) *bicolor* (Telenga,1936) (Braconidae)
1219. *Iphiaulax fastidior* (Fabricius,1781) (Braconidae)
1220. *Iphiaulax impeditor* (Kokujev,1898) (Braconidae)
1221. *Iphiaulax impostor* (Scopoli,1763) (Braconidae)
1222. *Iphiaulax jacobsoni* Shestakov,1927 (Braconidae)
1223. *Iphiaulax jakowlewii* (Kokujev,1898) (Braconidae)
1224. *Iphiaulax mactator* (Klug,1817) (Braconidae)
1225. *Iphiaulax potanini* (Kokujev,1898) (Braconidae)
1226. *Iphiaulax tauricus* Shestakov,1927 (Braconidae)
1227. *Kerogrilus longicauda* Van Achterberg,1985 (Braconidae)
1228. *Kerogrilus zonator* (Szépligeti,1896) (Braconidae)
1229. *Leluthia* (Euhebabolodes) *asiatica* (Tobias,1980) (Braconidae)
1230. *Leluthia* (Euhebabolodes) *ruguloscolyti* (Fischer,1962) (Braconidae)
1231. *Leluthia* (Euhebabolodes) *transcaucasica* (Tobias,1976) (Braconidae)
1232. *Leluthia* (s.str.) *paradoxa* (Picard,1938) (Braconidae)
1233. *Lipolexis gracilis* Förster,1862 (Braconidae)
1234. *Meteorus gyator* (Thunberg,1822) (Braconidae)
1235. *Meteorus ictericus* (Nees ab Esenbeck,1811) (Braconidae)
1236. *Meteorus obsoletus* (Wesmael,1835) (Braconidae)
1237. *Meteorus polittute* Shenefelt,1969 (Braconidae)
1238. *Meteorus pulchricornis* (Wesmael,1835) (Braconidae)
1239. *Meteorus rubens* (Nees ab Esenbeck,1811) (Braconidae)
1240. *Meteorus unicolor* (Wesmael,1835) (Braconidae)
1241. *Meteorus versicolor* (Wesmael,1835) (Braconidae)
1242. *Microgaster alebion* Nixon,1968 (Braconidae)
1243. *Microgaster famulus* Nixon,1965 (Braconidae)
1244. *Microgaster filizinancae* Koçak & Kemal,2013 (Braconidae)
1245. *Microgaster fischeri* Papp,1960 (Braconidae)
1246. *Microgaster fulvius* Thomson,1895 (Braconidae)
1247. *Microgaster opheltes* Nixon,1968 (Braconidae)
1248. *Microgaster stictica* Ruthe,1858 (Braconidae)
1249. *Microgaster subcompleta* Nees ab Esenbeck,1834 (Braconidae)
1250. *Microplitis beyarslanii* İnanç,2002 (Braconidae)
1251. *Microplitis cebes* Nixon,1970 (Braconidae)
1252. *Microplitis deces* Tobias,1964 (Braconidae)
1253. *Microplitis decipiens* Prell,1925 (Braconidae)
1254. *Microplitis deprimator* (Fabricius,1798) (Braconidae)
1255. *Microplitis docilis* (Telenga,1964) (Braconidae)
1256. *Microplitis flavipalpis* Brullé,1832 (Braconidae)
1257. *Microplitis fordii* Nixon,1970 (Braconidae)
1258. *Microplitis fulvicornis* (Wesmael,1837) (Braconidae)
1259. *Microplitis heterocera* Ruthe,1860 (Braconidae)
1260. *Microplitis idia* Nixon,1970 (Braconidae)
1261. *Microplitis mandibularis* Thomson,1895 (Braconidae)
1262. *Microplitis marshallii* Kokujev,1897 (Braconidae)
1263. *Microplitis mediator* (Haliday,1834) (Braconidae)
1264. *Microplitis naenia* Nixon,1970 (Braconidae)
1265. *Microplitis pseudomurina* Abdinbekova,1969 (Braconidae)
1266. *Microplitis scrophulariae* Szépligeti,1898 (Braconidae)
1267. *Microplitis sofron* Nixon,1970 (Braconidae)
1268. *Microplitis spinolae* Nees ab Esenbeck,1834 (Braconidae)
1269. *Microplitis strenua* Reinhard,1880 (Braconidae)
1270. *Microplitis tristis* (Nees ab Esenbeck,1834) (Braconidae)
1271. *Microplitis tuberculifer* (Wesmael,1837) (Braconidae)
1272. *Microplitis varipes* Ruthe,1860 (Braconidae)
1273. *Microplitis vidua* (Ruthe,1860) (Braconidae)
1274. *Microtypus trigonus* (Nees ab Esenbeck,1834) (Braconidae)
1275. *Microtypus wesmaelii* Ratzeburg,1848 (Braconidae)
1276. *Mirax rufilabris* Haliday,1833 (Braconidae)
1277. *Mirax sculpturator* Belokobyl'ski,1989 (Braconidae)
1278. *Mirax striatus* Beyarslan,2009 (Braconidae)
1279. *Monoctonus crepidis* (Haliday,1834) (Braconidae)
1280. *Oncophanes minutus* (Wesmael,1838) (Braconidae)
1281. *Ontsira antica* (Wollaston,1858) (Braconidae)
1282. *Ontsira imperator* (Haliday,1836) (Braconidae)
1283. *Opiognathus propeactum* (Fischer,1984) (Braconidae)
1284. *Opiognathus propodealis* (Fischer,1958) (Braconidae)
1285. *Opiostomus divinus* Tobias,1998 (Braconidae)
1286. *Opiostomus griffithsi* (Fischer,1962) (Braconidae)
1287. *Opius* (Ilicopius) *bajariae* Fischer,1989 (Braconidae)
1288. *Opius* (Ilicopius) *moravicus* Fischer,1960 (Braconidae)
1289. *Opius* (Ilicopius) *pulchripes* (Szépligeti,1898) (Braconidae)
1290. *Opius* (Merotrachys) *schmidtii* Fischer,1960 (Braconidae)
1291. *Opius* (Odontopoea) *connivens* Thomson,1895 (Braconidae)
1292. *Opius* (Odontopoea) *metanivens* Fischer,1992 (Braconidae)
1293. *Opius* (Odontopoea) *rhodopicala* Zaykov & Fischer,1986 (Braconidae)
1294. *Opius* (Rhogadopsis) *parvungula* Thomson,1895 (Braconidae)
1295. *Opius* (s.str.) *abditus* Fischer,1960 (Braconidae)
1296. *Opius* (s.str.) *adanacola* Fischer & Beyarslan,2005 (Braconidae)
1297. *Opius* (s.str.) *agromyzicola* Fischer,1967 (Braconidae)
1298. *Opius* (s.str.) *arundinis* Fischer,1964 (Braconidae)
1299. *Opius* (s.str.) *bouceki* Fischer,1958 (Braconidae)
1300. *Opius* (s.str.) *bulgaricus* Fischer,1959 (Braconidae)
1301. *Opius* (s.str.) *caricivora* Fischer,1964 (Braconidae)
1302. *Opius* (s.str.) *ciceris* Fischer,1974 (Braconidae)
1303. *Opius* (s.str.) *coloraticeps* Fischer,1996 (Braconidae)
1304. *Opius* (s.str.) *confusus* Fischer,1996 (Braconidae)
1305. *Opius* (s.str.) *crassipes* Wesmael,1835 (Braconidae)
1306. *Opius* (s.str.) *curticornis* Fischer,1960 (Braconidae)
1307. *Opius* (s.str.) *dureseauli* Fischer,1975 (Braconidae)
1308. *Opius* (s.str.) *exiloides* Fischer,1989 (Braconidae)
1309. *Opius* (s.str.) *filicornis* Thomson,1895 (Braconidae)
1310. *Opius* (s.str.) *fuscipennis* Wesmael,1835 (Braconidae)
1311. *Opius* (s.str.) *gracilis* Fischer,1957 (Braconidae)
1312. *Opius* (s.str.) *kilisanus* Fischer & Beyarslan,2005 (Braconidae)
1313. *Opius* (s.str.) *kirklareliensis* Fischer & Beyarslan,2005 (Braconidae)
1314. *Opius* (s.str.) *laevis* Wesmael,1835 (Braconidae)
1315. *Opius* (s.str.) *lara* Fischer,1968 (Braconidae)
1316. *Opius* (s.str.) *larissa* Fischer,1968 (Braconidae)
1317. *Opius* (s.str.) *latistigma* Fischer,1960 (Braconidae)
1318. *Opius* (s.str.) *longicornis* Thomson,1895 (Braconidae)
1319. *Opius* (s.str.) *loniceriae* Fischer,1958 (Braconidae)
1320. *Opius* (s.str.) *lugens* Haliday,1837 (Braconidae)
1321. *Opius* (s.str.) *magnicauda* Fischer,1958 (Braconidae)
1322. *Opius* (s.str.) *menudus* Papp,1982 (Braconidae)
1323. *Opius* (s.str.) *minusculae* Fischer,1967 (Braconidae)
1324. *Opius* (s.str.) *mirabilis* Fischer,1958 (Braconidae)
1325. *Opius* (s.str.) *mischa* Fischer,1968 (Braconidae)
1326. *Opius* (s.str.) *monilicornis* Fischer,1962 (Braconidae)
1327. *Opius* (s.str.) *neopendulus* Fischer,1989 (Braconidae)
1328. *Opius* (s.str.) *nigricolor* Fischer,1960 (Braconidae)
1329. *Opius* (s.str.) *nigricoloratus* Fischer,1958 (Braconidae)
1330. *Opius* (s.str.) *occulis* Telenga,1950 (Braconidae)
1331. *Opius* (s.str.) *ochrogaster* Wesmael,1835 (Braconidae)
1332. *Opius* (s.str.) *opacus* Fischer,1968 (Braconidae)
1333. *Opius* (s.str.) *orbiculator* (Nees ab Esenbeck,1811) (Braconidae)
1334. *Opius* (s.str.) *osogovoensis* Fischer,1964 (Braconidae)
1335. *Opius* (s.str.) *pallipes* Wesmael,1835 (Braconidae)
1336. *Opius* (s.str.) *pendulus* Haliday,1837 (Braconidae)
1337. *Opius* (s.str.) *peterseni* Fischer,1964 (Braconidae)
1338. *Opius* (s.str.) *ponticus* Fischer,1958 (Braconidae)
1339. *Opius* (s.str.) *pygmaeator* (Ness,1811) (Braconidae)
1340. *Opius* (s.str.) *pygmaeus* Fischer,1962 (Braconidae)
1341. *Opius* (s.str.) *quasipulvis* Fischer,1989 (Braconidae)
1342. *Opius* (s.str.) *radialis* Fischer,1957 (Braconidae)
1343. *Opius* (s.str.) *singularis* Wesmael,1835 (Braconidae)
1344. *Opius* (s.str.) *soenderupianus* Fischer,1967 (Braconidae)
1345. *Opius* (s.str.) *sonja* Fischer,1968 (Braconidae)
1346. *Opius* (s.str.) *staryi* Fischer,1958 (Braconidae)
1347. *Opius* (s.str.) *tabificus* Papp,1979 (Braconidae)
1348. *Opius* (s.str.) *tenellae* Fischer,1969 (Braconidae)
1349. *Opius* (s.str.) *tersus* (Förster,1862) (Braconidae)
1350. *Opius* (s.str.) *turcius* Fischer,1960 (Braconidae)
1351. *Opius* (s.str.) *vindex* Haliday,1837 (Braconidae)
1352. *Opius* (s.str.) *wachsmanni* Szépligeti,1898 (Braconidae)
1353. *Opius* (Snoflakopius) *snoflaci* Fischer,1959 (Braconidae)
1354. *Orgilus abbreviator* (Ratzeburg,1852) (Braconidae)
1355. *Orgilus claripennis* Ivanov,1899 (Braconidae)
1356. *Orgilus dilleri* Beyarslan,1996 (Braconidae)
1357. *Orgilus dovnari* Tobias,1986 (Braconidae)
1358. *Orgilus elazigensis* Beyarslan,2011 (Braconidae)
1359. *Orgilus festivus* Papp,1975 (Braconidae)
1360. *Orgilus grunini* Tobias,1986 (Braconidae)
1361. *Orgilus hungaricus* Szépligeti,1896 (Braconidae)
1362. *Orgilus obscurator* (Nees ab Esenbeck,1812) (Braconidae)
1363. *Orgilus pimpinellae* Niezabitowski,1910 (Braconidae)
1364. *Orgilus punctiventris* Tobias,1976 (Braconidae)
1365. *Orgilus punctulator* (Nees ab Esenbeck,1812) (Braconidae)
1366. *Orgilus radialiformis* Beyarslan,2011 (Braconidae)
1367. *Orgilus rudolphae* Tobias,1976 (Braconidae)
1368. *Orgilus rufigaster* Tobias,1964 (Braconidae)
1369. *Orgilus rugosus* (Nees ab Esenbeck,1834) (Braconidae)
1370. *Orgilus similis* Szépligeti,1896 (Braconidae)
1371. *Orgilus similimus* Taeger,1989 (Braconidae)
1372. *Orgilus sticticus* Taeger,1989 (Braconidae)
1373. *Orgilus temporalis* Tobias,1976 (Braconidae)
1374. *Orthostigma beyarslanii* Fischer,1995 (Braconidae)
1375. *Pachystigma nitidulus* Hellen,1927 (Braconidae)
1376. *Pambolus* (Phaenodus) *pallipes* (Förster,1862) (Braconidae)
1377. *Pentapleura angustula* (Haliday,1838) (Braconidae)
1378. *Pentapleura laevipennis* Tobias,1962 (Braconidae)
1379. *Phaetrotoma adentata* (Fischer,1981) (Braconidae)
1380. *Phaetrotoma areatus* (Tobias,1986) (Braconidae)
1381. *Phaetrotoma benigna* (Papp,1981) (Braconidae)
1382. *Phaetrotoma biroi* (Fischer,1960) (Braconidae)
1383. *Phaetrotoma biroica* (Fischer & Beyarslan,2005) (Braconidae)
1384. *Phaetrotoma caucasi* (Tobias,1986) (Braconidae)
1385. *Phaetrotoma cingulatus* (Wesmael,1835) (Braconidae)

1386. *Phaeditoma cingutolicus* (Fischer,1992) (Braconidae)  
1387. *Phaeditoma circulator* (Nees ab Esenbeck,1834) (Braconidae)  
1388. *Phaeditoma depeculator* Förster,1862 (Braconidae)  
1389. *Phaeditoma diversa* (Szépligeti,1898) (Braconidae)  
1390. *Phaeditoma diversiformis* (Fischer,1960) (Braconidae)  
1391. *Phaeditoma docilis* (Haliday,1837) (Braconidae)  
1392. *Phaeditoma erzurumensis* (Fischer,2004) (Braconidae)  
1393. *Phaeditoma exigua* (Wesmael,1835) (Braconidae)  
1394. *Phaeditoma maculipes* (Wesmael,1835) (Braconidae)  
1395. *Phaeditoma mirabunda* (Papp,1982) (Braconidae)  
1396. *Phaeditoma nanosoma* (Fischer,1989) (Braconidae)  
1397. *Phaeditoma paraqvisti* (Fischer,2004) (Braconidae)  
1398. *Phaeditoma pulchrivertris* (Fischer,1958) (Braconidae)  
1399. *Phaeditoma rudiformis* (Fischer,1958) (Braconidae)  
1400. *Phaeditoma scaptomyzae* (Fischer,1967) (Braconidae)  
1401. *Phaeditoma seiuncta* (Fischer,1959) (Braconidae)  
1402. *Phaeditoma sigmodus* (Papp,1981) (Braconidae)  
1403. *Phaeditoma speciosus* (Fischer,1959) (Braconidae)  
1404. *Phaeditoma tuberculifer* (Fischer,1958) (Braconidae)  
1405. *Phaeditoma variegata* (Szépligeti,1896) (Braconidae)  
1406. *Phaeditoma zomborii* (Papp,1982) (Braconidae)  
1407. *Phaenocarpa picinervis* (Haliday,1838) (Braconidae)  
1408. *Phaenocarpa pullata* (Haliday,1838) (Braconidae)  
1409. *Phaenocarpa subruficeps* Gurasashvili,1983 (Braconidae)  
1410. *Phanerotoma* (Bracotritoma) *atra* Snoflak,1951 (Braconidae)  
1411. *Phanerotoma* (Bracotritoma) *bilinea* Lyle,1924 (Braconidae)  
1412. *Phanerotoma* (Bracotritoma) *capeki* Achtelberg,1990 (Braconidae)  
1413. *Phanerotoma* (Bracotritoma) *gracilisoma* Van Achterberg,1990 (Braconidae)  
1414. *Phanerotoma* (Bracotritoma) *intermedia* Achtelberg,1990 (Braconidae)  
1415. *Phanerotoma* (Bracotritoma) *parva* Kokujev,1903 (Braconidae)  
1416. *Phanerotoma* (Bracotritoma) *permixtella* Fischer,1968 (Braconidae)  
1417. *Phanerotoma* (s.str.) *acuminata* Szépligeti,1908 (Braconidae)  
1418. *Phanerotoma* (s.str.) *dentata* (Panzer,1805) (Braconidae)  
1419. *Phanerotoma* (s.str.) *leucobasis* Kriechbauer,1894 (Braconidae)  
1420. *Phanerotoma* (s.str.) *planifrons* (Nees ab Esenbeck,1816) (Braconidae)  
1421. *Phanerotoma* *ocularia* Kohl,1906 (Braconidae)  
1422. *Phanerotoma* *bisulcata* (Herrich-Schäffer,1838) (Braconidae)  
1423. *Phanerotoma* *rufa* (Marshall,1898) (Braconidae)  
1424. *Polydegmon foveolatus* (Herrich-Schäffer,1838) (Braconidae)  
1425. *Polydegmon sinuatus* Förster,1862 (Braconidae)  
1426. *Polystenus rugosus* Förster,1862 (Braconidae)  
1427. *Praon abjectum* (Haliday,1833) (Braconidae)  
1428. *Praon longicorne* Marshall,1896 (Braconidae)  
1429. *Praon pubescens* Stary,1961 (Braconidae)  
1430. *Praon volucre* (Haliday,1833) (Braconidae)  
1431. *Praon yomenae* Takada,1968 (Braconidae)  
1432. *Protapanteles anchiades* (Nixon,1973) (Braconidae)  
1433. *Protodacnusa ruthi* Griffiths,1964 (Braconidae)  
1434. *Protodacnusa tristis* (Nees ab Esenbeck,1834) (Braconidae)  
1435. *Pseudohormius turkmenus* Tobias & Alexeev,1973 (Braconidae)  
1436. *Pseudopezomachus cursitans* (Ferrière,1930) (Braconidae)  
1437. *Pseudopezomachus masii* (Nees,1812) (Braconidae)  
1438. *Pseudovipio barchanicus* (Telenga,1936) (Braconidae)  
1439. *Pseudovipio castrator* (Fabricius,1798) (Braconidae)  
1440. *Pseudovipio gorgoneus* (Marshall,1900) (Braconidae)  
1441. *Pseudovipio guttiventris* (Thomson,1892) (Braconidae)  
1442. *Pseudovipio inscriptior* (Nees ab Esenbeck,1834) (Braconidae)  
1443. *Pseudovipio minutus* (Telenga,1936) (Braconidae)  
1444. *Pseudovipio sicularis* (Marshall,1888) (Braconidae)  
1445. *Pseudovipio tataricus* (Kokujev,1898) (Braconidae)  
1446. *Pseudovipio umbraculator* (Nees ab Esenbeck,1834) (Braconidae)  
1447. *Psytalia* (s.str.) *concolor* (Szépligeti,1910) (Braconidae)  
1448. *Rhaconotus aciculatus* Ruthe,1854 (Braconidae)  
1449. *Rhaconotus asiaticus* Belokobylski,1990 (Braconidae)  
1450. *Rhaconotus elegans* (Förster,1862) (Braconidae)  
1451. *Rhaconotus kerzhneri* Belokobylski,1985 (Braconidae)  
1452. *Rhaconotus longulus* Belokobylski,1994 (Braconidae)

1453. *Rhaconotus pictipennis* (Reinhard,1885) (Braconidae)  
1454. *Rhoproctocentrus piceus* Marshall,1897 (Braconidae)  
1455. *Rhyssipolis decorator* (Haliday,1836) (Braconidae)  
1456. *Rhyssipolis enukidzei* Tobias,1976 (Braconidae)  
1457. *Rhyssipolis hariolator* Haliday,1836) (Braconidae)  
1458. *Rhyssalus clavator* Haliday,1833 (Braconidae)  
1459. *Sathon falcatus* (Nees ab Esenbeck,1834) (Braconidae)  
1460. *Schizoprymnus brevicornis* (Herrich-Schäffer,1838) (Braconidae)  
1461. *Schizoprymnus obscurus* (Nees ab Esenbeck,1813) (Braconidae)  
1462. *Schizoprymnus ozlemae* Beyarslan,1988 (Braconidae)  
1463. *Sigalphus irrorator* (Fabricius,1775) (Braconidae)  
1464. *Spathiophora varinervis* Tobias,1976 (Braconidae)  
1465. *Spathius curvicaudis* Ratzeburg,1844 (Braconidae)  
1466. *Spathius erythrocephalus* Wesmael,1838 (Braconidae)  
1467. *Spathius exarator* (Linnaeus,1758) (Braconidae)  
1468. *Spathius polonicus* Niezabitowski,1910 (Braconidae)  
1469. *Spathius radzayanus* Ratzeburg,1848 (Braconidae)  
1470. *Spathius rubidus* (Rossi,1794) (Braconidae)  
1471. *Synaldis mandibulata* Fischer,1970 (Braconidae)  
1472. *Synaldis propeplacatam* Fischer & Beyarslan,2012 (Braconidae)  
1473. *Tanycarpa bicolor* (Nees,1812) (Braconidae)  
1474. *Tanycarpa rufinotata* (Haliday,1838) (Braconidae)  
1475. *Taphaeus hiator* (Thunberg,1822) (Braconidae)  
1476. *Taphaeus rufoccephalus* (Telenga,1950) (Braconidae)  
1477. *Toxares deltiger* (Haliday,1833) (Braconidae)  
1478. *Triaspis caudatus* (Nees ab Esenbeck,1813) (Braconidae)  
1479. *Triaspis flavipalpis* Wesmael,1835 (Braconidae)  
1480. *Utetes aemulus* (Haliday,1837) (Braconidae)  
1481. *Utetes coracinus* (Thomson,1895) (Braconidae)  
1482. *Utetes fasciatus* (Thomson,1895) (Braconidae)  
1483. *Utetes magnus* (Fischer,1958) (Braconidae)  
1484. *Utetes propeplacatum* (Fischer,1999) (Braconidae)  
1485. *Utetes rhodopensis* Zaykov,1983 (Braconidae)  
1486. *Utetes rotundiventris* (Thomson,1895) (Braconidae)  
1487. *Utetes testaceus* (Wesmael,1835) (Braconidae)  
1488. *Utetes truncatus* (Wesmael,1835) (Braconidae)  
1489. *Utetes ussuriensis* (Tobias,1997) (Braconidae)  
1490. *Vipio alpi* Beyarslan,2002 (Braconidae)  
1491. *Vipio appellator* (Nees ab Esenbeck,1834) (Braconidae)  
1492. *Vipio cuculator* (Rossi,1792) (Braconidae)  
1493. *Vipio filicaudis* Szépligeti,1896 (Braconidae)  
1494. *Vipio humerator* (Costa,1885) (Braconidae)  
1495. *Vipio illusor* (Klug,1817) (Braconidae)  
1496. *Vipio insectator* Kokujev,1898 (Braconidae)  
1497. *Vipio intermedius* Szépligeti,1896 (Braconidae)  
1498. *Vipio lapalpaensis* (Beyarslan,1992) (Braconidae)  
1499. *Vipio longicauda* (Boheman,1853) (Braconidae)  
1500. *Vipio mlokoszewiczii* Kokujev,1898 (Braconidae)  
1501. *Vipio nomas* Kokujev,1907 (Braconidae)  
1502. *Vipio nomioides* Shestakov,1926 (Braconidae)  
1503. *Vipio sareptanus* Kowall,1865 (Braconidae)  
1504. *Vipio shestakovi* Telenga,1936 (Braconidae)  
1505. *Vipio simulator* Kokujev,1898 (Braconidae)  
1506. *Vipio tentator* (Rossi,1790) (Braconidae)  
1507. *Vipio terrefactor* (Villers,1789) (Braconidae)  
1508. *Wesmaelia petiolata* (Wollaston,1858) (Braconidae)  
1509. *Xynobius aciculatus* (Thomson,1895) (Braconidae)  
1510. *Xynobius curtifemur* (Fischer,1961) (Braconidae)  
1511. *Xynobius decoratus* (Steffan,1948) (Braconidae)  
1512. *Xynobius discoidalis* (Fischer,1957) (Braconidae)  
1513. *Xynobius macrocerus* (Thomson,1895) (Braconidae)  
1514. *Xynobius notabilis* (Fischer,1958) (Braconidae)  
1515. *Xynobius rudis* (Wesmael,1835) (Braconidae)  
1516. *Xynobius thomsoni* (Fischer,1971) (Braconidae)

**Cephidae**

1517. *Calameuta* (s.str.) *filiformis* (Eversmann,1847) (Cephidae)  
1518. *Calameuta* (s.str.) *haemorrhoidalis* (Fabricius,1781) (Cephidae)  
1519. *Calameuta* (s.str.) *idolon* (Rossi,1794) (Cephidae)  
1520. *Calameuta* (s.str.) *pallipes* (Klug,1803) (Cephidae)  
1521. *Calameuta* (s.str.) *punctata* (Klug,1803) (Cephidae)  
1522. *Cephus brachycerus* Thomson,1871 (Cephidae)  
1523. *Cephus fumipennis* Eversmann,1847 (Cephidae)  
1524. *Cephus nigrinus* Thomson,1871 (Cephidae)  
1525. *Cephus pulcher* Tischbein,1852 (Cephidae)  
1526. *Cephus pygmaeus* (Linnaeus,1767) (Cephidae)  
1527. *Cephus rjabovi* Dvornar-Zapolski,1926 (Cephidae)  
1528. *Cephus sareptanus* Dvornar-Zapolski,1928 (Cephidae)  
1529. *Cephus spinipes* (Panzer,1800) (Cephidae)  
1530. *Hartigia linearis* (Schrank,1781) (Cephidae)  
1531. *Hartigia nigra* (Harris,1776) (Cephidae)  
1532. *Hartigia xanthostoma* (Eversmann,1847) (Cephidae)  
1533. *Janus compressus* (Fabricius,1793) (Cephidae)  
1534. *Janus femoratus* (Curtis,1830) (Cephidae)  
1535. *Pachycephus* (Eversmannella) *cruentatus* (Eversmann,1847) (Cephidae)  
1536. *Pachycephus smymensis* Stein,1876 (Cephidae)  
1537. *Syrista parreyssii* (Spinola,1843) (Cephidae)  
1538. *Trachelus judaicus* (Konow,1907) (Cephidae)  
1539. *Trachelus libanensis* (André,1881) (Cephidae)  
1540. *Trachelus tabidus* (Fabricius,1775) (Cephidae)  
1541. *Trachelus troglodytes* (Fabricius,1781) (Cephidae)

**Chalcididae**

1542. *Anachalcis major* Boucek,1952 (Chalcididae)  
1543. *Anachalcis rubra* Steffan,1951 (Chalcididae)  
1544. *Aphagangophora armeniaci* (Boucek,1952) (Chalcididae)  
1545. *Belaspida nigra* (Siebold,1856) (Chalcididae)  
1546. *Belaspida obscura* Masi,1916 (Chalcididae)  
1547. *Brachymeria femorata* (Panzer,1801) (Chalcididae)  
1548. *Brachymeria inermis* (Fonscolombe,1840) (Chalcididae)  
1549. *Brachymeria minuta* (Linnaeus,1767) (Chalcididae)  
1550. *Brachymeria moerens* (Ruschka,1922) (Chalcididae)  
1551. *Brachymeria obtusata* (Förster,1859) (Chalcididae)  
1552. *Brachymeria pseudorugosa* Masi,1951 (Chalcididae)  
1553. *Brachymeria rugulosa* (Förster,1859) (Chalcididae)  
1554. *Brachymeria secundaria* (Ruschka,1922) (Chalcididae)  
1555. *Brachymeria tibialis* (Walker,1834) (Chalcididae)  
1556. *Brachymeria vitripennis* (Förster,1859) (Chalcididae)  
1557. *Chalcis sispes* (Linnaeus,1761) (Chalcididae)  
1558. *Conura libanotica* (Schmiedeknecht,1909) (Chalcididae)  
1559. *Conura* sp.n. *Kemal & Koçak* (Chalcididae)  
1560. *Dirhinus hesperidum* (Rossi,1790) (Chalcididae)  
1561. *Euchalcis miegii* Dufour,1861 (Chalcididae)  
1562. *Euchalcis unicolor* (Lucas,1871) (Chalcididae)  
1563. *Haltichella rufipes* (Olivier,1791) (Chalcididae)  
1564. *Hockeria apami* Doğanlar,1990 (Chalcididae)  
1565. *Hockeria bifasciata* Walker,1834 (Chalcididae)  
1566. *Hockeria brachygaster* Boucek,1956 (Chalcididae)  
1567. *Hockeria karatasensis* Boucek,1952 (Chalcididae)  
1568. *Hockeria magna* Boucek,1952 (Chalcididae)  
1569. *Hockeria mengeniellum* (Silvestri,1943) (Chalcididae)  
1570. *Hockeria unicolor* Walker,1834 (Chalcididae)  
1571. *Kriechbaumerella mansues* (Nikol'skaya,1952) (Chalcididae)  
1572. *Lasiochalcidia dargelsii* (Latreille,1805) (Chalcididae)  
1573. *Neochalcis fertoni* (Kieffer,1899) (Chalcididae)  
1574. *Neochalcis hippotoides* (Masi,1916) (Chalcididae)  
1575. *Proconura nigripes* (Fonscolombe,1832) (Chalcididae)  
1576. *Psilochalcis benoisti* (Steffan,1948) (Chalcididae)  
1577. *Psilochalcis mirabilis* (Boucek,1952) (Chalcididae)  
1578. *Psilochalcis nigerrima* (Masi,1929) (Chalcididae)  
1579. *Psilochalcis nitida* (Boucek,1952) (Chalcididae)  
1580. *Psilochalcis rufitarsis* (Illiger,1807) (Chalcididae)  
1581. *Psilochalcis subaenea* (Masi,1929) (Chalcididae)  
1582. *Psilochalcis subarmata* (Förster,1855) (Chalcididae)

**Chrysididae**

1583. *Chrysidea pumila* (Klug,1845) (Chrysididae)  
1584. *Chrysidea rebecca* Morice,1909 (Chrysididae)  
1585. *Chrysis aeraria* Mocsary,1914 (Chrysididae)  
1586. *Chrysis aestiva* Dahlbom,1854 (Chrysididae)  
1587. *Chrysis albanica* Trautmann,1927 (Chrysididae)  
1588. *Chrysis amasina* Mocsary,1889 (Chrysididae)  
1589. *Chrysis ambigua* Radoszkowski,1891 (Chrysididae)  
1590. *Chrysis analis* Spinola,1808 (Chrysididae)  
1591. *Chrysis angustifrons* Abeille,1878 (Chrysididae)  
1592. *Chrysis angustula* Schenck,1856 (Chrysididae)  
1593. *Chrysis antakyensis* Linsenmaier,1968 (Chrysididae)  
1594. *Chrysis apiata* Du Buysson,1900 (Chrysididae)  
1595. *Chrysis araratica* Radoszkowski,1890 (Chrysididae)  
1596. *Chrysis arrogans* Mocsary,1889 (Chrysididae)  
1597. *Chrysis ashabadensis* Radoszkowski,1891 (Chrysididae)  
1598. *Chrysis atriventris* Linsenmaier,1968 (Chrysididae)  
1599. *Chrysis auriceps* Mader,1936 (Chrysididae)  
1600. *Chrysis aurimaculifrons* Linsenmaier,1968 (Chrysididae)  
1601. *Chrysis batyamensis* Linsenmaier,1969 (Chrysididae)  
1602. *Chrysis berlandi* Linsenmaier,1959 (Chrysididae)  
1603. *Chrysis bihamata* Spinola,1838 (Chrysididae)  
1604. *Chrysis birecikensis* Linsenmaier,1968 (Chrysididae)  
1605. *Chrysis brevirdialis* Linsenmaier,1968 (Chrysididae)  
1606. *Chrysis bytinskii* Linsenmaier,1959 (Chrysididae)  
1607. *Chrysis castillana* Du Buysson,1894 (Chrysididae)  
1608. *Chrysis caucasiensis* Linsenmaier,1959 (Chrysididae)  
1609. *Chrysis cedarsensis* Linsenmaier,1968 (Chrysididae)  
1610. *Chrysis centropunctata* Linsenmaier,1968 (Chrysididae)  
1611. *Chrysis cerastes* Abeille,1877 (Chrysididae)  
1612. *Chrysis chrysochloa* Mocsary,1889 (Chrysididae)  
1613. *Chrysis chrysoprasina* Förster,1853 (Chrysididae)  
1614. *Chrysis chrysostigma* Mocsary,1889 (Chrysididae)  
1615. *Chrysis cingulicornis* Förster,1853 (Chrysididae)  
1616. *Chrysis coeruleiventris* Abeille,1878 (Chrysididae)  
1617. *Chrysis comparata* Lepelletier,1806 (Chrysididae)  
1618. *Chrysis compta* Förster,1853 (Chrysididae)  
1619. *Chrysis concolor* Mocsary,1889 (Chrysididae)  
1620. *Chrysis coniuncta* Linsenmaier,1959 (Chrysididae)  
1621. *Chrysis consanguinea* Mocsary,1889 (Chrysididae)  
1622. *Chrysis continentalis* Linsenmaier,1959 (Chrysididae)  
1623. *Chrysis cuprata* Dahlbom,1854 (Chrysididae)  
1624. *Chrysis cupropasina* Mocsary,1889 (Chrysididae)  
1625. *Chrysis cylindrica* Eversmann,1857 (Chrysididae)

1626. *Chrysis cypruscula* Linsenmaier, 1959 (Chrysididae)  
1627. *Chrysis dahlbomiana* Linsenmaier, 1968 (Chrysididae)  
1628. *Chrysis daphnis* Mocsary, 1889 (Chrysididae)  
1629. *Chrysis demaculata* Arens, 2004 (Chrysididae)  
1630. *Chrysis destefanii* Mocsary, 1889 (Chrysididae)  
1631. *Chrysis diacantha* Mocsary, 1889 (Chrysididae)  
1632. *Chrysis distincta* Mocsary, 1887 (Chrysididae)  
1633. *Chrysis elegans* Lepeletier, 1806 (Chrysididae)  
1634. *Chrysis euterpe* Balthasar, 1957 (Chrysididae)  
1635. *Chrysis facialis* Du Buysson, 1887 (Chrysididae)  
1636. *Chrysis fasciata* Olivier, 1790 (Chrysididae)  
1637. *Chrysis filiafacialis* Linsenmaier, 1959 (Chrysididae)  
1638. *Chrysis frivaldskyi* Mocsary, 1882 (Chrysididae)  
1639. *Chrysis fulgida* Linnaeus, 1761 (Chrysididae)  
1640. *Chrysis fulvicornis* Mocsary, 1889 (Chrysididae)  
1641. *Chrysis gurmari* Wesmäl, 1853 (Chrysididae)  
1642. *Chrysis gracillima* (Förster, 1853) (Chrysididae)  
1643. *Chrysis graelsii* Guérin-Ménéville, 1842 (Chrysididae)  
1644. *Chrysis grohmanni* Dahlbom, 1854 (Chrysididae)  
1645. *Chrysis gusenleitneri* Linsenmaier, 1968 (Chrysididae)  
1646. *Chrysis handlirshi* Mocsary, 1889 (Chrysididae)  
1647. *Chrysis hoberlandi* Balthasar, 1953 (Chrysididae)  
1648. *Chrysis horvathi* Mocsary, 1912 (Chrysididae)  
1649. *Chrysis ignicollis* Trautmann, 1926 (Chrysididae)  
1650. *Chrysis ignita* Linnaeus, 1758 (Chrysididae)  
1651. *Chrysis inaequalis* Dahlbom, 1845 (Chrysididae)  
1652. *Chrysis inambitiosa* Linsenmaier, 1959 (Chrysididae)  
1653. *Chrysis inclinata* Linsenmaier, 1968 (Chrysididae)  
1654. *Chrysis indigotea* Dufour & Perris, 1840 (Chrysididae)  
1655. *Chrysis innesi* Du Buysson, 1891 (Chrysididae)  
1656. *Chrysis insperata* Chevrier, 1870 (Chrysididae)  
1657. *Chrysis interpecta* Du Buysson, 1895 (Chrysididae)  
1658. *Chrysis interpellator* Linsenmaier, 1968 (Chrysididae)  
1659. *Chrysis iocosa* Linsenmaier, 1968 (Chrysididae)  
1660. *Chrysis jaxartis* Semenov, 1910 (Chrysididae)  
1661. *Chrysis joppensis* Buysson, 1887 (Chrysididae)  
1662. *Chrysis jucunda* Mocsary, 1889 (Chrysididae)  
1663. *Chrysis katheridi* Du Buysson, 1890 (Chrysididae)  
1664. *Chrysis konyaca* Linsenmaier, 1968 (Chrysididae)  
1665. *Chrysis lanceolata* Linsenmaier, 1959 (Chrysididae)  
1666. *Chrysis leachii* Shuckard, 1836 (Chrysididae)  
1667. *Chrysis lepidia* Mocsary, 1889 (Chrysididae)  
1668. *Chrysis leptomandibularis* Niehuis, 2000 (Chrysididae)  
1669. *Chrysis longula* Abeille, 1879 (Chrysididae)  
1670. *Chrysis lusitanica* Bischoff, 1910 (Chrysididae)  
1671. *Chrysis maculicornis* Klug, 1865 (Chrysididae)  
1672. *Chrysis manicata* Dahlbom, 1854 (Chrysididae)  
1673. *Chrysis marani* Balthasar, 1953 (Chrysididae)  
1674. *Chrysis marginata* Mocsary, 1889 (Chrysididae)  
1675. *Chrysis martinella* Du Buysson, 1900 (Chrysididae)  
1676. *Chrysis mediata* Linsenmaier, 1951 (Chrysididae)  
1677. *Chrysis millenaris* Mocsary, 1897 (Chrysididae)  
1678. *Chrysis mirabilis* Radoszkowski, 1876 (Chrysididae)  
1679. *Chrysis misella* Du Buysson, 1900 (Chrysididae)  
1680. *Chrysis mutabilis* Du Buysson, 1887 (Chrysididae)  
1681. *Chrysis muticinea* Linsenmaier, 1968 (Chrysididae)  
1682. *Chrysis mysta* Du Buysson, 1900 (Chrysididae)  
1683. *Chrysis nadigorum* Bischoff, 1935 (Chrysididae)  
1684. *Chrysis obscuriventris* Linsenmaier, 1968 (Chrysididae)  
1685. *Chrysis obtusidens* Dufour & Perris, 1840 (Chrysididae)  
1686. *Chrysis opulenta* Mocsary, 1889 (Chrysididae)  
1687. *Chrysis pallidicornis* Spinola, 1838 (Chrysididae)  
1688. *Chrysis peninsularis* Du Buysson, 1887 (Chrysididae)  
1689. *Chrysis phryne* Abeille, 1878 (Chrysididae)  
1690. *Chrysis pilosolateralis* Linsenmaier, 1959 (Chrysididae)  
1691. *Chrysis precipua* Linsenmaier, 1987 (Chrysididae)  
1692. *Chrysis profugax* Linsenmaier, 1959 (Chrysididae)  
1693. *Chrysis profugax* Linsenmaier, 1968 (Chrysididae)  
1694. *Chrysis prosuccincta* Linsenmaier, 1968 (Chrysididae)  
1695. *Chrysis provenceana* Linsenmaier, 1959 (Chrysididae)  
1696. *Chrysis pseudoanatolica* Linsenmaier, 1968 (Chrysididae)  
1697. *Chrysis pseudoincisa* Balthasar, 1953 (Chrysididae)  
1698. *Chrysis pulchella* Spinola, 1808 (Chrysididae)  
1699. *Chrysis pyrrhina* Dahlbom, 1845 (Chrysididae)  
1700. *Chrysis ragusae* De Stefani, 1888 (Chrysididae)  
1701. *Chrysis rectianalis* Linsenmaier, 1968 (Chrysididae)  
1702. *Chrysis refrigerata* Linsenmaier, 1959 (Chrysididae)  
1703. *Chrysis ruddii* Shuckard, 1836 (Chrysididae)  
1704. *Chrysis rufitarsis* Brullé, 1833 (Chrysididae)  
1705. *Chrysis rutilans* Olivier, 1790 (Chrysididae)  
1706. *Chrysis rutiliventris* Abeille, 1879 (Chrysididae)  
1707. *Chrysis sardarica* Radoszkowski, 1890 (Chrysididae)  
1708. *Chrysis schousboei* Dahlbom, 1854 (Chrysididae)  
1709. *Chrysis sculpturata* Mocsary, 1912 (Chrysididae)  
1710. *Chrysis scutellaris* Fabricius, 1794 (Chrysididae)  
1711. *Chrysis semiviolacea* Mocsary, 1889 (Chrysididae)  
1712. *Chrysis separata* (Trautmann, 1926) (Chrysididae)  
1713. *Chrysis sexdentata* Christ, 1791 (Chrysididae)  
1714. *Chrysis smaragdina* Trautmann, 1926 (Chrysididae)  
1715. *Chrysis soror* Dahlbom, 1854 (Chrysididae)  
1716. *Chrysis splendidula* Rossi, 1790 (Chrysididae)  
1717. *Chrysis stigmaticornis* Linsenmaier, 1968 (Chrysididae)  
1718. *Chrysis striatfacialis* Linsenmaier, 1968 (Chrysididae)  
1719. *Chrysis subanalis* Linsenmaier, 1968 (Chrysididae)  
1720. *Chrysis subaurotecta* Linsenmaier, 1959 (Chrysididae)  
1721. *Chrysis subcincta* Linsenmaier, 1959 (Chrysididae)  
1722. *Chrysis subsinuata* Marquet, 1879 (Chrysididae)  
1723. *Chrysis succincta* Linnaeus, 1767 (Chrysididae)  
1724. *Chrysis sultanica* Strumia, 2007 (Chrysididae)  
1725. *Chrysis svetlana* Semenov, 1954 (Chrysididae)  
1726. *Chrysis sybaritoides* Linsenmaier, 1968 (Chrysididae)  
1727. *Chrysis taczanowski* Radoszkowski, 1876 (Chrysididae)  
1728. *Chrysis taurica* Mocsary, 1889 (Chrysididae)  
1729. *Chrysis turceana* Linsenmaier, 1959 (Chrysididae)  
1730. *Chrysis turcica* Du Buysson, 1908 (Chrysididae)  
1731. *Chrysis urfana* Linsenmaier, 1968 (Chrysididae)  
1732. *Chrysis valida* Mocsary, 1912 (Chrysididae)  
1733. *Chrysis variens* Abeille, 1878 (Chrysididae)  
1734. *Chrysis verhoefi* Linsenmaier, 1959 (Chrysididae)  
1735. *Chrysis verna* Dahlbom, 1854 (Chrysididae)  
1736. *Chrysis viridissima* Klug, 1845 (Chrysididae)  
1737. *Chrysis viridula* Linnaeus, 1761 (Chrysididae)  
1738. *Chrysis wahrmanni* Linsenmaier, 1959 (Chrysididae)  
1739. *Chrysis yildirimi* Strumia, 2007 (Chrysididae)  
1740. *Chrysis zobeida* Du Buysson, 1896 (Chrysididae)  
1741. *Chrysis zonata* Dahlbom, 1854 (Chrysididae)  
1742. *Chrysura anatolica* Trautmann, 1926 (Chrysididae)  
1743. *Chrysura arcadiae* Arens, 2001 (Chrysididae)  
1744. *Chrysura austriaca* (Fabricius, 1804) (Chrysididae)  
1745. *Chrysura baecha* (Balthazar, 1953) (Chrysididae)  
1746. *Chrysura barbata* Du Buysson, 1849 (Chrysididae)  
1747. *Chrysura barbatula* Linsenmaier, 1968 (Chrysididae)  
1748. *Chrysura ciliensis* Mocsary, 1914 (Chrysididae)  
1749. *Chrysura circe* (Mocsary, 1889) (Chrysididae)  
1750. *Chrysura cirtana* Lucas, 1849 (Chrysididae)  
1751. *Chrysura ciscirtana* Linsenmaier, 1959 (Chrysididae)  
1752. *Chrysura cuprea* (Rossi, 1790) (Chrysididae)  
1753. *Chrysura declinanalis* Linsenmaier, 1968 (Chrysididae)  
1754. *Chrysura desertorum* Du Buysson, 1887 (Chrysididae)  
1755. *Chrysura dichroa* (Dahlbom, 1854) (Chrysididae)  
1756. *Chrysura elzeari* Du Buysson, 1891 (Chrysididae)  
1757. *Chrysura erigone* Mocsary, 1889 (Chrysididae)  
1758. *Chrysura filiformis* (Mocsary, 1889) (Chrysididae)  
1759. *Chrysura foveatoides* Linsenmaier, 1968 (Chrysididae)  
1760. *Chrysura graja* (Mocsary, 1889) (Chrysididae)  
1761. *Chrysura hybrida* Lepeletier, 1806 (Chrysididae)  
1762. *Chrysura ignifrons* (Brullé, 1833) (Chrysididae)  
1763. *Chrysura interdictio* Arens, 2002 (Chrysididae)  
1764. *Chrysura isabella* Trautmann, 1926 (Chrysididae)  
1765. *Chrysura judith* (Balthazar, 1953) (Chrysididae)  
1766. *Chrysura krueperi* (Mocsary, 1889) (Chrysididae)  
1767. *Chrysura laevigata* (Abeille de Perrin, 1879) (Chrysididae)  
1768. *Chrysura laodamia* (Du Buysson, 1900) (Chrysididae)  
1769. *Chrysura longimaculata* Linsenmaier, 1997 (Chrysididae)  
1770. *Chrysura lydiae* Mocsary, 1889 (Chrysididae)  
1771. *Chrysura magretti* Du Buysson, 1890 (Chrysididae)  
1772. *Chrysura mistrasensis* Linsenmaier, 1968 (Chrysididae)  
1773. *Chrysura oraniensis* (Lucas, 1849) (Chrysididae)  
1774. *Chrysura ottomana* (Mocsary, 1889) (Chrysididae)  
1775. *Chrysura pelopaeicida* (Du Buysson, 1887) (Chrysididae)  
1776. *Chrysura phrygiensis* (Arens, 2002) (Chrysididae)  
1777. *Chrysura pilosissima* (Bischoff, 1910) (Chrysididae)  
1778. *Chrysura pseudodichroa* Linsenmaier, 1959 (Chrysididae)  
1779. *Chrysura purpureifrons* Abeille de Perrin, 1878 (Chrysididae)  
1780. *Chrysura pyrogaster* (Brullé, 1833) (Chrysididae)  
1781. *Chrysura radians* (Harris, 1776) (Chrysididae)  
1782. *Chrysura refulgens* (Spinola, 1806) (Chrysididae)  
1783. *Chrysura rufiventris* (Dahlbom, 1854) (Chrysididae)  
1784. *Chrysura simplex* (Dahlbom, 1854) (Chrysididae)  
1785. *Chrysura simulacra* Linsenmaier, 1959 (Chrysididae)  
1786. *Chrysura simulidichroa* (Linsenmaier, 1969) (Chrysididae)  
1787. *Chrysura smyrnensis* (Mocsary, 1889) (Chrysididae)  
1788. *Chrysura sulcata* (Dahlbom, 1845) (Chrysididae)  
1789. *Chrysura trimaculata* (Förster, 1853) (Chrysididae)  
1790. *Chrysura varicornis* (Spinola, 1838) (Chrysididae)  
1791. *Chrysura viridana* Dahlbom, 1844 (Chrysididae)  
1792. *Cleptes* (Leioleptes) kusdasicus Moczar, 1968 (Chrysididae)  
1793. *Cleptes* (Zimmermannia) muti Moczar, 1968 (Chrysididae)  
1794. *Cleptes aerosus* Förster, 1853 (Chrysididae)  
1795. *Cleptes affulgens* Linsenmaier, 1994 (Chrysididae)  
1796. *Cleptes afra* Lucas, 1849 (Chrysididae)  
1797. *Cleptes anatolensis* Moczar, 2001 (Chrysididae)  
1798. *Cleptes anceyi* Du Buysson, 1891 (Chrysididae)  
1799. *Cleptes caucasicus* Semenov, 1920 (Chrysididae)  
1800. *Cleptes collaris* Linsenmaier, 1959 (Chrysididae)  
1801. *Cleptes consimilis* Buysson, 1887 (Chrysididae)  
1802. *Cleptes dahlbomi* Semenov, 1920 (Chrysididae)  
1803. *Cleptes femoralis* Mocsary, 1890 (Chrysididae)  
1804. *Cleptes ignitus* (Fabricius, 1787) (Chrysididae)  
1805. *Cleptes jordanicus* Linsenmaier, 1968 (Chrysididae)  
1806. *Cleptes mocsaryi* Semenov, 1891 (Chrysididae)  
1807. *Cleptes nitidulus* (Fabricius, 1793) (Chrysididae)  
1808. *Cleptes orientalis* Dahlbom, 1854 (Chrysididae)  
1809. *Cleptes pallipes* Lepeletier, 1806 (Chrysididae)  
1810. *Cleptes pronigrus* Linsenmaier, 1968 (Chrysididae)  
1811. *Cleptes putoni* Du Buysson, 1886 (Chrysididae)  
1812. *Cleptes schmidtii* Linsenmaier, 1968 (Chrysididae)  
1813. *Cleptes seidenstueckeri* Linsenmaier, 1959 (Chrysididae)  
1814. *Cleptes semiauratus* (Linnaeus, 1761) (Chrysididae)  
1815. *Cleptes triestensis* Moczar, 2000 (Chrysididae)  
1816. *Cleptes turceyanus* Linsenmaier, 1968 (Chrysididae)  
1817. *Elampus albipennis* Mocsary, 1889 (Chrysididae)  
1818. *Elampus bidens* (Förster, 1853) (Chrysididae)  
1819. *Elampus pyrosomus* (Förster, 1853) (Chrysididae)  
1820. *Elampus sanzii* (Gogorza, 1887) (Chrysididae)  
1821. *Elampus scutellaris* (Panzer, 1798) (Chrysididae)  
1822. *Elampus spinus* (Lepeletier, 1806) (Chrysididae)  
1823. *Euchroeus doursi* Gribodo, 1875 (Chrysididae)  
1824. *Euchroeus eous* Semenov, 1912 (Chrysididae)  
1825. *Euchroeus limbatus* (Dahlbom, 1854) (Chrysididae)  
1826. *Euchroeus neglectoides* Linsenmaier, 1959 (Chrysididae)  
1827. *Euchroeus purpuratus* (Fabricius, 1787) (Chrysididae)  
1828. *Euchroeus tricoloricornis* Linsenmaier, 1968 (Chrysididae)  
1829. *Hedychridium aheneum* (Dahlbom, 1854) (Chrysididae)  
1830. *Hedychridium ardens* (Coquebert, 1801) (Chrysididae)  
1831. *Hedychridium atratum* Linsenmaier, 1968 (Chrysididae)  
1832. *Hedychridium buyssoni* Abeille, 1887 (Chrysididae)  
1833. *Hedychridium bytinskii* Linsenmaier, 1959 (Chrysididae)  
1834. *Hedychridium caputaurum* Trautmann, 1919 (Chrysididae)  
1835. *Hedychridium caucasicum* Trautmann, 1926 (Chrysididae)  
1836. *Hedychridium chloropygum* Buysson, 1888 (Chrysididae)  
1837. *Hedychridium coriaceum* (Dahlbom, 1854) (Chrysididae)  
1838. *Hedychridium cupratum* (Dahlbom, 1854) (Chrysididae)  
1839. *Hedychridium elegans* Mocsary, 1891 (Chrysididae)  
1840. *Hedychridium femoratum* (Dahlbom, 1854) (Chrysididae)  
1841. *Hedychridium flavipes* Eversmann, 1857 (Chrysididae)  
1842. *Hedychridium franciscanum* Linsenmaier, 1987 (Chrysididae)  
1843. *Hedychridium houskai* Balthasar, 1953 (Chrysididae)  
1844. *Hedychridium incrassatum* (Dahlbom, 1854) (Chrysididae)  
1845. *Hedychridium integrum* Dahlbom, 1854 (Chrysididae)  
1846. *Hedychridium jucundum* (Mocsary, 1889) (Chrysididae)  
1847. *Hedychridium krajniki* Balthazar, 1946 (Chrysididae)  
1848. *Hedychridium lampadum* Linsenmaier, 1959 (Chrysididae)  
1849. *Hedychridium lamps* (Christ, 1791) (Chrysididae)  
1850. *Hedychridium maculiventris* Linsenmaier, 1959 (Chrysididae)  
1851. *Hedychridium marteni* Linsenmaier, 1951 (Chrysididae)  
1852. *Hedychridium monochroum* Du Buysson, 1888 (Chrysididae)  
1853. *Hedychridium moricei* Buysson, 1904 (Chrysididae)  
1854. *Hedychridium palestinense* Balthasar, 1953 (Chrysididae)  
1855. *Hedychridium perpunctatum* Balthasar, 1953 (Chrysididae)  
1856. *Hedychridium plagiatum* (Mocsary, 1883) (Chrysididae)  
1857. *Hedychridium pulchellum* Mocsary, 1892 (Chrysididae)  
1858. *Hedychridium rhodoanthinum* Enslin, 1939 (Chrysididae)  
1859. *Hedychridium roseum* (Rossi, 1790) (Chrysididae)  
1860. *Hedychridium rubrum* Linsenmaier, 1968 (Chrysididae)  
1861. *Hedychridium sculpturatum* (Abeille de Perrin, 1877) (Chrysididae)  
1862. *Hedychridium verhoefi* Linsenmaier, 1959 (Chrysididae)  
1863. *Hedychridium viridiscutellare* Arens, 2004 (Chrysididae)  
1864. *Hedychridium viridulcatum* Linsenmaier, 1968 (Chrysididae)  
1865. *Hedychrum aureicollis* Mocsary, 1889 (Chrysididae)  
1866. *Hedychrum bershebensis* Linsenmaier, 1969 (Chrysididae)  
1867. *Hedychrum coelestinum* Spinola, 1838 (Chrysididae)  
1868. *Hedychrum gerstaeckeri* Chevrier, 1869 (Chrysididae)  
1869. *Hedychrum hoberlandi* Balthasar, 1953 (Chrysididae)  
1870. *Hedychrum longicollis* Abeille de Perrin, 1877 (Chrysididae)  
1871. *Hedychrum luculentum* Förster, 1853 (Chrysididae)  
1872. *Hedychrum mavromoustakisi* Trautmann, 1929 (Chrysididae)  
1873. *Hedychrum micans* Lucas, 1849 (Chrysididae)  
1874. *Hedychrum niemelai* Linsenmaier, 1959 (Chrysididae)



1875. *Hedychrum nobile* (Scopoli,1763) (Chrysididae)  
1876. *Hedychrum punctigerum* Mocsary,1909 (Chrysididae)  
1877. *Hedychrum rutilans* Dahlbom,1854 (Chrysididae)  
1878. *Hedychrum scutellare* Linsenmaier,1969 (Chrysididae)  
1879. *Hedychrum unicolor* Balthasar,1953 (Chrysididae)  
1880. *Hedychrum virens* Dahlbom,1854 (Chrysididae)  
1881. *Hedychrum zarudnyi* Semenov,1954 (Chrysididae)  
1882. *Holopyga amoenula* Dahlbom,1845 (Chrysididae)  
1883. *Holopyga bifigurata* Linsenmaier,1968 (Chrysididae)  
1884. *Holopyga chrysonota* (Förster,1853) (Chrysididae)  
1885. *Holopyga crassepuncta* Semenov,1954 (Chrysididae)  
1886. *Holopyga cypruscula* Linsenmaier,1959 (Chrysididae)  
1887. *Holopyga enslini* Lindenmaier,1959 (Chrysididae)  
1888. *Holopyga eroli* Strumia,2007 (Chrysididae)  
1889. *Holopyga fervida* Dahlbom,1854 (Chrysididae)  
1890. *Holopyga generosa* (Förster,1853) (Chrysididae)  
1891. *Holopyga ignicollis* Dahlbom,1854 (Chrysididae)  
1892. *Holopyga impressopunctata* Arens,2004 (Chrysididae)  
1893. *Holopyga inflammata* (Förster,1853) (Chrysididae)  
1894. *Holopyga jurinei* Chevriér,1862 (Chrysididae)  
1895. *Holopyga kuthyana* Mocsart,1911 (Chrysididae)  
1896. *Holopyga lucida* (Lepeletier,1806) (Chrysididae)  
1897. *Holopyga mavromoustakisi* Enslin,1939 (Chrysididae)  
1898. *Holopyga minima* Linsenmaier,1959 (Chrysididae)  
1899. *Holopyga miranda* Abeille de Perrin,1878 (Chrysididae)  
1900. *Holopyga mlokosiewitzi* (Radoszkowski,1876) (Chrysididae)  
1901. *Holopyga punctatissima* Dahlbom,1854 (Chrysididae)  
1902. *Holopyga speciosissima* Buysson,1893 (Chrysididae)  
1903. *Holopyga vigora* Linsenmaier,1959 (Chrysididae)  
1904. *Holopyga vigoroida* Arens,2004 (Chrysididae)  
1905. *Jsadelpus schmiedeknechtii* (Mocsary,1899) (Chrysididae)  
1906. *Omalus aeneus* (Fabricius,1787) (Chrysididae)  
1907. *Omalus biacinctus* (Buysson,1893) (Chrysididae)  
1908. *Omalus politus* Buysson,1887 (Chrysididae)  
1909. *Parnopes glasunowi* Semenov,1901 (Chrysididae)  
1910. *Parnopes grandior* (Pallas,1771) (Chrysididae)  
1911. *Pentachrysis seminigra* (Walker,1790) (Chrysididae)  
1912. *Philoctetes bidentulus* Lepeletier,1806 (Chrysididae)  
1913. *Philoctetes bogdanovi* (Radoszkowski,1877) (Chrysididae)  
1914. *Philoctetes horvathi* Mocsary,1889 (Chrysididae)  
1915. *Philoctetes medianae* Buysson,1890 (Chrysididae)  
1916. *Philoctetes punctulatus* (Dahlbom,1854) (Chrysididae)  
1917. *Philoctetes sculpticollis* (Abeille,1878) (Chrysididae)  
1918. *Pseudomalus auratus* (Linnaeus,1758) (Chrysididae)  
1919. *Pseudomalus bidentulus* (Lepeletier,1806) (Chrysididae)  
1920. *Pseudomalus meridianus* Strumia,1996 (Chrysididae)  
1921. *Pseudomalus pusillus* (Fabricius,1804) (Chrysididae)  
1922. *Pseudomalus triangulifer* (Abeille,1877) (Chrysididae)  
1923. *Pseudomalus violaceus* (Scopoli,1763) (Chrysididae)  
1924. *Pseudospinolia humboldti* (Dahlbom,1845) (Chrysididae)  
1925. *Pseudospinolia marqueti* (Buysson,1876) (Chrysididae)  
1926. *Pseudospinolia uniformis* (Dahlbom,1854) (Chrysididae)  
1927. *Spinolia dallatorreana* (Mocsary,1896) (Chrysididae)  
1928. *Spinolia dournovi* Radoszkowski,1866 (Chrysididae)  
1929. *Spintharia vagans* (Radoszkowski,1887) (Chrysididae)  
1930. *Stilbum calens* (Fabricius,1781) (Chrysididae)  
1931. *Stilbum cyanurum* (Förster,1771) (Chrysididae)  
1932. *Trichrysis cyanea* (Linnaeus,1758) (Chrysididae)

#### Cimbicidae

1933. *Abia aenea* (Klug,1829) (Cimbicidae)  
1934. *Abia sericea* (Linnaeus,1767) (Cimbicidae)  
1935. *Cimbex quadrimaculatus* (O.F.Müller,1766) (Cimbicidae)  
1936. *Corynis caucasica* (Mocsary,1886) (Cimbicidae)  
1937. *Corynis concinna* (Stein,1876) (Cimbicidae)  
1938. *Corynis frontina* (Konow,1905) (Cimbicidae)  
1939. *Corynis italica* (Lepeletier,1823) (Cimbicidae)  
1940. *Corynis krueperi* (Stein,1876) (Cimbicidae)  
1941. *Corynis lateralis* (Brullé,1832) (Cimbicidae)  
1942. *Corynis obscura* (Fabricius,1775) (Cimbicidae)  
1943. *Corynis reticulata* Benson,1954 (Cimbicidae)  
1944. *Pseudoclavellaria amerinae* (Linnaeus,1758) (Cimbicidae)

#### Colletidae

1945. *Colletes (albomaculatus gr.) albomaculatus* (Lucas,1849) (Colletidae)  
1946. *Colletes (albomaculatus gr.) alfkeni* Noskiewicz,1958 (Colletidae)  
1947. *Colletes (albomaculatus gr.) dorsalis* Morawitz,1888 (Colletidae)  
1948. *Colletes (albomaculatus gr.) punctatus* Mocsary,1877 (Colletidae)

1949. *Colletes (anchusae gr.) anchusae* Noskiewicz,1924 (Colletidae)  
1950. *Colletes (carinatus gr.) carinatus* Radoszkowski,1891 (Colletidae)  
1951. *Colletes (cariniger gr.) cariniger* Pérez,1903 (Colletidae)  
1952. *Colletes (caspicus gr.) anceps* Radoszkowski,1891 (Colletidae)  
1953. *Colletes (caspicus gr.) idoneus* Cockerell,1922 (Colletidae)  
1954. *Colletes (caspicus gr.) lebedewi* Noskiewicz,1936 (Colletidae)  
1955. *Colletes (caspicus gr.) maidli* Noskiewicz,1936 (Colletidae)  
1956. *Colletes (caspicus gr.) transitorius* Noskiewicz,1936 (Colletidae)  
1957. *Colletes (clypearis gr.) asiaticus* Kuhlmann,1999 (Colletidae)  
1958. *Colletes (clypearis gr.) floralis* Eversmann,1852 (Colletidae)  
1959. *Colletes (clypearis gr.) radoszkowskii* Noskiewicz,1936 (Colletidae)  
1960. *Colletes (clypearis gr.) warnckei* Kuhlmann,2002 (Colletidae)  
1961. *Colletes (cunicularius gr.) armeniacus* (Friese,1921) (Colletidae)  
1962. *Colletes (cunicularius gr.) caskanus* (Strand,1919) (Colletidae)  
1963. *Colletes (cunicularius gr.) cunicularius* (Linnaeus,1761) (Colletidae)  
1964. *Colletes (fodiens gr.) daviesanus* Smith,1846 (Colletidae)  
1965. *Colletes (fodiens gr.) edentulus* Noskiewicz,1936 (Colletidae)  
1966. *Colletes (fodiens gr.) fodiens* (Fourcroy,1785) (Colletidae)  
1967. *Colletes (fodiens gr.) glaber* Warncke,1978 (Colletidae)  
1968. *Colletes (fodiens gr.) similis* Schenck,1853 (Colletidae)  
1969. *Colletes (fodiens gr.) tuberculatus* Morawitz,1894 (Colletidae)  
1970. *Colletes (foveolaris gr.) foveolaris* Pérez,1903 (Colletidae)  
1971. *Colletes (hylaeiformis gr.) hylaeiformis* Eversmann,1852 (Colletidae)  
1972. *Colletes (marginatus gr.) hethiticus* Warncke,1978 (Colletidae)  
1973. *Colletes (marginatus gr.) marginatus* Smith,1846 (Colletidae)  
1974. *Colletes (marginatus gr.) pallens* Noskiewicz,1936 (Colletidae)  
1975. *Colletes (meyeri gr.) meyeri* Noskiewicz,1936 (Colletidae)  
1976. *Colletes (mixtus gr.) mixtus* Radoszkowski,1891 (Colletidae)  
1977. *Colletes (nanus gr.) ankarae* Warncke,1978 (Colletidae)  
1978. *Colletes (nasutus gr.) nasutus* Smith,1853 (Colletidae)  
1979. *Colletes (nigricans gr.) bidentulus* Noskiewicz,1936 (Colletidae)  
1980. *Colletes (nigricans gr.) eous* Morice,1904 (Colletidae)  
1981. *Colletes (roborovskiy gr.) roborovskiy* Friese,1913 (Colletidae)  
1982. *Colletes (senilis gr.) hakkari* Kuhlmann,2002 (Colletidae)  
1983. *Colletes (senilis gr.) hiekeseni* Kuhlmann,2003 (Colletidae)  
1984. *Colletes (senilis gr.) mlokosiewicz* Radoszkowski,1891 (Colletidae)  
1985. *Colletes (senilis gr.) senilis* (Eversmann,1852) (Colletidae)  
1986. *Colletes (senilis gr.) subnitens* Noskiewicz,1936 (Colletidae)  
1987. *Colletes (squamosus gr.) comatus* Noskiewicz,1936 (Colletidae)  
1988. *Colletes (squamosus gr.) cretaceus* Morawitz,1876 (Colletidae)  
1989. *Colletes (squamosus gr.) ottomanus* Noskiewicz,1958 (Colletidae)  
1990. *Colletes (squamosus gr.) rubellus* Noskiewicz,1936 (Colletidae)  
1991. *Colletes (squamosus gr.) wahrmani* Noskiewicz,1959 (Colletidae)  
1992. *Colletes (succintus gr.) brevigena* Noskiewicz,1936 (Colletidae)  
1993. *Colletes (succintus gr.) hederæ* Schmidt & Westrich,1993 (Colletidae)  
1994. *Colletes (succintus gr.) iranici* Noskiewicz,1962 (Colletidae)  
1995. *Hylaeus acer* Dathe,1980 (Colletidae)  
1996. *Hylaeus adspersus* (Alfken,1935) (Colletidae)  
1997. *Hylaeus angustatus* (Schenck,1861) (Colletidae)  
1998. *Hylaeus annularis* (Kirby,1802) (Colletidae)  
1999. *Hylaeus araxanus* (Warncke,1981) (Colletidae)  
2000. *Hylaeus armeniacus* (Warncke,1981) (Colletidae)  
2001. *Hylaeus bifasciatus* (Jurine,1807) (Colletidae)  
2002. *Hylaeus bisinuatus* Förster,1871 (Colletidae)  
2003. *Hylaeus cervinus* (Warncke,1992) (Colletidae)  
2004. *Hylaeus chukar* (Warncke,1992) (Colletidae)  
2005. *Hylaeus communis* Nylander,1852 (Colletidae)  
2006. *Hylaeus cornutus* Curtis,1831 (Colletidae)  
2007. *Hylaeus crassanus* Warncke,1972 (Colletidae)

2008. *Hylaeus crispulus* Dathe,1980 (Colletidae)  
2009. *Hylaeus cypricolus* (Warncke,1972) (Colletidae)  
2010. *Hylaeus damascenus* (Magretti,1890) (Colletidae)  
2011. *Hylaeus decaoctus* (Warncke,1992) (Colletidae)  
2012. *Hylaeus difformis* (Eversmann,1852) (Colletidae)  
2013. *Hylaeus duckei* (Alfken,1904) (Colletidae)  
2014. *Hylaeus euryscapus* Förster,1871 (Colletidae)  
2015. *Hylaeus excelsus* (Alfken,1931) (Colletidae)  
2016. *Hylaeus funereus* (Warncke,1992) (Colletidae)  
2017. *Hylaeus gibbus* Saunders,1850 (Colletidae)  
2018. *Hylaeus glacialis* (Morawitz,1872) (Colletidae)  
2019. *Hylaeus heliacus* (Warncke,1992) (Colletidae)  
2020. *Hylaeus hyperpunctatus* (Strand,1909) (Colletidae)  
2021. *Hylaeus imparilis* Förster,1871 (Colletidae)  
2022. *Hylaeus iranici* Dathe,1980 (Colletidae)  
2023. *Hylaeus irritans* Dathe,1980 (Colletidae)  
2024. *Hylaeus kotschius* (Warncke,1981) (Colletidae)  
2025. *Hylaeus kurdus* (Warncke,1981) (Colletidae)  
2026. *Hylaeus leptoccephalus* (Morawitz,1870) (Colletidae)  
2027. *Hylaeus lineolatus* (Schenck,1861) (Colletidae)  
2028. *Hylaeus longimaculus* (Alfken,1936) (Colletidae)  
2029. *Hylaeus meridionalis* Förster,1871 (Colletidae)  
2030. *Hylaeus monedulus* (Warncke,1992) (Colletidae)  
2031. *Hylaeus moricei* (Friese,1881) (Colletidae)  
2032. *Hylaeus nigratus* (Fabricius,1798) (Colletidae)  
2033. *Hylaeus orientalicus* (Warncke,1981) (Colletidae)  
2034. *Hylaeus pictipes* Nylander,1852 (Colletidae)  
2035. *Hylaeus planulus* (Warncke,1981) (Colletidae)  
2036. *Hylaeus punctatus* (Brullé,1832) (Colletidae)  
2037. *Hylaeus punctulatus* Smith,1842 (Colletidae)  
2038. *Hylaeus punctus* Förster,1871 (Colletidae)  
2039. *Hylaeus querquedula* (Warncke,1981) (Colletidae)  
2040. *Hylaeus rubicola* (Saunders,1850) (Colletidae)  
2041. *Hylaeus rubosus* (Warncke,1981) (Colletidae)  
2042. *Hylaeus scutellaris* Morawitz,1873 (Colletidae)  
2043. *Hylaeus scutellatus* (Spinola,1838) (Colletidae)  
2044. *Hylaeus sidensis* (Warncke,1981) (Colletidae)  
2045. *Hylaeus signatus* (Panzer,1798) (Colletidae)  
2046. *Hylaeus sinuatus* (Schenck,1853) (Colletidae)  
2047. *Hylaeus styriacus* Förster,1871 (Colletidae)  
2048. *Hylaeus tephronotus* (Warncke,1992) (Colletidae)  
2049. *Hylaeus tetris* Dathe,2000 (Colletidae)  
2050. *Hylaeus trifidus* (Alfken,1936) (Colletidae)  
2051. *Hylaeus trinotatus* (Pérez,1895) (Colletidae)  
2052. *Hylaeus tyrolensis* Förster,1871 (Colletidae)  
2053. *Hylaeus variegatus* (Fabricius,1798) (Colletidae)

#### Crabronidae

2054. *Alysson ocellatus* De Beaumont,1967 (Crabronidae)  
2055. *Alysson ratzeburgi* Dahlbom,1843 (Crabronidae)  
2056. *Alysson spinosus* (Panzer,1801) (Crabronidae)  
2057. *Alysson tricolor* Lepeletier & Audinet-Serville,1825 (Crabronidae)  
2058. *Ammatomus coarctatus* (Spinola,1808) (Crabronidae)  
2059. *Ammatomus rogenhoferi* (Handlirsch,1888) (Crabronidae)  
2060. *Ammatomus rufonodis* (Radoszkowski,1877) (Crabronidae)  
2061. *Ammoplanus denesi* Boucek,2001 (Crabronidae)  
2062. *Ammoplanus hofferi* Snofak,1943 (Crabronidae)  
2063. *Ammoplanus kaszabi* Tsunek,1972 (Crabronidae)  
2064. *Ammoplanus marathroicus* (De Stefani Pérez,1887) (Crabronidae)  
2065. *Ammoplanus minutus* Boucek,2001 (Crabronidae)  
2066. *Ammoplanus monticola* Gussakowski,1952 (Crabronidae)  
2067. *Ammoplanus perrisi* Giraud,1869 (Crabronidae)  
2068. *Ancistroma asiaticum* Gussakowski,1935 (Crabronidae)  
2069. *Argogorytes fargeii* (Shuckard,1837) (Crabronidae)  
2070. *Argogorytes mystaceus* (Linnaeus,1761) (Crabronidae)  
2071. *Astata affinis* Vander Linden,1829 (Crabronidae)  
2072. *Astata apostata* Mercet,1910 (Crabronidae)  
2073. *Astata boops* (Schränk,1781) (Crabronidae)  
2074. *Astata brevitarsis* Pulawski,1958 (Crabronidae)  
2075. *Astata costae* A.Costa,1867 (Crabronidae)  
2076. *Astata diversipes* Pulawski,1955 (Crabronidae)  
2077. *Astata gallica* De Beaumont,1942 (Crabronidae)  
2078. *Astata graeca* De Beaumont,1965 (Crabronidae)  
2079. *Astata jucunda* Pulawski,1959 (Crabronidae)  
2080. *Astata kashmirensis* Nurse,1909 (Crabronidae)  
2081. *Astata leila* Pulawski,1967 (Crabronidae)  
2082. *Astata miegii* Dufour,1861 (Crabronidae)  
2083. *Astata minor* Kohl,1885 (Crabronidae)  
2084. *Astata quettae* Nurse,1903 (Crabronidae)  
2085. *Astata rufipes* Mocsary,1883 (Crabronidae)  
2086. *Belomicrus lucifer* A.Costa,1871 (Crabronidae)  
2087. *Belomicrus lucifer* Guichard,1991 (Crabronidae)  
2088. *Belomicrus modestus* (Kohl,1892) (Crabronidae)  
2089. *Belomicrus odontophorus* (Kohl,1892) (Crabronidae)  
2090. *Belomicrus ottomanus* Guichard,1991 (Crabronidae)  
2091. *Belomicrus wouroukatte* De Beaumont,1967 (Crabronidae)  
2092. *Bembecinus acanthomerus* (Morice,1911) (Crabronidae)  
2093. *Bembecinus anatolicus* De Beaumont,1968 (Crabronidae)  
2094. *Bembecinus asiaticus* (Gussakowski,1935) (Crabronidae)  
2095. *Bembecinus birecikensis* Schmid-Egger,2004 (Crabronidae)

2096. *Bembecinus cyprius* De Beaumont, 1954 (Crabronidae)
2097. *Bembecinus gracilicornis* (Handlirsch, 1892) (Crabronidae)
2098. *Bembecinus guichardi* Schmid-Egger, 2004 (Crabronidae)
2099. *Bembecinus gusenleitneri* De Beaumont, 1967 (Crabronidae)
2100. *Bembecinus gynandromorphus* (Handlirsch, 1892) (Crabronidae)
2101. *Bembecinus heinrichi* Schmid-Egger, 2004 (Crabronidae)
2102. *Bembecinus henseni* Schmid-Egger, 2004 (Crabronidae)
2103. *Bembecinus hungaricus* (Frivaldsky, 1876) (Crabronidae)
2104. *Bembecinus innocens* De Beaumont, 1967 (Crabronidae)
2105. *Bembecinus meridionalis* A. Costa, 1859 (Crabronidae)
2106. *Bembecinus nigrolabrum* Schmid-Egger, 2004 (Crabronidae)
2107. *Bembecinus peregrinus* (Smith, 1856) (Crabronidae)
2108. *Bembecinus rhodius* De Beaumont, 1960 (Crabronidae)
2109. *Bembecinus schwarzi* De Beaumont, 1967 (Crabronidae)
2110. *Bembecinus tridens* (Fabricius, 1781) (Crabronidae)
2111. *Bembecinus urfanensis* Schmid-Egger, 2004 (Crabronidae)
2112. *Bembecinus validior* Gussakovski, 1952 (Crabronidae)
2113. *Bembix arenaria* (Handlirsch, 1893) (Crabronidae)
2114. *Bembix bicolor* (Radoszkowski, 1877) (Crabronidae)
2115. *Bembix bidentata* Van der Linden, 1829 (Crabronidae)
2116. *Bembix ciliensis* De Beaumont, 1967 (Crabronidae)
2117. *Bembix cinctella* Handlirsch, 1893 (Crabronidae)
2118. *Bembix diversipes* Morawitz, 1889 (Crabronidae)
2119. *Bembix eburnea* Radoszkowski, 1877 (Crabronidae)
2120. *Bembix gracilis* Handlirsch, 1893 (Crabronidae)
2121. *Bembix megerlei* Dahlbom, 1845 (Crabronidae)
2122. *Bembix oculata* (Panzer, 1801) (Crabronidae)
2123. *Bembix olivacea* Fabricius, 1787 (Crabronidae)
2124. *Bembix pallida* Radoszkowski, 1877 (Crabronidae)
2125. *Bembix portchinskii* Radoszkowski, 1884 (Crabronidae)
2126. *Bembix rostrata* (Linnaeus, 1758) (Crabronidae)
2127. *Bembix sinuata* Latreille, 1809 (Crabronidae)
2128. *Bembix turca* Dahlbom, 1845 (Crabronidae)
2129. *Brachystegus incertus* (Radoszkowski, 1877) (Crabronidae)
2130. *Brachystegus scalaris* (Illiger, 1807) (Crabronidae)
2131. *Brachystegus trichopygus* (de Beaumont, 1967) (Crabronidae)
2132. *Cerceris aerata* Kazenas, 1972 (Crabronidae)
2133. *Cerceris albicolor* Shestakov, 1918 (Crabronidae)
2134. *Cerceris angustata* Morawitz, 1893 (Crabronidae)
2135. *Cerceris arenaria* (Linnaeus, 1758) (Crabronidae)
2136. *Cerceris bicincta* Klug, 1835 (Crabronidae)
2137. *Cerceris bracteata* Eversmann, 1849 (Crabronidae)
2138. *Cerceris bupresticida* Dufour, 1841 (Crabronidae)
2139. *Cerceris cheskesiana* Giner Mari, 1945 (Crabronidae)
2140. *Cerceris circularis* Schletterer, 1887 (Crabronidae)
2141. *Cerceris conica* Shestakov, 1918 (Crabronidae)
2142. *Cerceris cupes* Shestakov, 1918 (Crabronidae)
2143. *Cerceris deserticola* Morawitz, 1890 (Crabronidae)
2144. *Cerceris dispar* Dahlbom, 1845 (Crabronidae)
2145. *Cerceris dorsalis* Eversmann, 1849 (Crabronidae)
2146. *Cerceris eucharis* Schletterer, 1887 (Crabronidae)
2147. *Cerceris euryanthe* Kohl, 1888 (Crabronidae)
2148. *Cerceris eversmanni* Shestakov, 1915 (Crabronidae)
2149. *Cerceris fimbriata* (Rossi, 1790) (Crabronidae)
2150. *Cerceris flavicornis* Brullé, 1833 (Crabronidae)
2151. *Cerceris flavilabris* (Fabricius, 1793) (Crabronidae)
2152. *Cerceris galathea* De Beaumont, 1959 (Crabronidae)
2153. *Cerceris gusenleitneri* K. Schmidt, 2000 (Crabronidae)
2154. *Cerceris inara* De Beaumont, 1967 (Crabronidae)
2155. *Cerceris interrupta* (Panzer, 1799) (Crabronidae)
2156. *Cerceris lunata* A. Costa, 1867 (Crabronidae)
2157. *Cerceris maculicrus* De Beaumont, 1967 (Crabronidae)
2158. *Cerceris media* Klug, 1835 (Crabronidae)
2159. *Cerceris odontophora* Schletterer, 1887 (Crabronidae)
2160. *Cerceris pleurispina* De Beaumont, 1959 (Crabronidae)
2161. *Cerceris quadricinctus* (Panzer, 1799) (Crabronidae)
2162. *Cerceris quadrifasciatus* (Panzer, 1799) (Crabronidae)
2163. *Cerceris quinquefasciatus* (Rossi, 1792) (Crabronidae)
2164. *Cerceris rhinoceros* Kohl, 1888 (Crabronidae)
2165. *Cerceris rubida* (Jurine, 1807) (Crabronidae)
2166. *Cerceris ruficornis* (Fabricius, 1793) (Crabronidae)
2167. *Cerceris rutila* Giner Mari, 1945 (Crabronidae)
2168. *Cerceris rybyensis* (Linnaeus, 1771) (Crabronidae)
2169. *Cerceris sabulosa* (Panzer, 1799) (Crabronidae)
2170. *Cerceris seleukos* K. Schmidt, 2000 (Crabronidae)
2171. *Cerceris spectabilis* Radoszkowski, 1886 (Crabronidae)
2172. *Cerceris specularis* A. Costa, 1867 (Crabronidae)
2173. *Cerceris spinacea* De Beaumont, 1970 (Crabronidae)
2174. *Cerceris spinipictus* F. Smith, 1856 (Crabronidae)
2175. *Cerceris straminea* Dufour, 1853 (Crabronidae)
2176. *Cerceris stratiotes* Schletterer, 1887 (Crabronidae)
2177. *Cerceris stratonike* K. Schmidt, 2000 (Crabronidae)
2178. *Cerceris tenuivittata* Dufour, 1849 (Crabronidae)
2179. *Cerceris tuberculata* De Villers, 1789 (Crabronidae)
2180. *Cerceris vagans* Radoszkowski, 1877 (Crabronidae)
2181. *Crabro alpinus* Imhoff, 1863 (Crabronidae)
2182. *Crabro cribarius* (Linnaeus, 1758) (Crabronidae)
2183. *Crabro peltarius* (Schreber, 1784) (Crabronidae)
2184. *Crabro pugillator* A. Costa, 1871 (Crabronidae)
2185. *Crossocerus (Ablepharipus) assimilis* (F. Smith, 1856) (Crabronidae)
2186. *Crossocerus (Ablepharipus) podagricus* (Vander Linden, 1829) (Crabronidae)
2187. *Crossocerus (Ablepharipus) vagabundus* (Panzer, 1798) (Crabronidae)
2188. *Crossocerus (Blepharipus) annulipes* (Lepeletier & Brullé, 1835) (Crabronidae)
2189. *Crossocerus (Blepharipus) barbipes* (Dahlbom, 1845) (Crabronidae)
2190. *Crossocerus (Blepharipus) cetratus* (Shuckard, 1837) (Crabronidae)
2191. *Crossocerus (Blepharipus) heydeni* Kohl, 1880 (Crabronidae)
2192. *Crossocerus (Blepharipus) leucostoma* (Linnaeus, 1758) (Crabronidae)
2193. *Crossocerus (Blepharipus) megacephalus* (Rossi, 1790) (Crabronidae)
2194. *Crossocerus (Cuphopteris) dimidiatus* (Fabricius, 1781) (Crabronidae)
2195. *Crossocerus (Hoplocrabro) quadrimaculatus* (Fabricius, 1793) (Crabronidae)
2196. *Crossocerus (Oxycrabro) acanthophorus* (Kohl, 1892) (Crabronidae)
2197. *Crossocerus (Oxycrabro) taru* De Beaumont, 1967 (Crabronidae)
2198. *Crossocerus (s.str.) adhaesus* (Kohl, 1915) (Crabronidae)
2199. *Crossocerus (s.str.) bispinosus* De Beaumont, 1967 (Crabronidae)
2200. *Crossocerus (s.str.) denticrus* Herrich-Schäffer, 1841 (Crabronidae)
2201. *Crossocerus (s.str.) elongatulus* (Vander Linden, 1829) (Crabronidae)
2202. *Crossocerus (s.str.) esau* De Beaumont, 1967 (Crabronidae)
2203. *Crossocerus (s.str.) palmipes* (Linnaeus, 1767) (Crabronidae)
2204. *Crossocerus (s.str.) tarsatus* (Shuckard, 1837) (Crabronidae)
2205. *Crossocerus (s.str.) varus* Lepeletier & Brullé, 1835 (Crabronidae)
2206. *Crossocerus (s.str.) wesmaeli* (Vander Linden, 1829) (Crabronidae)
2207. *Didineis crassicornis* Handlirsch, 1888 (Crabronidae)
2208. *Didineis latro* (De Beaumont, 1967) (Crabronidae)
2209. *Didineis pannonica* Handlirsch, 1888 (Crabronidae)
2210. *Didineis wuestneii* Handlirsch, 1888 (Crabronidae)
2211. *Dinetus pictus* (Fabricius, 1793) (Crabronidae)
2212. *Diodontus (s.str.) brevilabris* de Beaumont, 1967 (Crabronidae)
2213. *Diodontus (s.str.) luperus* Shuckard, 1837 (Crabronidae)
2214. *Diodontus (s.str.) medius* Dahlbom, 1844 (Crabronidae)
2215. *Diodontus (s.str.) minutus* (Fabricius, 1793) (Crabronidae)
2216. *Diodontus (s.str.) temporalis* Kohl, 1901 (Crabronidae)
2217. *Diodontus (s.str.) tristis* (Vander Linden, 1829) (Crabronidae)
2218. *Dryudella amenartais* (Pulawski, 1959) (Crabronidae)
2219. *Dryudella freygessneri* (Carl, 1920) (Crabronidae)
2220. *Dryudella tricolor* (Vander Linden, 1829) (Crabronidae)
2221. *Ectemnius (Cameronitus) nigratarsus* (Herrich-Schäffer, 1841) (Crabronidae)
2222. *Ectemnius (Clytochrysus) lapidarius* (Panzer, 1804) (Crabronidae)
2223. *Ectemnius (Clytochrysus) ruficornis* (Zetterstedt, 1838) (Crabronidae)
2224. *Ectemnius (Clytochrysus) sexcinctus* (Fabricius, 1775) (Crabronidae)
2225. *Ectemnius (Hypocrabro) confinis* (Walker, 1871) (Crabronidae)
2226. *Ectemnius (Hypocrabro) continuus* (Fabricius, 1804) (Crabronidae)
2227. *Ectemnius (Hypocrabro) hypsae* (De Stefani, 1884) (Crabronidae)
2228. *Ectemnius (Hypocrabro) meridionalis* (A. Costa, 1871) (Crabronidae)
2229. *Ectemnius (Hypocrabro) persicus* (Kohl, 1888) (Crabronidae)
2230. *Ectemnius (Hypocrabro) rubicola* (Dufour & Perris, 1840) (Crabronidae)
2231. *Ectemnius (Hypocrabro) walteri* (Kohl, 1889) (Crabronidae)
2232. *Ectemnius (Metacrabro) cephalotes* (Olivier, 1792) (Crabronidae)
2233. *Ectemnius (Metacrabro) fossorius* (Linnaeus, 1758) (Crabronidae)
2234. *Ectemnius (Metacrabro) kriebbaumeri* (Kohl, 1879) (Crabronidae)
2235. *Ectemnius (Metacrabro) lituratus* (Panzer, 1805) (Crabronidae)
2236. *Ectemnius (s.str.) borealis* (Zetterstedt, 1838) (Crabronidae)
2237. *Ectemnius (s.str.) dives* (Lepeletier & Brullé, 1835) (Crabronidae)
2238. *Ectemnius (s.str.) rugifer* (Dahlbom, 1845) (Crabronidae)
2239. *Ectemnius (Thyreocerus) crassicornis* (Spinola, 1838) (Crabronidae)
2240. *Ectemnius (Thyreocerus) massiliensis* (Kohl, 1883) (Crabronidae)
2241. *Entomognathus brevis* (Vander Linden, 1829) (Crabronidae)
2242. *Entomognathus dentifer* (Noskiewicz, 1929) (Crabronidae)
2243. *Entomognathus schmidtii* de Beaumont, 1967 (Crabronidae)
2244. *Entomognathus schmiedeknechti* (Kohl, 1905) (Crabronidae)
2245. *Entomosericus concinnus* Dahlbom, 1845 (Crabronidae)
2246. *Entomosericus hauseri* Schmid-Egger, 2000 (Crabronidae)
2247. *Gastrosericus funereus* Gussakovski, 1931 (Crabronidae)
2248. *Gastrosericus waltlii* Spinola, 1839 (Crabronidae)
2249. *Gorytes albidulus* (Lepeletier, 1832) (Crabronidae)
2250. *Gorytes foveolatus* Handlirsch, 1888 (Crabronidae)
2251. *Gorytes hebraeus* De Beaumont, 1953 (Crabronidae)
2252. *Gorytes kohlii* Handlirsch, 1888 (Crabronidae)
2253. *Gorytes laticinctus* (Lepeletier, 1832) (Crabronidae)
2254. *Gorytes nigriacies* (Mocsary, 1879) (Crabronidae)
2255. *Gorytes pleuripunctatus* (A. Costa, 1859) (Crabronidae)
2256. *Gorytes procrustes* Handlirsch, 1888 (Crabronidae)
2257. *Gorytes quadrfasciatus* (Fabricius, 1804) (Crabronidae)
2258. *Gorytes quinquecinctus* (Fabricius, 1793) (Crabronidae)
2259. *Gorytes quinquefasciatus* (Panzer, 1798) (Crabronidae)
2260. *Gorytes schlettereri* Handlirsch, 1893 (Crabronidae)
2261. *Gorytes schmidtii* Schmid-Egger, 2002 (Crabronidae)
2262. *Gorytes schmiedeknechti* Handlirsch, 1888 (Crabronidae)
2263. *Gorytes sulcifrons* (A. Costa, 1867) (Crabronidae)
2264. *Harpactus adventicus* (De Beaumont, 1967) (Crabronidae)
2265. *Harpactus affinis* (Spinola, 1808) (Crabronidae)
2266. *Harpactus coccineus* (Balthasar, 1954) (Crabronidae)
2267. *Harpactus dimorphus* (Pulawski, 1979) (Crabronidae)
2268. *Harpactus elegans* Lepeletier, 1832 (Crabronidae)
2269. *Harpactus immaculatus* (Pulawski, 1979) (Crabronidae)
2270. *Harpactus morawitzi* Radoszkowski, 1884 (Crabronidae)
2271. *Harpactus obscurus* (De Beaumont, 1969) (Crabronidae)
2272. *Harpactus osdroene* (De Beaumont, 1969) (Crabronidae)
2273. *Harpactus tauricus* Radoszkowski, 1884 (Crabronidae)
2274. *Harpactus transiens* A. Costa, 1887 (Crabronidae)
2275. *Holotachysphex mochii* (de Beaumont, 1947) (Crabronidae)
2276. *Hoplisoides craverii* (A. Costa, 1867) (Crabronidae)
2277. *Hoplisoides latifrons* (Spinola, 1808) (Crabronidae)
2278. *Hoplisoides punctuosus* (Eversmann, 1849) (Crabronidae)
2279. *Larra (s.str.) anathema* (Rossi, 1790) (Crabronidae)
2280. *Lestica (Ptyx) euryptus* (Kohl, 1898) (Crabronidae)
2281. *Lestica (s.str.) alata* (Panzer, 1797) (Crabronidae)
2282. *Lestica (s.str.) pluschtschewskyi* (Morawitz, 1891) (Crabronidae)
2283. *Lestica (s.str.) subterranea* (Fabricius, 1775) (Crabronidae)
2284. *Lestica (Solenius) camelus* (Eversmann, 1849) (Crabronidae)
2285. *Lestica (Solenius) clypeata* (Schreber, 1759) (Crabronidae)
2286. *Lestiphorus bicinctus* (Rossi, 1794) (Crabronidae)
2287. *Lindenius albilabris* (Fabricius, 1793) (Crabronidae)
2288. *Lindenius anaticus* Beaumont, 1967 (Crabronidae)
2289. *Lindenius aptus* Marshakov, 1973 (Crabronidae)
2290. *Lindenius crenulifer* (Kohl, 1905) (Crabronidae)
2291. *Lindenius fastidious* De Beaumont, 1967 (Crabronidae)
2292. *Lindenius helleri* (Kohl, 1915) (Crabronidae)
2293. *Lindenius ibex* Kohl, 1883 (Crabronidae)
2294. *Lindenius iranius* Leclercq, 1975 (Crabronidae)
2295. *Lindenius laevis* A. Costa, 1871 (Crabronidae)
2296. *Lindenius latitarsis* Marshakov, 1973 (Crabronidae)
2297. *Lindenius mesopleuralis* (F. Morawitz, 1890) (Crabronidae)
2298. *Lindenius nitidus* de Beaumont, 1967 (Crabronidae)
2299. *Lindenius panzeri* (Vander Linden, 1829) (Crabronidae)
2300. *Lindenius parkanensis* (Zavadi, 1948) (Crabronidae)
2301. *Lindenius pygmaeus* (Rossi, 1794) (Crabronidae)
2302. *Lindenius sardashti* Leclercq, 1975 (Crabronidae)
2303. *Lindenius satschouanus* (Kohl, 1915) (Crabronidae)
2304. *Lindenius subaeneus* Lepeletier & Brullé, 1835 (Crabronidae)
2305. *Liris (Leptolarra) festinans* (F. Smith, 1858) (Crabronidae)

2306. *Liris (Leptolarra) micans* (Spinola,1806) (Crabronidae)  
2307. *Liris (Leptolarra) niger* (Fabricius,1775) (Crabronidae)  
2308. *Liris (Leptolarra) nigricans* (Walker,1871) (Crabronidae)  
2309. *Liris inopinatus* Beaumont,1961 (Crabronidae)  
2310. *Lithium haladai* Schmid-Egger,2007 (Crabronidae)  
2311. *Lithium jacobsi* Schmid-Egger,2007 (Crabronidae)  
2312. *Mellinus arvensis* (Linnaeus,1758) (Crabronidae)  
2313. *Mellinus crabroneus* (Thunberg,1791) (Crabronidae)  
2314. *Mimesa crassipes* (A.Costa,1871) (Crabronidae)  
2315. *Mimesa equestris* (Fabricius,1804) (Crabronidae)  
2316. *Mimesa grandii* Maidl,1933 (Crabronidae)  
2317. *Mimesa jacobsoni* (Gussakowski,1937) (Crabronidae)  
2318. *Mimesa lutaria* (Fabricius,1787) (Crabronidae)  
2319. *Mimesa nasuta* Budrys,1985 (Crabronidae)  
2320. *Mimesa nigrita* Eversmann,1849 (Crabronidae)  
2321. *Mimesa vindobonensis* Maidl,1914 (Crabronidae)  
2322. *Mimumesa atratina* (F.Morawitz,1891) (Crabronidae)  
2323. *Mimumesa dahlbomi* (Wesmael,1852) (Crabronidae)  
2324. *Mimumesa unicolor* (Vander Linden,1829) (Crabronidae)  
2325. *Miscophus albufeairae* de Andrade,1952 (Crabronidae)  
2326. *Miscophus bicolor* Jurine,1807 (Crabronidae)  
2327. *Miscophus caninus* de Andrade,1953 (Crabronidae)  
2328. *Miscophus helveticus* Kohl,1883 (Crabronidae)  
2329. *Miscophus insolitus* de Andrade,1953 (Crabronidae)  
2330. *Miscophus luctuosus* de Andrade,1960 (Crabronidae)  
2331. *Miscophus lusitanicus* de Andrade,1952 (Crabronidae)  
2332. *Miscophus mavromoustakisi* de Andrade,1953 (Crabronidae)  
2333. *Miscophus merceti* de Andrade,1952 (Crabronidae)  
2334. *Miscophus minutus* de Andrade,1953 (Crabronidae)  
2335. *Miscophus pretiosus* Kohl,1884 (Crabronidae)  
2336. *Miscophus venustus* de Beaumont,1969 (Crabronidae)  
2337. *Nippononysson inexpectatus* de Beaumont,1967 (Crabronidae)  
2338. *Nitela fallax* Kohl,1884 (Crabronidae)  
2339. *Nitela spinolata* Latreille,1809 (Crabronidae)  
2340. *Nitela truncata* Gayubo & Felton,2000 (Crabronidae)  
2341. *Nysson fulvipes* A.Costa,1859 (Crabronidae)  
2342. *Nysson gerstaeckeri* Handlirsch,1887 (Crabronidae)  
2343. *Nysson guichardi* de Beaumont,1967 (Crabronidae)  
2344. *Nysson inornatus* de Beaumont,1967 (Crabronidae)  
2345. *Nysson interruptus* (Fabricius,1798) (Crabronidae)  
2346. *Nysson maculosus* (Gmelin,1790) (Crabronidae)  
2347. *Nysson pratensis* Mercet,1909 (Crabronidae)  
2348. *Nysson spinosus* (J.Förster,1771) (Crabronidae)  
2349. *Nysson tridens* Gerstaecker,1867 (Crabronidae)  
2350. *Nysson trimaculatus* (Rossi,1790) (Crabronidae)  
2351. *Nysson variabilis* Chevrier,1867 (Crabronidae)  
2352. *Odontocrabro orthodorus* Hensen,1989 (Crabronidae)  
2353. *Oryttus concinnus* (Rossi,1790) (Crabronidae)  
2354. *Oryttus infernalis* (Handlirsch,1888) (Crabronidae)  
2355. *Oxybelus aurantiacus* Mocsary,1883 (Crabronidae)  
2356. *Oxybelus bipunctatus* Olivier,1812 (Crabronidae)  
2357. *Oxybelus dissectus* Dahlbom,1845 (Crabronidae)  
2358. *Oxybelus haemorrhoidalis* Olivier,1812 (Crabronidae)  
2359. *Oxybelus lamellatus* Olivier,1812 (Crabronidae)  
2360. *Oxybelus latifrons* Kohl,1892 (Crabronidae)  
2361. *Oxybelus latro* Olivier,1812 (Crabronidae)  
2362. *Oxybelus lineatus* (Fabricius,1787) (Crabronidae)  
2363. *Oxybelus maculipes* F.Smith,1856 (Crabronidae)  
2364. *Oxybelus mandibularis* Dahlbom,1845 (Crabronidae)  
2365. *Oxybelus mucronatus* (Fabricius,1793) (Crabronidae)  
2366. *Oxybelus quatuordecimnotatus* Jurine,1807 (Crabronidae)  
2367. *Oxybelus subspinosus* Klug,1835 (Crabronidae)  
2368. *Oxybelus trispinosus* (Fabricius,1787) (Crabronidae)  
2369. *Oxybelus uniglumis* (Linnaeus,1758) (Crabronidae)  
2370. *Oxybelus variegatus* Wesmael,1852 (Crabronidae)  
2371. *Palarus beaumonti* Bytinski-Salz,1957 (Crabronidae)  
2372. *Palarus funerarius* F.Morawitz,1889 (Crabronidae)  
2373. *Palarus variegatus* (Fabricius,1781) (Crabronidae)  
2374. *Parapiagetia genicularis* (F.Morawitz,1890) (Crabronidae)  
2375. *Passaloecus corniger* Shuckard,1837 (Crabronidae)  
2376. *Passaloecus eremita* Kohl,1893 (Crabronidae)  
2377. *Passaloecus gracilis* (Curtis,1834) (Crabronidae)  
2378. *Passaloecus insignis* (Vander Linden,1829) (Crabronidae)  
2379. *Passaloecus pictus* Ribaut,1952 (Crabronidae)  
2380. *Passaloecus ribauti* Merisuo,1974 (Crabronidae)  
2381. *Passaloecus singularis* Dahlbom,1844 (Crabronidae)  
2382. *Passaloecus turionum* Dahlbom,1844 (Crabronidae)  
2383. *Passaloecus vandeli* Ribaut,1952 (Crabronidae)  
2384. *Pemphredon austriaca* Kohl,1888 (Crabronidae)  
2385. *Pemphredon inornata* Say,1824 (Crabronidae)  
2386. *Pemphredon lethifer* (Shuckard,1837) (Crabronidae)  
2387. *Pemphredon lugens* Dahlbom,1842 (Crabronidae)  
2388. *Pemphredon lugubris* (Fabricius,1793) (Crabronidae)  
2389. *Pemphredon morio* Vander Linden,1829 (Crabronidae)  
2390. *Pemphredon mortifer* Valkeila,1972 (Crabronidae)  
2391. *Pemphredon rugifer* (Dahlbom,1844) (Crabronidae)  
2392. *Philanthus quattuordecimpunctatus* (F.Morawitz,1888) (Crabronidae)  
2393. *Philanthus coarctatus* Spinola,1839 (Crabronidae)  
2394. *Philanthus coronatus* (Thunberg,1784) (Crabronidae)  
2395. *Philanthus decemmaculatus* Eversmann,1849 (Crabronidae)  
2396. *Philanthus dufouri* Lucas,1849 (Crabronidae)  
2397. *Philanthus kohlii* F.Morawitz,1890 (Crabronidae)  
2398. *Philanthus kokandicus* Radoszkowski,1877 (Crabronidae)  
2399. *Philanthus reinigi* Bischoff,1930 (Crabronidae)  
2400. *Philanthus triangulum* (Fabricius,1775) (Crabronidae)  
2401. *Philanthus variegatus* Spinola,1839 (Crabronidae)  
2402. *Philanthus venustus* (Rossi,1790) (Crabronidae)  
2403. *Pison fasciatum* (Radoszkowski,1876) (Crabronidae)  
2404. *Pison sericeum* Kohl,1888 (Crabronidae)  
2405. *Prosopigastra bulgarica* Pulawski,1958 (Crabronidae)  
2406. *Prosopigastra fumipennis* Gussakowski,1952 (Crabronidae)  
2407. *Prosopigastra handlirshi* Morice,1897 (Crabronidae)  
2408. *Prosopigastra orientalis* de Beaumont,1947 (Crabronidae)  
2409. *Prosopigastra zalinda* de Beaumont,1955 (Crabronidae)  
2410. *Protostigmus* sp. (Crabronidae)  
2411. *Psammaecius punctulatus* (Vander Linden,1829) (Crabronidae)  
2412. *Psen ater* (Olivier,1792) (Crabronidae)  
2413. *Psenulus concolor* (Dahlbom,1843) (Crabronidae)  
2414. *Psenulus fulvicornis* (Schenck,1857) (Crabronidae)  
2415. *Psenulus fuscipennis* (Dahlbom,1843) (Crabronidae)  
2416. *Psenulus laevigatus* (Schenck,1857) (Crabronidae)  
2417. *Psenulus meridionalis* De Beaumont,1937 (Crabronidae)  
2418. *Psenulus pallipes* (Panzer,1798) (Crabronidae)  
2419. *Psenulus pan* De Beaumont,1967 (Crabronidae)  
2420. *Psenulus schencki* (Tournier,1889) (Crabronidae)  
2421. *Rhopalum (Corynopus) coarctatum* (Scopoli,1763) (Crabronidae)  
2422. *Rhopalum* (s.str.) *beaumonti* Moczar,1957 (Crabronidae)  
2423. *Rhopalum* (s.str.) *gracile* (Wesmael,1852) (Crabronidae)  
2424. *Solierella compedita* (Piccioli,1869) (Crabronidae)  
2425. *Solierella pisonoides* (S.Saunders,1873) (Crabronidae)  
2426. *Solierella verhoefi* de Beaumont,1964 (Crabronidae)  
2427. *Sphecius antennatus* (Klug,1845) (Crabronidae)  
2428. *Sphecius conicus* (Germar,1817) (Crabronidae)  
2429. *Sphecius nigricornis* (Dufour,1838) (Crabronidae)  
2430. *Spilomena mocsaryi* Kohl,1898 (Crabronidae)  
2431. *Spilomena troglodytes* (Vander Linden,1829) (Crabronidae)  
2432. *Stigmus solskyi* A.Morawitz,1864 (Crabronidae)  
2433. *Stizoides crassicornis* (Fabricius,1787) (Crabronidae)  
2434. *Stizoides melanopterus* (Dahlbom,1845) (Crabronidae)  
2435. *Stizoides tridentatus* (Fabricius,1775) (Crabronidae)  
2436. *Stizus annulatus* (Klug,1845) (Crabronidae)  
2437. *Stizus bipunctatus* (E.Smith,1856) (Crabronidae)  
2438. *Stizus combustus* (E.Smith,1856) (Crabronidae)  
2439. *Stizus fasciatus* (Fabricius,1781) (Crabronidae)  
2440. *Stizus handlirshi* Radoszkowski,1893 (Crabronidae)  
2441. *Stizus kohlii* Mocsary,1883 (Crabronidae)  
2442. *Stizus perrisi* Dufour,1838 (Crabronidae)  
2443. *Stizus pubescens* (Klug,1835) (Crabronidae)  
2444. *Stizus ruficornis* (J.Forster,1771) (Crabronidae)  
2445. *Stizus tricolor* Handlirsch,1892 (Crabronidae)  
2446. *Synnevrus decemmaculatus* (Spinola,1808) (Crabronidae)  
2447. *Synnevrus epeoliformis* (F.Smith,1856) (Crabronidae)  
2448. *Synnevrus harveyi* (de Beaumont,1967) (Crabronidae)  
2449. *Synnevrus militaris* (Gerstaecker,1867) (Crabronidae)  
2450. *Tachysphex agnus* Pulawski,1971 (Crabronidae)  
2451. *Tachysphex albocinctus* Lucas,1849 (Crabronidae)  
2452. *Tachysphex angustatus* Pulawski,1967 (Crabronidae)  
2453. *Tachysphex argentatus* Gussakowski,1952 (Crabronidae)  
2454. *Tachysphex bouceki* Straka,2005 (Crabronidae)  
2455. *Tachysphex brevipennis* Mercet,1909 (Crabronidae)  
2456. *Tachysphex brullii* (F.Smith,1856) (Crabronidae)  
2457. *Tachysphex consocius* Kohl,1892 (Crabronidae)  
2458. *Tachysphex costae* (De Stefani,1882) (Crabronidae)  
2459. *Tachysphex dignus* Kohl,1889 (Crabronidae)  
2460. *Tachysphex erythropus* (Spinola,1839) (Crabronidae)  
2461. *Tachysphex euxinus* Pulawski,1958 (Crabronidae)  
2462. *Tachysphex excelsus* R.Turner,1917 (Crabronidae)  
2463. *Tachysphex ferrugineus* Pulawski,1967 (Crabronidae)  
2464. *Tachysphex fugax* (Radoszkowski,1877) (Crabronidae)  
2465. *Tachysphex fulvitaris* (A.Costa,1867) (Crabronidae)  
2466. *Tachysphex graecus* Kohl,1883 (Crabronidae)  
2467. *Tachysphex helveticus* Kohl,1885 (Crabronidae)  
2468. *Tachysphex incertus* (Radoszkowski,1877) (Crabronidae)  
2469. *Tachysphex julliani* Kohl,1883 (Crabronidae)  
2470. *Tachysphex latifrons* Kohl,1884 (Crabronidae)  
2471. *Tachysphex liriformis* Pulawski,1967 (Crabronidae)  
2472. *Tachysphex magnaemontis* Hensen,1987 (Crabronidae)  
2473. *Tachysphex mediterraneus* Kohl,1883 (Crabronidae)  
2474. *Tachysphex mocsaryi* Kohl,1884 (Crabronidae)  
2475. *Tachysphex morawitzi* Pulawski,1971 (Crabronidae)  
2476. *Tachysphex nitidior* de Beaumont,1940 (Crabronidae)  
2477. *Tachysphex nitidissimus* de Beaumont,1952 (Crabronidae)  
2478. *Tachysphex nitidus* (Spinola,1806) (Crabronidae)  
2479. *Tachysphex obscuripennis* (Schenck,1857) (Crabronidae)  
2480. *Tachysphex panzeri* (Vander Linden,1829) (Crabronidae)  
2481. *Tachysphex persa* Gussakowski,1933 (Crabronidae)  
2482. *Tachysphex picnic* van Ooijen,1987 (Crabronidae)  
2483. *Tachysphex plicosus* (A.Costa,1867) (Crabronidae)  
2484. *Tachysphex pompiliformis* (Panzer,1805) (Crabronidae)  
2485. *Tachysphex psammobius* (Kohl,1880) (Crabronidae)  
2486. *Tachysphex pulcher* Pulawski,1967 (Crabronidae)  
2487. *Tachysphex punctipes* Pulawski,1967 (Crabronidae)  
2488. *Tachysphex pusulopus* de Beaumont,1955 (Crabronidae)  
2489. *Tachysphex radoszkowskyi* F.Morawitz,1893 (Crabronidae)  
2490. *Tachysphex schmiedeknechti* Kohl,1883 (Crabronidae)  
2491. *Tachysphex sericeus* F.Smith,1856 (Crabronidae)  
2492. *Tachysphex sordidus* (Dahlbom,1845) (Crabronidae)  
2493. *Tachysphex subdentatus* F.Morawitz,1893 (Crabronidae)  
2494. *Tachysphex tarsinus* (Lepelletier,1845) (Crabronidae)  
2495. *Tachysphex tessellatus* (Dahlbom,1845) (Crabronidae)  
2496. *Tachysphex unicolor* (Panzer,1809) (Crabronidae)  
2497. *Tachytes argenteus* Gussakowski,1933 (Crabronidae)  
2498. *Tachytes etruscus* (Rossi,1790) (Crabronidae)  
2499. *Tachytes freygessneri* Kohl,1881 (Crabronidae)  
2500. *Tachytes levantinus* Pulawski,1962 (Crabronidae)  
2501. *Tachytes matronalis* Dahlbom,1845 (Crabronidae)  
2502. *Tachytes obsoletus* (Rossi,1792) (Crabronidae)  
2503. *Tachytes panzeri* (Dufour,1841) (Crabronidae)  
2504. *Tachytes tarsalis* (Spinola,1839) (Crabronidae)  
2505. *Trachelodes quinqueotatus* (Jurine,1807) (Crabronidae)  
2506. *Trypoxylon albiges* F.Smith,1856 (Crabronidae)  
2507. *Trypoxylon attenuatum* F.Smith,1851 (Crabronidae)  
2508. *Trypoxylon clavicerum* Lepelletier & Audinet-Serville,1838 (Crabronidae)  
2509. *Trypoxylon deceptorium* Antropov,1991 (Crabronidae)  
2510. *Trypoxylon figulus* (Linnaeus,1758) (Crabronidae)  
2511. *Trypoxylon guichardi* Antropov,1995 (Crabronidae)  
2512. *Trypoxylon kolazyi* Kohl,1883 (Crabronidae)  
2513. *Trypoxylon latilobatum* Antropov,1991 (Crabronidae)  
2514. *Trypoxylon medium* de Beaumont,1945 (Crabronidae)  
2515. *Trypoxylon megriense* Antropov,1985 (Crabronidae)  
2516. *Trypoxylon minus* de Beaumont,1945 (Crabronidae)  
2517. *Trypoxylon scutatum* Chevrier,1867 (Crabronidae)  
2518. *Trypoxylon syriacum* Mercet,1906 (Crabronidae)  
**Cynipidae**  
2519. *Andricus ahmeti* Melika, Mutun & Dinç,2014 (Cynipidae)  
2520. *Andricus amblycerus* (Giraud,1859) (Cynipidae)  
2521. *Andricus amentis* Giraud,1859 (Cynipidae)  
2522. *Andricus anatolicus* Melika, Mutun & Dinç,2014 (Cynipidae)  
2523. *Andricus aries* (Giraud,1859) (Cynipidae)  
2524. *Andricus askewi* Melika & Stone,2001 (Cynipidae)  
2525. *Andricus assarehi* Melika & Sadeghi,2008 (Cynipidae)  
2526. *Andricus bakrachus* Melika, Mutun & Dinç,2014 (Cynipidae)  
2527. *Andricus bulgaricus* Vassileva & Samnalieva,1977 (Cynipidae)  
2528. *Andricus caliciformis* (Giraud,1859) (Cynipidae)  
2529. *Andricus callidoma* (Hartig,1841) (Cynipidae)  
2530. *Andricus caputmedusae* (Hartig,1843) (Cynipidae)  
2531. *Andricus cecconii* Kieffer,1901 (Cynipidae)  
2532. *Andricus chodjaji* (Melika,2008) (Cynipidae)  
2533. *Andricus conglomeratus* (Giraud,1859) (Cynipidae)  
2534. *Andricus conficus* (Hartig,1843) (Cynipidae)  
2535. *Andricus coriariformis* Melika, Challis & Stone,2008 (Cynipidae)  
2536. *Andricus coriarius* (Hartig,1843) (Cynipidae)  
2537. *Andricus coronatus* (Giraud,1859) (Cynipidae)  
2538. *Andricus corruptrix* (Schlechtendal,1870) (Cynipidae)  
2539. *Andricus csokai* Melika & Tavakoli,2008 (Cynipidae)  
2540. *Andricus curtisi* (Müller,1870) (Cynipidae)  
2541. *Andricus curvator* Hartig,1840 (Cynipidae)  
2542. *Andricus cydoniae* Giraud,1859 (Cynipidae)  
2543. *Andricus dentimitratus* (Rejtő,1887) (Cynipidae)  
2544. *Andricus foecundatrix* (Hartig,1840) (Cynipidae)



2545. *Andricus galeatus* (Giraud,1859) (Cynipidae)  
2546. *Andricus gallaeurnaeformis* (Fonscolombe,1832) (Cynipidae)  
2547. *Andricus gemmeus* (Giraud,1859) (Cynipidae)  
2548. *Andricus glandulae* (Hartig,1840) (Cynipidae)  
2549. *Andricus glutinosus* (Giraud,1859) (Cynipidae)  
2550. *Andricus grossulariae* Giraud,1859 (Cynipidae)  
2551. *Andricus hartigi* (Hartig,1843) (Cynipidae)  
2552. *Andricus hungaricus* Hartig,1943 (Cynipidae)  
2553. *Andricus hystrix* Kieffer,1897 (Cynipidae)  
2554. *Andricus infectorius* (Hartig,1843) (Cynipidae)  
2555. *Andricus inflator* Hartig,1840 (Cynipidae)  
2556. *Andricus insanus* (Westwood,1837) (Cynipidae)  
2557. *Andricus kollari* (Hartig,1843) (Cynipidae)  
2558. *Andricus legitimus* Wiebes-Rijks,1980 (Cynipidae)  
2559. *Andricus lignicolus* (Hartig,1840) (Cynipidae)  
2560. *Andricus lucidus* (Hartig,1843) (Cynipidae)  
2561. *Andricus malpighi* (Adler,1881) (Cynipidae)  
2562. *Andricus mayri* (Wachtl,1881) (Cynipidae)  
2563. *Andricus megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)  
2564. *Andricus megatruncolus* Melika,2008 (Cynipidae)  
2565. *Andricus mitratus* (Mayr,1870) (Cynipidae)  
2566. *Andricus moreae* (Graeffe,1905) (Cynipidae)  
2567. *Andricus multiplicatus* Giraud,1859 (Cynipidae)  
2568. *Andricus paradoxus* (Radoszkowski,1866) (Cynipidae)  
2569. *Andricus polycerus* (Giraud,1859) (Cynipidae)  
2570. *Andricus pseudoarlesii* Melika, Stone & Sadeghi,2008 (Cynipidae)  
2571. *Andricus pseudoarlesii* Melika, Stone, Sadeghi,2008 (Cynipidae)  
2572. *Andricus quercuscalicis* (Burgsdorf,1783) (Cynipidae)  
2573. *Andricus quercuscorticis* (Linnaeus,1761) (Cynipidae)  
2574. *Andricus quercusradicis* (Fabricius,1789) (Cynipidae)  
2575. *Andricus quercusramuli* (Linnaeus,1761) (Cynipidae)  
2576. *Andricus quercustozae* (Bosc,1792) (Cynipidae)  
2577. *Andricus sadeghii* Melika, Stone, Atkinson & Aligolizade,2008 (Cynipidae)  
2578. *Andricus schroeckingeri* Wachtl,1876 (Cynipidae)  
2579. *Andricus seckendorffi* (Wachtl,1879) (Cynipidae)  
2580. *Andricus serotinus* (Giraud,1859) (Cynipidae)  
2581. *Andricus shuhuti* Melika, Mutun & Dinc,2014 (Cynipidae)  
2582. *Andricus solitarius* (Fonscolombe,1832) (Cynipidae)  
2583. *Andricus stefanii* (Kieffer,1897) (Cynipidae)  
2584. *Andricus stellatus* Melika & Tavakoli,2008 (Cynipidae)  
2585. *Andricus sternlichti* Bellido, Pujade-Villar & Melika,2003 (Cynipidae)  
2586. *Andricus stonei* Melika, Tavakoli & Sadeghi,2006 (Cynipidae)  
2587. *Andricus theophrastus* Trotter,1866 (Cynipidae)  
2588. *Andricus tomentosus* (Trotter,1901) (Cynipidae)  
2589. *Andricus trotteri* Kieffer,1898 (Cynipidae)  
2590. *Andricus truncicola* (Giraud,1859) (Cynipidae)  
2591. *Andricus turcicus* Melika, Mutun & Dinc,2014 (Cynipidae)  
2592. *Aphelonyx cerricola* (Giraud,1859) (Cynipidae)  
2593. *Aphelonyx curculionis* (Giraud,1859) (Cynipidae)  
2594. *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)  
2595. *Aulacidea acroptilonica* Tyurebaev,1979 (Cynipidae)  
2596. *Aylax hypecoi* Trotter,1913 (Cynipidae)  
2597. *Biorhiza pallida* (Olivier,1791) (Cynipidae)  
2598. *Callirhytis glandium* (Giraud,1859) (Cynipidae)  
2599. *Callirhytis rufescens* (Mayr,1882) (Cynipidae)  
2600. *Chilaspis mayri* (Müllner,1901) (Cynipidae)  
2601. *Chilaspis nitida* (Giraud,1859) (Cynipidae)  
2602. *Cynips agama* Hartig,1840 (Cynipidae)  
2603. *Cynips cornifex* Hartig,1843 (Cynipidae)  
2604. *Cynips divisa* Hartig,1840 (Cynipidae)  
2605. *Cynips korsakovi* (Belizin,1961) (Cynipidae)  
2606. *Cynips longiventris* Hartig,1840 (Cynipidae)  
2607. *Cynips quercus* (Fourcroy,1785) (Cynipidae)  
2608. *Cynips quercusfolii* (Linnaeus,1758) (Cynipidae)  
2609. *Diplolepis eglanteriae* (Hartig,1840) (Cynipidae)  
2610. *Diplolepis fructum* (Rübsaamen,1895) (Cynipidae)  
2611. *Diplolepis mayri* (Schlechtendal,1877) (Cynipidae)  
2612. *Diplolepis rosae* (Linnaeus,1758) (Cynipidae)  
2613. *Diplolepis spinosissimae* (Giraud,1859) (Cynipidae)  
2614. *Dryocosmus cerriphilus* Giraud,1859 (Cynipidae)  
2615. *Dryocosmus kuriphilus* Yasumatsu,1951 (Cynipidae)  
2616. *Liposthenes kernerii* (Wachtl,1891) (Cynipidae)  
2617. *Neuroterus alpinus* (Schneck,1863) (Cynipidae)  
2618. *Neuroterus anthracinus* (Curtis,1838) (Cynipidae)  
2619. *Neuroterus lanuginosus* Giraud,1859 (Cynipidae)  
2620. *Neuroterus minutulus* Giraud,1859 (Cynipidae)  
2621. *Neuroterus minusmalis* (Fourcroy,1785) (Cynipidae)  
2622. *Neuroterus politus* Hartig,1840 (Cynipidae)  
2623. *Neuroterus quercusbaccarum* (Linnaeus,1758) (Cynipidae)  
2624. *Neuroterus tricolor* Hartig,1841 (Cynipidae)  
2625. *Plagiotrochus quercusilicis* (Fabricius,1798) (Cynipidae)  
2626. *Pseudoneuroterus macropterus* (Hartig,1843) (Cynipidae)  
2627. *Synergus apicalis* Hartig,1841 (Cynipidae)  
2628. *Synergus crassicornis* (Curtis,1838) (Cynipidae)  
2629. *Synergus facialis* Hartig,1840 (Cynipidae)  
2630. *Synergus flavipes* Hartig,1843 (Cynipidae)  
2631. *Synergus hayneanus* (Ratzeburg,1833) (Cynipidae)

2632. *Synergus incrassatus* Hartig,1840 (Cynipidae)  
2633. *Synergus pallicornis* Hartig,1841 (Cynipidae)  
2634. *Synergus pallidipennis* Mayr,1872 (Cynipidae)  
2635. *Synergus pallipes* Hartig,1840 (Cynipidae)  
2636. *Synergus thumacerus* (Dalman,1823) (Cynipidae)  
2637. *Synergus tibialis* Hartig,1840 (Cynipidae)  
2638. *Synergus umbraculus* (Olivier,1791) (Cynipidae)  
2639. *Synergus variabilis* Mayr,1872 (Cynipidae)  
2640. *Synophrus politus* Hartig,1843 (Cynipidae)  
2641. *Trigonaspis megaptera* (Panzer,1801) (Cynipidae)  
2642. *Trigonaspis synaspis* (Hartig,1841) (Cynipidae)

# Dryinidae

2643. *Gonatopus clavipes* (Thunberg,1827) (Dryinidae)  
2644. *Gonatopus distinguendus* Kieffer,1905 (Dryinidae)  
2645. *Gonatopus dromedarius* (A. Costa) (Dryinidae)  
2646. *Gonatopus formicarius* Ljungh,1810 (Dryinidae)  
2647. *Gonatopus lunatus* Klug,1810 (Dryinidae)  
2648. *Gonatopus lycius* Olmi,1989 (Dryinidae)  
2649. *Gonatopus pedestris* Dalman,1818 (Dryinidae)  
2650. *Gonatopus sepioides* Westwood,1833 (Dryinidae)  
2651. *Haplogonatopus oratorius* (Westwood,1833) (Dryinidae)

# Encyrtidae

2652. *Achalcerinus lindus* (Mercet,1921) (Encyrtidae)  
2653. *Adelencyrtus aulacaspidis* (Brèthes,1914) (Encyrtidae)  
2654. *Ageniaspis fuscicollis* (Dalman,1820) (Encyrtidae)  
2655. *Anagyrus aligarhensis* Agarwal & Alam,1959 (Encyrtidae)  
2656. *Anagyrus matritensis* (Mercet,1921) (Encyrtidae)  
2657. *Anagyrus pseudococci* (Girault,1915) (Encyrtidae)  
2658. *Anagyrus schoenherri* (Westwood,1837) (Encyrtidae)  
2659. *Anicetus italicus* (Masi,1917) (Encyrtidae)  
2660. *Aphyoides clavellatus* (Dalman,1820) (Encyrtidae)  
2661. *Aphyus primus* (Mercet,1917) (Encyrtidae)  
2662. *Aschitus annulatus* Erdős,1957 (Encyrtidae)  
2663. *Blastothrix erythrostetha* (Walker,1847) (Encyrtidae)  
2664. *Blastothrix gurselae* Japoshvili & Karaca,2003 (Encyrtidae)  
2665. *Blastothrix hungarica* Erdős,1959 (Encyrtidae)  
2666. *Blastothrix longipennis* Howard,1881 (Encyrtidae)  
2667. *Blastothrix sericea* (Dalman,1820) (Encyrtidae)  
2668. *Blastothrix turanica* Sugonjaev,1964 (Encyrtidae)  
2669. *Bothriothorax clavicornis* (Dalman,1820) (Encyrtidae)  
2670. *Bothriothorax serratellus* (Dalman,1820) (Encyrtidae)  
2671. *Callipteroma sexguttata* Motschulsky,1863 (Encyrtidae)  
2672. *Cerapterocerus mirabilis* Westwood,1833 (Encyrtidae)  
2673. *Cerchysiella planiscutellum* (Mercet,1921) (Encyrtidae)  
2674. *Cerchysius subplanus* (Dalman,1820) (Encyrtidae)  
2675. *Charitopus fulviventris* Förster,1860 (Encyrtidae)  
2676. *Cheiloneurus claviger* Thomson,1876 (Encyrtidae)  
2677. *Cheiloneurus paralia* (Walker,1837) (Encyrtidae)  
2678. *Cheiloneurus quercus* Mayr,1876 (Encyrtidae)  
2679. *Choreia maculata* (Hoffer,1954) (Encyrtidae)  
2680. *Coelopencyrtus callidii* (Jansson,1957) (Encyrtidae)  
2681. *Comperiella bifasciata* Howard,1906 (Encyrtidae)  
2682. *Copidosoma agrotis* (Fonscolombe,1832) (Encyrtidae)  
2683. *Copidosoma aithya* (Walker,1837) (Encyrtidae)  
2684. *Copidosoma boucheanum* Ratzeburg,1844 (Encyrtidae)  
2685. *Copidosoma breviclava* Hoffer,1970 (Encyrtidae)  
2686. *Copidosoma floridanum* (Ashmead,1900) (Encyrtidae)  
2687. *Copidosoma hispanicum* (Mercet,1921) (Encyrtidae)  
2688. *Copidosoma primum* (Mercet,1921) (Encyrtidae)  
2689. *Copidosoma truncatellum* (Dalman,1820) (Encyrtidae)  
2690. *Copidosoma varicornis* (Nees ab Esenbeck,1834) (Encyrtidae)  
2691. *Cowperia areolata* (Walker,1872) (Encyrtidae)  
2692. *Dicarnosis sugonjaevi* Myartseva,1977 (Encyrtidae)  
2693. *Dicarnosis superba* Mercet,1921 (Encyrtidae)  
2694. *Diocarsis hemiptera* (Dalman,1820) (Encyrtidae)  
2695. *Discodes aeneus* (Dalman,1820) (Encyrtidae)  
2696. *Discodes coccophagus* (Ratzeburg,1848) (Encyrtidae)  
2697. *Discodes obscuriclavus* Myartseva,1985 (Encyrtidae)  
2698. *Discodes trjapitzini* Herthvertzian,1979 (Encyrtidae)  
2699. *Echthroplexiella aeneiventris* Mercet,1921 (Encyrtidae)  
2700. *Encyrtus aurantii* (Geoffroy,1785) (Encyrtidae)  
2701. *Encyrtus infelix* (Embleton,1902) (Encyrtidae)  
2702. *Encyrtus infidus* (Rossi,1790) (Encyrtidae)  
2703. *Epitetraneus intersectus* (Fonscolombe,1832) (Encyrtidae)  
2704. *Erydnus aeneus* Nikol'skaya,1952 (Encyrtidae)  
2705. *Erydnus robustior* Mercet,1921 (Encyrtidae)  
2706. *Eugania fumipennis* (Ratzeburg,1852) (Encyrtidae)  
2707. *Ginsiana carpetana* (Mercet,1921) (Encyrtidae)  
2708. *Habrolepis dalmanni* (Westwood,1837) (Encyrtidae)  
2709. *Habrolepis italicus* Delucchi,1965 (Encyrtidae)  
2710. *Homalotylus flaminus* (Dalman,1820) (Encyrtidae)  
2711. *Homalotylus nigricornis* Mercet,1921 (Encyrtidae)  
2712. *Homalotylus quarely* Timberlake,1919 (Encyrtidae)

2713. *Hoplopsis minuta* (Fabricius,1793) (Encyrtidae)  
2714. *Isodromus flaviscutum* Hoffer & Trjapitzin,1978 (Encyrtidae)  
2715. *Isodromus niger* Ashmead,1900 (Encyrtidae)  
2716. *Lamennaisia ambigua* (Nees ab Esenbeck,1834) (Encyrtidae)  
2717. *Leptomastidea abnormis* (Girault,1915) (Encyrtidae)  
2718. *Leptomastix algirica* Trjapitzin,1989 (Encyrtidae)  
2719. *Leptomastix dactylopii* Howard,1885 (Encyrtidae)  
2720. *Leptomastix flava* Mercet,1921 (Encyrtidae)  
2721. *Mayridia formosula* Mercet,1921 (Encyrtidae)  
2722. *Mayridia merceti* Trjapitzin,1969 (Encyrtidae)  
2723. *Mayridia pulchra* Mercet,1921 (Encyrtidae)  
2724. *Metanotalia maderensis* (Walker,1872) (Encyrtidae)  
2725. *Metaphycus asterolecanii* (Mercet,1923) (Encyrtidae)  
2726. *Metaphycus bellae* Trjapitzin (Encyrtidae)  
2727. *Metaphycus delos* Guerrieri & Noyes,2000 (Encyrtidae)  
2728. *Metaphycus dispar* (Mercet,1925) (Encyrtidae)  
2729. *Metaphycus flavus* (Howard,1881) (Encyrtidae)  
2730. *Metaphycus garmon* Guerrieri & Noyes,2000 (Encyrtidae)  
2731. *Metaphycus gennaroi* Guerrieri & Noyes,2000 (Encyrtidae)  
2732. *Metaphycus helvolus* (Compere,1926) (Encyrtidae)  
2733. *Metaphycus ibericus* (Mercet,1921) (Encyrtidae)  
2734. *Metaphycus insidiosus* (Mercet,1921) (Encyrtidae)  
2735. *Metaphycus melanostomatus* (Timberlake,1916) (Encyrtidae)  
2736. *Metaphycus petitus* (Walker,1851) (Encyrtidae)  
2737. *Metaphycus piceus* Hoffer,1954 (Encyrtidae)  
2738. *Metaphycus silvestrii* Sugonjaev,1970 (Encyrtidae)  
2739. *Metaphycus stagnarum* Hoffer,1954 (Encyrtidae)  
2740. *Metaphycus swirskii* Annecke & Mynhardt,1979 (Encyrtidae)  
2741. *Microterys bellae* Trjapitzin,1968 (Encyrtidae)  
2742. *Microterys masii* Trjapitzin & Sugonjaev,1976 (Encyrtidae)  
2743. *Microterys darevskii* Trjapitzin,1968 (Encyrtidae)  
2744. *Microterys hortulanus* Erdős,1956 (Encyrtidae)  
2745. *Microterys lunatus* (Dalman,1820) (Encyrtidae)  
2746. *Microterys masii* Silvestri,1919 (Encyrtidae)  
2747. *Microterys nietneri* (Motschulsky,1859) (Encyrtidae)  
2748. *Microterys tricoloricornis* (De Stefani,1886) (Encyrtidae)  
2749. *Monodiscodes dimorphus* (Mercet,1921) (Encyrtidae)  
2750. *Ooencyrtus fecundus* Ferrière & Voegelé,1961 (Encyrtidae)  
2751. *Ooencyrtus kuvanae* (Howard,1910) (Encyrtidae)  
2752. *Ooencyrtus masii* (Mercet,1921) (Encyrtidae)  
2753. *Ooencyrtus pityocampae* (Mercet,1921) (Encyrtidae)  
2754. *Ooencyrtus tardus* (Ratzeburg,1844) (Encyrtidae)  
2755. *Ooencyrtus telenomicida* (Vassiliev,1904) (Encyrtidae)  
2756. *Parasaleia trjapitzini* Hoffer,1968 (Encyrtidae)  
2757. *Pentaclocerus araraticus* (Trjapitzin,1962) (Encyrtidae)  
2758. *Pseudococcobius obenbergeri* (Nowicki,1926) (Encyrtidae)  
2759. *Psilophrys bella* Japoshvili & Noyes,2006 (Encyrtidae)  
2760. *Psilophrys ghilarevi* Japoshvili,2005 (Encyrtidae)  
2761. *Psilophrys tenuicornis* Graham,1969 (Encyrtidae)  
2762. *Psyllaphagus calliardiae* Sugonjaev,1968 (Encyrtidae)  
2763. *Psyllaphagus elaeagni* Trjapitzin,1967 (Encyrtidae)  
2764. *Psyllaphagus euphyllurae* (Masi,1911) (Encyrtidae)  
2765. *Psyllaphagus pistaciae* Ferrière,1961 (Encyrtidae)  
2766. *Psyllaphagus procerus* (Mercet,1921) (Encyrtidae)  
2767. *Psyllaphagus pulchellus* (Mercet,1921) (Encyrtidae)  
2768. *Psyllaphagus tokgaevi* Myartseva,1979 (Encyrtidae)  
2769. *Rhopus flavidus* (Mercet,1921) (Encyrtidae)  
2770. *Sryphophagus aphidivorus* (Mayr,1876) (Encyrtidae)  
2771. *Tetraneura heydeni* (Mayr,1876) (Encyrtidae)  
2772. *Tetraneura terminassianae* Herthvertzian,1978 (Encyrtidae)  
2773. *Trechites flavipes* (Mercet,1921) (Encyrtidae)  
2774. *Trechites psyllae* (Ruschka,1923) (Encyrtidae)  
2775. *Trichomasthus albanus* Thomson,1876 (Encyrtidae)  
2776. *Zaomma lambinus* (Walker,1838) (Encyrtidae)

# Eucharidae

2777. *Eucharis* (Psilogastrellus) *anatolica* Boucek,1951 (Eucharidae)  
2778. *Eucharis* (Psilogastrellus) *punctata* Förster,1859 (Eucharidae)  
2779. *Eucharis* (s.str.) *adscendens* (Fabricius,1787) (Eucharidae)  
2780. *Eucharis* (s.str.) *reticulata* Ruschka,1924 (Eucharidae)  
2781. *Eucharis* (s.str.) *specularis* Ruschka,1924 (Eucharidae)  
2782. *Eucharis* (s.str.) *turca* Nikolskaya,1952 (Eucharidae)  
2783. *Stilbula cyniformis* (Rossi,1792) (Eucharidae)  
2784. *Stilbula vitripennis* Masi,1934 (Eucharidae)

# Eulophidae

2785. *Anaprostocetus acuminatus* (Ratzeburg,1848) (Eulophidae)

2786. *Anaprostocetus ankarensis* Gençer, 2009 (Eulophidae)  
2787. *Aprostocetus agevilleae* Graham, 1987 (Eulophidae)  
2788. *Aprostocetus agrus* (Walker, 1839) (Eulophidae)  
2789. *Aprostocetus annulatus* (Förster, 1861) (Eulophidae)  
2790. *Aprostocetus arenarius* (Erdős, 1954) (Eulophidae)  
2791. *Aprostocetus artemisiae* (Erdős, 1954) (Eulophidae)  
2792. *Aprostocetus bakkendörffi* Graham, 1987 (Eulophidae)  
2793. *Aprostocetus brachycerus* (Thomson, 1878) (Eulophidae)  
2794. *Aprostocetus bruzzonis* (Masi, 1930) (Eulophidae)  
2795. *Aprostocetus bucculentus* (Kostjukov, 1978) (Eulophidae)  
2796. *Aprostocetus catus* (Walker, 1839) (Eulophidae)  
2797. *Aprostocetus caudatus* Westwood, 1833 (Eulophidae)  
2798. *Aprostocetus ceroplastae* (Girault, 1916) (Eulophidae)  
2799. *Aprostocetus cerricola* (Erdős, 1954) (Eulophidae)  
2800. *Aprostocetus citrinus* (Förster, 1841) (Eulophidae)  
2801. *Aprostocetus coccidiphagus* Graham, 1987 (Eulophidae)  
2802. *Aprostocetus coelarchus* (Graham, 1991) (Eulophidae)  
2803. *Aprostocetus cracens* Graham, 1987 (Eulophidae)  
2804. *Aprostocetus crino* (Walker, 1838) (Eulophidae)  
2805. *Aprostocetus decrescens* (Graham, 1991) (Eulophidae)  
2806. *Aprostocetus diversus* (Förster, 1841) (Eulophidae)  
2807. *Aprostocetus emesa* (Walker, 1839) (Eulophidae)  
2808. *Aprostocetus eloxanthus* Graham, 1991 (Eulophidae)  
2809. *Aprostocetus levadiensis* Graham, 1987 (Eulophidae)  
2810. *Aprostocetus longicauda* (Thomson, 1878) (Eulophidae)  
2811. *Aprostocetus lycidas* (Walker, 1839) (Eulophidae)  
2812. *Aprostocetus melasomae* (Graham, 1991) (Eulophidae)  
2813. *Aprostocetus mimulus* Graham, 1987 (Eulophidae)  
2814. *Aprostocetus neglectus* (Domenichini, 1957) (Eulophidae)  
2815. *Aprostocetus pausiris* (Walker, 1839) (Eulophidae)  
2816. *Aprostocetus phineus* (Walker, 1839) (Eulophidae)  
2817. *Aprostocetus phragmiticola* Graham, 1987 (Eulophidae)  
2818. *Aprostocetus productus* Graham, 1987 (Eulophidae)  
2819. *Aprostocetus pygmaeus* (Zetterstedt, 1838) (Eulophidae)  
2820. *Aprostocetus roeselae* (Nees, 1834) (Eulophidae)  
2821. *Aprostocetus rumicis* Graham, 1987 (Eulophidae)  
2822. *Aprostocetus sinope* (Walker, 1839) (Eulophidae)  
2823. *Aprostocetus subcylindricus* Graham, 1987 (Eulophidae)  
2824. *Aprostocetus tenuiradialis* Graham, 1987 (Eulophidae)  
2825. *Aprostocetus terebrans* Erdős, 1954 (Eulophidae)  
2826. *Aprostocetus toddaliae* (Risbec, 1958) (Eulophidae)  
2827. *Aprostocetus topanus* (Erdős, 1954) (Eulophidae)  
2828. *Aprostocetus trjapitzini* (Kostjukov, 1976) (Eulophidae)  
2829. *Aprostocetus tymbor* (Walker, 1839) (Eulophidae)  
2830. *Aprostocetus venustus* (Gahan, 1914) (Eulophidae)  
2831. *Aprostocetus viridinitens* Graham, 1987 (Eulophidae)  
2832. *Aprostocetus westwoodi* (Fonscolombe, 1840) (Eulophidae)  
2833. *Aulogymnus skianeuros* (Ratzeburg, 1844) (Eulophidae)  
2834. *Baryscapus adalia* (Walker, 1839) (Eulophidae)  
2835. *Baryscapus babiui* Doğanlar, 1993 (Eulophidae)  
2836. *Baryscapus berhidanus* Erdős, 1954 (Eulophidae)  
2837. *Baryscapusbruchidi* (Erdős, 1951) (Eulophidae)  
2838. *Baryscapusbruchivorus* (Gahan, 1942) (Eulophidae)  
2839. *Baryscapusbruchophagi* (Gahan, 1913) (Eulophidae)  
2840. *Baryscapusceroplastophilus* (Domenichini, 1965) (Eulophidae)  
2841. *Baryscapuscircsiicola* Graham, 1991 (Eulophidae)  
2842. *Baryscapuscrassicornis* (Erdős, 1954) (Eulophidae)  
2843. *Baryscapusdaira* (Walker, 1839) (Eulophidae)  
2844. *Baryscapusendemus* (Walker, 1839) (Eulophidae)  
2845. *Baryscapus euphorbiae* Graham, 1991 (Eulophidae)  
2846. *Baryscapus evonymellae* (Bouché, 1834) (Eulophidae)  
2847. *Baryscapusfossarum* Graham, 1991 (Eulophidae)  
2848. *Baryscapusgalactopus* (Ratzeburg, 1844) (Eulophidae)  
2849. *Baryscapusgarganus* (Domenichini, 1958) (Eulophidae)  
2850. *Baryscapusgaziantepensis* Doğanlar, 1993 (Eulophidae)  
2851. *Baryscapusimpeditus* (Nees ab Esenbeck, 1834) (Eulophidae)  
2852. *Baryscapuslotellae* (Delucchi, 1954) (Eulophidae)  
2853. *Baryscapusnigroviolaceus* (Nees ab Esenbeck, 1834) (Eulophidae)  
2854. *Baryscapuspallidae* Graham, 1991 (Eulophidae)  
2855. *Baryscapuspapaveris* Graham, 1991 (Eulophidae)  
2856. *Baryscapusphytozyme* (Kostjukov, 1978) (Eulophidae)  
2857. *Baryscapusprotasis* Graham, 1991 (Eulophidae)  
2858. *Baryscapusservadei* (Domenichini, 1965) (Eulophidae)  
2859. *Baryscapusspartifoliellae* Graham, 1991 (Eulophidae)  
2860. *Baryscapus talitzkii* (Kostjukov, 1978) (Eulophidae)  
2861. *Baryscapus teneivorus* (Ferrière, 1941) (Eulophidae)  
2862. *Baryscapus turionum* (Hartig, 1838) (Eulophidae)  
2863. *Ceranisan antalyacis* Triapitsyn, 2004 (Eulophidae)  
2864. *Ceranisan bozovaensis* (Doğanlar, 2003) (Eulophidae)  
2865. *Ceranisan hirsutus* Doğanlar & Triapitsyn, 2007 (Eulophidae)  
2866. *Ceranisan onuri* O. Doğanlar, 2010 (Eulophidae)  
2867. *Ceranisan pacuvius* (Walker, 1838) (Eulophidae)  
2868. *Chrysocharis amanus* (Walker, 1839) (Eulophidae)  
2869. *Chrysocharis debussyi* Hansson, 1985 (Eulophidae)  
2870. *Chrysocharis gemma* (Walker, 1839) (Eulophidae)  
2871. *Chrysocharis idyia* (Walker, 1839) (Eulophidae)  
2872. *Chrysocharis laomedon* (Walker, 1839) (Eulophidae)  
2873. *Chrysocharis latifossa* Hansson, 1985 (Eulophidae)  
2874. *Chrysocharis liriomyzae* Delucchi, 1954 (Eulophidae)  
2875. *Chrysocharis mediana* Förster, 1861 (Eulophidae)  
2876. *Chrysocharis nephreus* (Walker, 1839) (Eulophidae)  
2877. *Chrysocharis pentheus* (Walker, 1839) (Eulophidae)  
2878. *Chrysocharis phryne* (Walker, 1839) (Eulophidae)  
2879. *Chrysocharis polyzo* (Walker, 1839) (Eulophidae)  
2880. *Chrysocharis pubicornis* (Zetterstedt, 1838) (Eulophidae)  
2881. *Cirrospilus elongatus* Boucek, 1958 (Eulophidae)  
2882. *Cirrospilus lyncus* Walker, 1838 (Eulophidae)  
2883. *Cirrospilus pictus* (Nees ab Esenbeck, 1834) (Eulophidae)  
2884. *Cirrospilus staryi* Boucek, 1959 (Eulophidae)  
2885. *Cirrospilus variegatus* (Masi, 1907) (Eulophidae)  
2886. *Cirrospilus vittatus* Walker, 1838 (Eulophidae)  
2887. *Closterocerus arvensis* (Graham, 1963) (Eulophidae)  
2888. *Closterocerus chlorogaster* (Erdős, 1966) (Eulophidae)  
2889. *Closterocerus clarus* (Szélenyi, 1977) (Eulophidae)  
2890. *Closterocerus formosus* Westwood, 1833 (Eulophidae)  
2891. *Closterocerus lyonetae* (Ferrière, 1952) (Eulophidae)  
2892. *Colpoclypeus florus* (Walker, 1839) (Eulophidae)  
2893. *Crataepus marbis* (Walker, 1839) (Eulophidae)  
2894. *Dahlbomius fuscipennis* (Zetterstedt, 1838) (Eulophidae)  
2895. *Diglyphus anadolucus* Doğanlar, 1982 (Eulophidae)  
2896. *Diglyphus begini* (Ashmead, 1904) (Eulophidae)  
2897. *Diglyphus chabrias* (Walker, 1838) (Eulophidae)  
2898. *Diglyphus crassinervis* Erdős, 1958 (Eulophidae)  
2899. *Diglyphus isaea* (Walker, 1838) (Eulophidae)  
2900. *Diglyphus minoecus* (Walker, 1838) (Eulophidae)  
2901. *Diglyphus pachyneurus* Graham, 1963 (Eulophidae)  
2902. *Diglyphus poppoea* Walker, 1848 (Eulophidae)  
2903. *Diglyphus pusztensis* (Erdős & Novicky, 1951) (Eulophidae)  
2904. *Diglyphus sabulosus* Erdős, 1951 (Eulophidae)  
2905. *Diglyphus sensilis* Yefremova, 2011 (Eulophidae)  
2906. *Elachertus fenestratus* Nees ab Esenbeck, 1834 (Eulophidae)  
2907. *Elachertus pulcher* (Erdős, 1961) (Eulophidae)  
2908. *Elasmus cyprianus* Ferrière, 1947 (Eulophidae)  
2909. *Elasmus flabellatus* (Fonscolombe, 1832) (Eulophidae)  
2910. *Elasmus nudus* (Nees ab Esenbeck, 1834) (Eulophidae)  
2911. *Elasmus phthorimae* Ferrière, 1947 (Eulophidae)  
2912. *Elasmus platydras* Ferrière, 1935 (Eulophidae)  
2913. *Elasmus steffani* Viggiani, 1967 (Eulophidae)  
2914. *Elasmus unicolor* (Rondani, 1877) (Eulophidae)  
2915. *Elasmus westwoodi* Giraud, 1856 (Eulophidae)  
2916. *Entedon abdera* Walker, 1839 (Eulophidae)  
2917. *Entedon adyamanicus* M. Doğanlar, O. Doğanlar & Boyadzhiev, 2013 (Eulophidae)  
2918. *Entedon akdagicus* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
2919. *Entedon angorensis* Gumovsky, 1999 (Eulophidae)  
2920. *Entedon arabanensis* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
2921. *Entedon bakacacicus* M. Doğanlar, 2013 (Eulophidae)  
2922. *Entedon biroi* Erdős, 1944 (Eulophidae)  
2923. *Entedon calcicola* Graham, 1971 (Eulophidae)  
2924. *Entedon cardui* Askew, 2001 (Eulophidae)  
2925. *Entedon cionobius* Thomson, 1878 (Eulophidae)  
2926. *Entedon diotimus* Walker, 1839 (Eulophidae)  
2927. *Entedon ergias* Walker, 1839 (Eulophidae)  
2928. *Entedon fufius* Walker, 1846 (Eulophidae)  
2929. *Entedon gumushanensis* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
2930. *Entedon hercynia* Walker, 1839 (Eulophidae)  
2931. *Entedon insignis* Erdős, 1944 (Eulophidae)  
2932. *Entedon lixi* Erdős, 1951 (Eulophidae)  
2933. *Entedon longiventrosus* Dalla Torre, 1898 (Eulophidae)  
2934. *Entedon longus* Boucek, 1968 (Eulophidae)  
2935. *Entedon mecinii* Askew, 1992 (Eulophidae)  
2936. *Entedon nevsehiricus* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
2937. *Entedon niziipicus* M. Doğanlar, O. Doğanlar & Boyadzhiev, 2013 (Eulophidae)  
2938. *Entedon pallicus* Erdős, 1944 (Eulophidae)  
2939. *Entedon palvicalcar* Thomson, 1878 (Eulophidae)  
2940. *Entedon pinetorum* Ratzeburg, 1852 (Eulophidae)  
2941. *Entedon procioni* Erdős, 1944 (Eulophidae)  
2942. *Entedon sarkislaensis* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
2943. *Entedon sparetus* Walker, 1839 (Eulophidae)  
2944. *Entedon subpunctatus* [n.n.] (Eulophidae)  
2945. *Entedon susuzensis* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
2946. *Entedon thomsianus* Erdős, 1944 (Eulophidae)  
2947. *Epomphale menes* (Walker, 1839) (Eulophidae)  
2948. *Epomphale planitians* (Erdős, 1966) (Eulophidae)  
2949. *Euderus agrili* Boucek, 1963 (Eulophidae)  
2950. *Euderus brevicornis* Boucek, 1963 (Eulophidae)  
2951. *Euderus palustris* Erdős, 1951 (Eulophidae)  
2952. *Eulophus larvarum* (Linnaeus, 1758) (Eulophidae)  
2953. *Euplectrus bicolor* (Swederus, 1795) (Eulophidae)  
2954. *Euplectrus cerensis* Ferrière, 1941 (Eulophidae)  
2955. *Euplectrus flavipes* (Fonscolombe, 1832) (Eulophidae)  
2956. *Euplectrus phthorimae* Ferrière, 1941 (Eulophidae)  
2957. *Guelsenia amanosus* (M. Doğanlar, Gumovsky & O. Doğanlar, 2009) (Eulophidae)  
2958. *Hemiptarsenus ornatus* (Nees, 1834) (Eulophidae)  
2959. *Hemiptarsenus unguicellus* (Zetterstedt, 1838) (Eulophidae)  
2960. *Hemiptarsenus varicornis* (Girault, 1913) (Eulophidae)  
2961. *Hemiptarsenus zilahisebessi* Erdős, 1951 (Eulophidae)  
2962. *Holcotetrastichus rhosaces* (Walker, 1839) (Eulophidae)  
2963. *Hyssopus geniculatus* (Hartig, 1838) (Eulophidae)  
2964. *Hyssopus nigrifolius* (Zetterstedt, 1838) (Eulophidae)  
2965. *Leptocybe invasa* Fisher & La Salle, 2004 (Eulophidae)  
2966. *Microlycus erdoesi* Boucek, 1959 (Eulophidae)  
2967. *Minotetrastichus frontalis* (Nees, 1834) (Eulophidae)  
2968. *Minotetrastichus plataneilus* (Mercet, 1922) (Eulophidae)  
2969. *Necremnus artnes* (Walker, 1839) (Eulophidae)  
2970. *Necremnus croton* (Walker, 1839) (Eulophidae)  
2971. *Necremnus folia* (Walker, 1839) (Eulophidae)  
2972. *Necremnus leucarthros* (Nees ab Esenbeck, 1834) (Eulophidae)  
2973. *Necremnus metalarus* (Walker, 1839) (Eulophidae)  
2974. *Necremnus tidius* (Walker, 1839) (Eulophidae)  
2975. *Neochrysocharis arvensis* (Graham, 1963) (Eulophidae)  
2976. *Neochrysocharis cuprifrons* (Erdős, 1954) (Eulophidae)  
2977. *Neochrysocharis formosus* (Westwood, 1833) (Eulophidae)  
2978. *Neotrichoporoides beyarslani* Doğanlar, 1993 (Eulophidae)  
2979. *Neotrichoporoides biogradensis* Graham, 1987 (Eulophidae)  
2980. *Neotrichoporoides cavigena* Graham, 1987 (Eulophidae)  
2981. *Neotrichoporoides cynodontis* (Domenichini, 1967) (Eulophidae)  
2982. *Neotrichoporoides mediterraneus* Graham, 1986 (Eulophidae)  
2983. *Neotrichoporoides szelenyii* (Erdős, 1951) (Eulophidae)  
2984. *Neotrichoporoides tokatensis* Doğanlar, 1993 (Eulophidae)  
2985. *Neotrichoporoides viridimaculatus* (Fullaway, 1955) (Eulophidae)  
2986. *Oomyzus incertus* (Ratzeburg, 1844) (Eulophidae)  
2987. *Oomyzus scapetus* (Thomson, 1878) (Eulophidae)  
2988. *Oomyzus sempronius* (Erdős, 1954) (Eulophidae)  
2989. *Pediobius bruchicida* (Rondani, 1872) (Eulophidae)  
2990. *Pediobius cassidae* Erdős, 1958 (Eulophidae)  
2991. *Pediobius epigonus* (Walker, 1839) (Eulophidae)  
2992. *Pediobius illustis* (Waterston, 1915) (Eulophidae)  
2993. *Pediobius metallicus* (Nees ab Esenbeck, 1834) (Eulophidae)  
2994. *Pediobius nigratarsis* (Thomson, 1878) (Eulophidae)  
2995. *Pediobius pyrgo* (Walker, 1839) (Eulophidae)  
2996. *Pediobius saulius* (Walker, 1839) (Eulophidae)  
2997. *Platycleptus bouceki* (Erdős, 1966) (Eulophidae)  
2998. *Pnigalio agraulis* (Walker, 1839) (Eulophidae)  
2999. *Pnigalio longulus* (Zetterstedt, 1838) (Eulophidae)  
3000. *Pnigalio pectinicornis* (Linnaeus, 1758) (Eulophidae)  
3001. *Pnigalio soemius* (Walker, 1839) (Eulophidae)  
3002. *Pronotalia carlinarum* (Szélenyi & Erdős, 1951) (Eulophidae)  
3003. *Pronotalia erzurumica* Doğanlar, 1993 (Eulophidae)  
3004. *Pronotalia fiorii* (Domenichini, 1958) (Eulophidae)  
3005. *Pronotalia hungarica* (Erdős, 1955) (Eulophidae)  
3006. *Pronotalia tortumensis* Doğanlar, 1993 (Eulophidae)  
3007. *Pronotalia tryptetae* Gradwell, 1957 (Eulophidae)  
3008. *Puklina gelincika* Doğanlar, 1993 (Eulophidae)  
3009. *Quadrastichodella nova* Girault, 1922 (Eulophidae)  
3010. *Quadrastichus dasineurae* M. Doğanlar, Lasalle, Sertkaya & O. Doğanlar, 2009 (Eulophidae)  
3011. *Ratzeburgiola cristatus* (Ratzeburg, 1848) (Eulophidae)  
3012. *Ratzeburgiola incompleta* Boucek, 1971 (Eulophidae)  
3013. *Rhinopecte crassicornis* (Nees, 1834) (Eulophidae)  
3014. *Semielacher petiolata* (Girault, 1915) (Eulophidae)  
3015. *Stenomiesus rufescens* (Retzius, 1783) (Eulophidae)  
3016. *Sympiesis acalle* (Walker, 1848) (Eulophidae)  
3017. *Sympiesis albiflava* Fahringer, 1944 (Eulophidae)  
3018. *Sympiesis eusplapterygis* (Erdős, 1958) (Eulophidae)  
3019. *Sympiesis flavipicta* Boucek, 1958 (Eulophidae)  
3020. *Sympiesis gregori* Boucek, 1958 (Eulophidae)  
3021. *Sympiesis sericeicornis* (Nees ab Esenbeck, 1834) (Eulophidae)  
3022. *Sympiesis turcica* Fahringer, 1938 (Eulophidae)  
3023. *Urfacus adyamanensis* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)  
3024. *Urfacus atcanacus* M. Doğanlar & O. Doğanlar, 2013 (Eulophidae)

3025. *Urfacus bozovaensis* M.Doğanlar & O.Doğanlar,2003 (Eulophidae)  
3026. *Urfacus karacadagi* M.Doğanlar & O.Doğanlar,2013 (Eulophidae)  
3027. *Urfacus karkamisus* M.Doğanlar & O.Doğanlar,2013 (Eulophidae)  
3028. *Urfacus komurcukurus* M.Doğanlar & O.Doğanlar,2013 (Eulophidae)  
3029. *Urfacus nizipus* M.Doğanlar & O.Doğanlar,2013 (Eulophidae)  
3030. *Urfacus sekilensis* M.Doğanlar & O.Doğanlar,2013 (Eulophidae)  
3031. *Urfacus sicanus* M.Doğanlar & O.Doğanlar,2013 (Eulophidae)  
3032. *Wichmannia decorata* Ruschka,1916 (Eulophidae)

**Eupelmidae**

3033. *Anastatus bifasciatus* (Geoffroy,1785) (Eupelmidae)  
3034. *Calosota aestivalis* Curtis,1836 (Eupelmidae)  
3035. *Eupelmus annulatus* Nees,1834 (Eupelmidae)  
3036. *Eupelmus microzonus* Förster,1860 (Eupelmidae)  
3037. *Eupelmus seculatus* (Ferrière,1954) (Eupelmidae)  
3038. *Eupelmus urozonus* Dalman,1820 (Eupelmidae)  
3039. *Eupelmus vesicularis* (Retzius,1783) (Eupelmidae)  
3040. *Pentacladia hatayensis* Doğanlar,2003 (Eupelmidae)

**Eurytomidae**

3041. *Bruchophagus roddi* Gussakovskiy,1933 (Eurytomidae)  
3042. *Eurytoma amygdali* Enderlein,1907 (Eurytomidae)  
3043. *Eurytoma aspiia* (Walker,1836) (Eurytomidae)  
3044. *Eurytoma brevicoxa* Zerova & Çam,2003 (Eurytomidae)  
3045. *Eurytoma curculionum* Mayr,1878 (Eurytomidae)  
3046. *Eurytoma curta* Walker,1832 (Eurytomidae)  
3047. *Eurytoma kemalpasensis* Narendran, Tezcan & Civelek,1995 (Eurytomidae)  
3048. *Eurytoma lobopectae* Erdős,1964 (Eurytomidae)  
3049. *Eurytoma martellii* Domenichini,1960 (Eurytomidae)  
3050. *Eurytoma pistaciae* Rondani,1877 (Eurytomidae)  
3051. *Eurytoma robusta* Mayr,1878 (Eurytomidae)  
3052. *Eurytoma rosae* Nees ab Esenbeck,1834 (Eurytomidae)  
3053. *Eurytoma schreineri* Schreiner,1908 (Eurytomidae)  
3054. *Eurytoma serratulae* (Fabricius,1798) (Eurytomidae)  
3055. *Eurytoma tokatensis* Doğanlar & Çam,1991 (Eurytomidae)  
3056. *Eurytoma turkezia* Zerova & Çam,2003 (Eurytomidae)  
3057. *Macrorileya femorata* (Bouček,1952) (Eurytomidae)  
3058. *Macrorileya inopinata* (Silvestri,1920) (Eurytomidae)  
3059. *Rileya doganlari* Çam,2003 (Eurytomidae)  
3060. *Sycophila biguttata* (Swederus,1795) (Eurytomidae)  
3061. *Sycophila submutica* (Thomson,1876) (Eurytomidae)  
3062. *Sycophila variegata* (Curtis,1831) (Eurytomidae)  
3063. *Systole brunnicornis* Zerova & Çam,2003 (Eurytomidae)  
3064. *Systole minima* Zerova & Çam,2003 (Eurytomidae)  
3065. *Systole plana* Zerova & Çam,2004 (Eurytomidae)  
3066. *Systole tokata* Zerova & Çam,2004 (Eurytomidae)  
3067. *Tetramesa anatolica* Zerova & Çam,2003 (Eurytomidae)  
3068. *Tetramesa maderae* (Walker,1849) (Eurytomidae)

**Evaniidae**

3069. *Evania appendigaster* (Linnaeus,1758) (Evaniidae)  
3070. *Evania cibriata* Semenov,1892 (Evaniidae)  
3071. *Evania dimidiata* Fabricius,1804 (Evaniidae)  
3072. *Evania schlettereri* Kohl,1906 (Evaniidae)  
3073. *Prosevania fuscipes* (Illiger,1807) (Evaniidae)

**Figitidae**

3074. *Aspicera blancae* Ros-Farré,2013 (Figitidae)  
3075. *Aspicera hartigi* Dalla Torre,1889 (Figitidae)  
3076. *Aspicera scutellata* (Villers,1789) (Figitidae)

**Formicidae**

3077. *Acantholepis frauenfeldi* (Mayr,1855) (Formicidae)  
3078. *Aenictus rhodiensis* Menozzi,1936 (Formicidae)  
3079. *Amblyopone denticulatum* (Roger,1859) (Formicidae)  
3080. *Anergates atratulus* (Schenck,1852) (Formicidae)  
3081. *Anoplolepis gracilipes* (F.Smith,1857) (Formicidae)  
3082. *Aphaenogaster aktaci* Kiran & Tezcan,2008 (Formicidae)  
3083. *Aphaenogaster balcanica* (Emery,1898) (Formicidae)  
3084. *Aphaenogaster burri* (Donisthorpe,1950) (Formicidae)  
3085. *Aphaenogaster depressa* Bolton,1995 (Formicidae)  
3086. *Aphaenogaster epirotes* (Emery,1895) (Formicidae)  
3087. *Aphaenogaster festae* Emery,1915 (Formicidae)  
3088. *Aphaenogaster gibbosa* (Latreille,1798) (Formicidae)  
3089. *Aphaenogaster holtzi* Emery,1898 (Formicidae)  
3090. *Aphaenogaster kervillei* Forel,1910 (Formicidae)  
3091. *Aphaenogaster maculifrons* Kiran & Aktaç,2008 (Formicidae)  
3092. *Aphaenogaster simonelli* Emery,1894 (Formicidae)

3093. *Aphaenogaster subterranea* (Latreille,1798) (Formicidae)  
3094. *Bothriomyrmex communista* (Santschi,1920) (Formicidae)  
3095. *Camponotus aethiops* (Latreille,1798) (Formicidae)  
3096. *Camponotus compressus* (Fabricius,1787) (Formicidae)  
3097. *Camponotus dalmaticus* (Nylander,1848) (Formicidae)  
3098. *Camponotus fallax* (Nylander,1856) (Formicidae)  
3099. *Camponotus festai* Emery,1894 (Formicidae)  
3100. *Camponotus gestroi* Emery,1878 (Formicidae)  
3101. *Camponotus herculeanus* (Linnaeus,1758) (Formicidae)  
3102. *Camponotus ionius* Emery,1901 (Formicidae)  
3103. *Camponotus jaliensis* Dalla Torre,1893 (Formicidae)  
3104. *Camponotus kiesenwetteri* Roger,1859 (Formicidae)  
3105. *Camponotus samius* Forel,1888 (Formicidae)  
3106. *Camponotus sylvaticus* (Olivier,1792) (Formicidae)  
3107. *Cardiocondyla elegans* Emery,1869 (Formicidae)  
3108. *Cataglyphis kurdistanicus* Pisarski,1965 (Formicidae)  
3109. *Cataglyphis livida* André,1881 (Formicidae)  
3110. *Cataglyphis nodus* (Brullé,1832) (Formicidae)  
3111. *Cataglyphis viaticoides* André,1881 (Formicidae)  
3112. *Crematogaster laestrygon* Emery,1869 (Formicidae)  
3113. *Crematogaster scutellaris* (Olivier,1791) (Formicidae)  
3114. *Crematogaster sordidula* (Nylander,1849) (Formicidae)  
3115. *Diplophoptrum fugax* (Latreille,1798) (Formicidae)  
3116. *Dorylus* (Typhlopone) *fulvus* (Westwood,1839) (Formicidae)  
3117. *Formica cinereofusca* Karawajew,1919 (Formicidae)  
3118. *Formica cunicularia* Latreille,1798 (Formicidae)  
3119. *Formica fusca* Linnaeus,1758 (Formicidae)  
3120. *Formica picea* Nylander,1846 (Formicidae)  
3121. *Formica pressilabris* Nylander,1846 (Formicidae)  
3122. *Formica sanguinea* Latreille,1798 (Formicidae)  
3123. *Lasius alienus* (Förster,1850) (Formicidae)  
3124. *Lasius flavus* (Fabricius,1781) (Formicidae)  
3125. *Lasius niger* (Linnaeus,1758) (Formicidae)  
3126. *Leptothorax muscorum* (Nylander,1846) (Formicidae)  
3127. *Liometopum microcephalum* (Panzer,1798) (Formicidae)  
3128. *Manica rubida* (Latreille,1802) (Formicidae)  
3129. *Messor semirufus* (André,1881) (Formicidae)  
3130. *Messor structor* (Latreille,1798) (Formicidae)  
3131. *Monomorium dentigerum* (Roger,1862) (Formicidae)  
3132. *Monomorium kusnezovi* Santschi,1928 (Formicidae)  
3133. *Monomorium minutum* Mayr,1855 (Formicidae)  
3134. *Myrmica bergi* Ruzsky,1902 (Formicidae)  
3135. *Myrmica lobicornis* Nylander,1846 (Formicidae)  
3136. *Myrmica ravaninii* Finzi,1923 (Formicidae)  
3137. *Myrmica ruginodis* Nylander,1846 (Formicidae)  
3138. *Myrmica scabrinodis* Nylander,1846 (Formicidae)  
3139. *Myrmica schencki* Viereck,1903 (Formicidae)  
3140. *Myrmica specioides* Bondroit,1918 (Formicidae)  
3141. *Myrmica sulcinodis* Nylander,1846 (Formicidae)  
3142. *Pheidole arenarum* Ruzsky,1905 (Formicidae)  
3143. *Pheidole pallidula* (Nylander,1848) (Formicidae)  
3144. *Plagiolepis pallescentis* Forel,1888 (Formicidae)  
3145. *Plagiolepis pygmaea* (Latreille,1798) (Formicidae)  
3146. *Proformica kobachidzei* Arnoldi,1968 (Formicidae)  
3147. *Rossomyrmex anatolicus* Tinaut,2007 (Formicidae)  
3148. *Tapinoma erraticum* (Latreille,1798) (Formicidae)  
3149. *Tetramorium caespitum* (Linnaeus,1758) (Formicidae)  
3150. *Tetramorium lucidula* Emery,1909 (Formicidae)  
3151. *Tetramorium schmidtii* Forel,1904 (Formicidae)  
3152. *Tetramorium sculptum* Poldi,1975 (Formicidae)  
3153. *Tetramorium semilaeve* André,1883 (Formicidae)

**Gasteruptionidae**

3154. *Gasteruption assectator* (Linnaeus,1758) (Gasteruptionidae)  
3155. *Gasteruption diversipes* (Abeille,1879) (Gasteruptionidae)  
3156. *Gasteruption erythrostomum* (Dahlbom,1834) (Gasteruptionidae)  
3157. *Gasteruption freyi* (Tournier,1877) (Gasteruptionidae)  
3158. *Gasteruption jaculator* (Linnaeus,1758) (Gasteruptionidae)  
3159. *Gasteruption jekylljaechi* (Madl,1987) (Gasteruptionidae)  
3160. *Gasteruption opacum* (Tournier,1877) (Gasteruptionidae)  
3161. *Gasteruption pedemontanum* (Tournier,1877) (Gasteruptionidae)  
3162. *Gasteruption pyrenaicum* Guérin,1844 (Gasteruptionidae)  
3163. *Gasteruption tibiale* (Schletterer,1885) (Gasteruptionidae)  
3164. *Gasteruption tournieri* (Schletterer,1885) (Gasteruptionidae)  
3165. *Gasteruption undulatum* (Abeille,1879) (Gasteruptionidae)

**Halictidae**

3166. *Ceylaliectus* (s.str.) *variegatus* (Olivier,1789) (Halictidae)

3167. *Dufourea* (Afrodufourea) *atrata* (Warncke,1979) (Halictidae)  
3168. *Dufourea* (Cyprirrophites) *armenia* Ebmer,1987 (Halictidae)  
3169. *Dufourea* (Cyprirrophites) *coeruleocephala* Morawitz,1872 (Halictidae)  
3170. *Dufourea* (Cyprirrophites) *cypria* Mavromoustakis,1952 (Halictidae)  
3171. *Dufourea* (Halictoides) *graeca* Ebmer,1976 (Halictidae)  
3172. *Dufourea* (Halictoides) *pontica* (Warncke,1979) (Halictidae)  
3173. *Dufourea* (Halictoides) *schmiedeknechtii* (Kohl,1905) (Halictidae)  
3174. *Dufourea* (s.str.) *caelestis* Ebmer,1987 (Halictidae)  
3175. *Dufourea* (s.str.) *quadridentata* (Warncke,1979) (Halictidae)  
3176. *Dufourea* (s.str.) *wolffi* Ebmer,1989 (Halictidae)  
3177. *Halictus* (Hexataenites) *scabiosae* (Rossi,1790) (Halictidae)  
3178. *Halictus* (Hexataenites) *sexcinctus* (Fabricius,1775) (Halictidae)  
3179. *Halictus* (Monilapis) *beytueschebapensis* Warncke,1984 (Halictidae)  
3180. *Halictus* (Monilapis) *compressus* Walckenaer,1802 (Halictidae)  
3181. *Halictus* (Monilapis) *ponticus* Blüthgen,1934 (Halictidae)  
3182. *Halictus* (Monilapis) *sajoi* Blüthgen,1923 (Halictidae)  
3183. *Halictus* (Monilapis) *simplex* Blüthgen,1923 (Halictidae)  
3184. *Halictus* (Monilapis) *tetrazonius* (Klug,1817) (Halictidae)  
3185. *Halictus* (Platyhalictus) *graecus* Blüthgen,1933 (Halictidae)  
3186. *Halictus* (Protohalictus) *georgicus* Blüthgen,1936 (Halictidae)  
3187. *Halictus* (s.str.) *aegypticola* Strand,1909 (Halictidae)  
3188. *Halictus* (s.str.) *alfkenellus* Strand,1909 (Halictidae)  
3189. *Halictus* (s.str.) *asperulus* Pérez,1895 (Halictidae)  
3190. *Halictus* (s.str.) *berlandi* Blüthgen,1936 (Halictidae)  
3191. *Halictus* (s.str.) *brunnescens* (Eversmann,1852) (Halictidae)  
3192. *Halictus* (s.str.) *cochlearitarsis* (Dours,1872) (Halictidae)  
3193. *Halictus* (s.str.) *dschulfensis* Blüthgen,1936 (Halictidae)  
3194. *Halictus* (s.str.) *eurygnathus* Blüthgen,1930 (Halictidae)  
3195. *Halictus* (s.str.) *falcinellus* Warncke,1982 (Halictidae)  
3196. *Halictus* (s.str.) *fatsensis* Blüthgen,1936 (Halictidae)  
3197. *Halictus* (s.str.) *gordius* Warncke,1975 (Halictidae)  
3198. *Halictus* (s.str.) *lobatus* Ebmer,1978 (Halictidae)  
3199. *Halictus* (s.str.) *luginicus* Blüthgen,1936 (Halictidae)  
3200. *Halictus* (s.str.) *lunatus* Warncke,1975 (Halictidae)  
3201. *Halictus* (s.str.) *gordius* Warncke,1975 (Halictidae)  
3202. *Halictus* (s.str.) *patellatus* Morawitz,1873 (Halictidae)  
3203. *Halictus* (s.str.) *pentheri* Blüthgen,1923 (Halictidae)  
3204. *Halictus* (s.str.) *quadrincinctoides* Blüthgen,1936 (Halictidae)  
3205. *Halictus* (s.str.) *quadrincinctus* (Fabricius,1776) (Halictidae)  
3206. *Halictus* (s.str.) *resurgens* Nurse,1903 (Halictidae)  
3207. *Halictus* (s.str.) *rubicundus* (Christ,1791) (Halictidae)  
3208. *Halictus* (s.str.) *scardicus* Blüthgen,1936 (Halictidae)  
3209. *Halictus* (s.str.) *senilis* (Eversmann,1852) (Halictidae)  
3210. *Halictus* (s.str.) *squamosus* Lebedev,1910 (Halictidae)  
3211. *Halictus* (s.str.) *submodernus* Blüthgen,1936 (Halictidae)  
3212. *Halictus* (s.str.) *tetrazonienellus* Strand,1909 (Halictidae)  
3213. *Halictus* (Seladonia) *cephalicus* (Morawitz,1873) (Halictidae)  
3214. *Halictus* (Seladonia) *clangulus* Warncke,1984 (Halictidae)  
3215. *Halictus* (Seladonia) *confusus* Smith,1853 (Halictidae)  
3216. *Halictus* (Seladonia) *desertorum* Morawitz,1876 (Halictidae)  
3217. *Halictus* (Seladonia) *gemmeus* Dours,1872 (Halictidae)  
3218. *Halictus* (Seladonia) *kessleri* Bramson,1879 (Halictidae)  
3219. *Halictus* (Seladonia) *kusdasi* Ebmer,1975 (Halictidae)  
3220. *Halictus* (Seladonia) *laticephalus* Warncke,1984 (Halictidae)  
3221. *Halictus* (Seladonia) *leucaeneus* Ebmer,1972 (Halictidae)  
3222. *Halictus* (Seladonia) *seladonius* (Fabricius,1794) (Halictidae)  
3223. *Halictus* (Seladonia) *smaragdulus* Vachal,1895 (Halictidae)  
3224. *Halictus* (Seladonia) *subauratus* (Rossi,1792) (Halictidae)  
3225. *Halictus* (Seladonia) *tumulorum* (Linnaeus,1758) (Halictidae)

3226. *Halictus* (*Seladonia*) *verticalis* Blüthgen, 1931 (Halictidae)  
3227. *Halictus* (*Seladonia*) *vestitus* Lepeletier, 1841 (Halictidae)  
3228. *Halictus* (*Vestitohalictus*) *morawitzi* Vachal, 1902 (Halictidae)  
3229. *Halictus* (*Vestitohalictus*) *nigricutis* Warncke, 1975 (Halictidae)  
3230. *Halictus* (*Vestitohalictus*) *pollinosus* Sichel, 1860 (Halictidae)  
3231. *Halictus* (*Vestitohalictus*) *pseudomucoreus* Ebmer, 1975 (Halictidae)  
3232. *Halictus* (*Vestitohalictus*) *pulvereus* Morawitz, 1874 (Halictidae)  
3233. *Halictus* (*Vestitohalictus*) *semiticus* Blüthgen, 1955 (Halictidae)  
3234. *Halictus* (*Vestitohalictus*) *solitudinis* Ebmer, 1975 (Halictidae)  
3235. *Halictus* (*Vestitohalictus*) *tuberculatus* Blüthgen, 1925 (Halictidae)  
3236. *Halictus* *korbi* Blüthgen, 1929 (Halictidae)  
3237. *Halictus* *xanthopyrimnus* Warncke, 1984 (Halictidae)  
3238. *Lasioglossum* (*Ctenonomia*) *vagans* (Smith, 1858) (Halictidae)  
3239. *Lasioglossum* (*Evyaleus*) *adaliae* (Blüthgen, 1923) (Halictidae)  
3240. *Lasioglossum* (*Evyaleus*) *aeratum* (Kirby, 1802) (Halictidae)  
3241. *Lasioglossum* (*Evyaleus*) *alipes* (Fabricius, 1781) (Halictidae)  
3242. *Lasioglossum* (*Evyaleus*) *alectore* (Warncke, 1984) (Halictidae)  
3243. *Lasioglossum* (*Evyaleus*) *alirum* (Blüthgen, 1923) (Halictidae)  
3244. *Lasioglossum* (*Evyaleus*) *anellum* (Vachal, 1905) (Halictidae)  
3245. *Lasioglossum* (*Evyaleus*) *angusticeps* (Perkins, 1895) (Halictidae)  
3246. *Lasioglossum* (*Evyaleus*) *angustipes* Ebmer, 1972 (Halictidae)  
3247. *Lasioglossum* (*Evyaleus*) *annulipes* (Morawitz, 1876) (Halictidae)  
3248. *Lasioglossum* (*Evyaleus*) *apostoli* Ebmer, 1970 (Halictidae)  
3249. *Lasioglossum* (*Evyaleus*) *apricarium* (Warncke, 1982) (Halictidae)  
3250. *Lasioglossum* (*Evyaleus*) *araxanum* (Blüthgen, 1923) (Halictidae)  
3251. *Lasioglossum* (*Evyaleus*) *argaeum* (Blüthgen, 1931) (Halictidae)  
3252. *Lasioglossum* (*Evyaleus*) *atrovirens* (Pérez, 1903) (Halictidae)  
3253. *Lasioglossum* (*Evyaleus*) *barkense* (Blüthgen, 1930) (Halictidae)  
3254. *Lasioglossum* (*Evyaleus*) *bicallosum* (Morawitz, 1873) (Halictidae)  
3255. *Lasioglossum* (*Evyaleus*) *bischoffi* (Blüthgen, 1931) (Halictidae)  
3256. *Lasioglossum* (*Evyaleus*) *bluethgeni* (Ebmer, 1971) (Halictidae)  
3257. *Lasioglossum* (*Evyaleus*) *brevicorne* (Schenck, 1868) (Halictidae)  
3258. *Lasioglossum* (*Evyaleus*) *buccale* (Pérez, 1903) (Halictidae)  
3259. *Lasioglossum* (*Evyaleus*) *buccalis* (Pérez, 1903) (Halictidae)  
3260. *Lasioglossum* (*Evyaleus*) *calceatum* (Scopoli, 1763) (Halictidae)  
3261. *Lasioglossum* (*Evyaleus*) *cinclum* (Warncke, 1984) (Halictidae)  
3262. *Lasioglossum* (*Evyaleus*) *ciscapum* (Blüthgen, 1931) (Halictidae)  
3263. *Lasioglossum* (*Evyaleus*) *clypeare* (Schenck, 1853) (Halictidae)  
3264. *Lasioglossum* (*Evyaleus*) *clypeiferellum* (Strand, 1909) (Halictidae)  
3265. *Lasioglossum* (*Evyaleus*) *convexiusculum* (Schenck, 1853) (Halictidae)  
3266. *Lasioglossum* (*Evyaleus*) *corvinum* (Morawitz, 1876) (Halictidae)  
3267. *Lasioglossum* (*Evyaleus*) *crassepunctatum* (Blüthgen, 1923) (Halictidae)  
3268. *Lasioglossum* (*Evyaleus*) *croceipes* (Morawitz, 1876) (Halictidae)  
3269. *Lasioglossum* (*Evyaleus*) *cutellatum* (Warncke, 1984) (Halictidae)  
3270. *Lasioglossum* (*Evyaleus*) *cupromicans* (Pérez, 1903) (Halictidae)  
3271. *Lasioglossum* (*Evyaleus*) *daglariense* (Warncke, 1984) (Halictidae)  
3272. *Lasioglossum* (*Evyaleus*) *damascenum* (Pérez, 1910) (Halictidae)  
3273. *Lasioglossum* (*Evyaleus*) *debilius* (Pérez, 1910) (Halictidae)  
3274. *Lasioglossum* (*Evyaleus*) *denislucum* (Strand, 1909) (Halictidae)  
3275. *Lasioglossum* (*Evyaleus*) *dolichocephalum* (Blüthgen, 1923) (Halictidae)  
3276. *Lasioglossum* (*Evyaleus*) *ducke* (Alfken, 1909) (Halictidae)  
3277. *Lasioglossum* (*Evyaleus*) *edessae* Ebmer, 1973 (Halictidae)  
3278. *Lasioglossum* (*Evyaleus*) *elegans* (Lepeletier, 1841) (Halictidae)  
3279. *Lasioglossum* (*Evyaleus*) *epipygale* (Blüthgen, 1924) (Halictidae)  
3280. *Lasioglossum* (*Evyaleus*) *erraticum* (Blüthgen, 1931) (Halictidae)  
3281. *Lasioglossum* (*Evyaleus*) *euboense* (Strand, 1909) (Halictidae)  
3282. *Lasioglossum* (*Evyaleus*) *eurydikae* Ebmer, 1973 (Halictidae)  
3283. *Lasioglossum* (*Evyaleus*) *filipes* Ebmer, 1972 (Halictidae)  
3284. *Lasioglossum* (*Evyaleus*) *fratellum* (Pérez, 1903) (Halictidae)  
3285. *Lasioglossum* (*Evyaleus*) *fulvicorne* (Kirby, 1802) (Halictidae)  
3286. *Lasioglossum* (*Evyaleus*) *glabriusculum* (Morawitz, 1872) (Halictidae)  
3287. *Lasioglossum* (*Evyaleus*) *griseolum* (Morawitz, 1872) (Halictidae)  
3288. *Lasioglossum* (*Evyaleus*) *harputicum* Ebmer, 1972 (Halictidae)  
3289. *Lasioglossum* (*Evyaleus*) *hecate* Ebmer, 1986 (Halictidae)  
3290. *Lasioglossum* (*Evyaleus*) *hethiticum* Ebmer, 1970 (Halictidae)  
3291. *Lasioglossum* (*Evyaleus*) *hilare* Ebmer, 1972 (Halictidae)  
3292. *Lasioglossum* (*Evyaleus*) *imbecillum* Ebmer, 1973 (Halictidae)  
3293. *Lasioglossum* (*Evyaleus*) *intermedium* (Schenck, 1869) (Halictidae)  
3294. *Lasioglossum* (*Evyaleus*) *interruptum* (Panzer, 1798) (Halictidae)  
3295. *Lasioglossum* (*Evyaleus*) *israelense* Ebmer, 1974 (Halictidae)  
3296. *Lasioglossum* (*Evyaleus*) *ituraeum* Ebmer, 1972 (Halictidae)  
3297. *Lasioglossum* (*Evyaleus*) *kappadokium* Ebmer, 1973 (Halictidae)  
3298. *Lasioglossum* (*Evyaleus*) *lactipenne* Ebmer, 1975 (Halictidae)  
3299. *Lasioglossum* (*Evyaleus*) *laevidorsum* (Blüthgen, 1923) (Halictidae)  
3300. *Lasioglossum* (*Evyaleus*) *laticeps* Schenck, 1870 (Halictidae)  
3301. *Lasioglossum* (*Evyaleus*) *limbelloides* (Blüthgen, 1931) (Halictidae)  
3302. *Lasioglossum* (*Evyaleus*) *limbellum* (Morawitz, 1876) (Halictidae)  
3303. *Lasioglossum* (*Evyaleus*) *lineare* (Schenck, 1869) (Halictidae)  
3304. *Lasioglossum* (*Evyaleus*) *lissonatum* (Noskiewicz, 1925) (Halictidae)  
3305. *Lasioglossum* (*Evyaleus*) *longirostre* (Morawitz, 1876) (Halictidae)  
3306. *Lasioglossum* (*Evyaleus*) *lucidulum* (Schenck, 1861) (Halictidae)  
3307. *Lasioglossum* (*Evyaleus*) *maculipes* (Morawitz, 1876) (Halictidae)  
3308. *Lasioglossum* (*Evyaleus*) *malachurum* (Kirby, 1802) (Halictidae)  
3309. *Lasioglossum* (*Evyaleus*) *mandibulare* (Morawitz, 1866) (Halictidae)  
3310. *Lasioglossum* (*Evyaleus*) *marginatum* (Brullé, 1832) (Halictidae)  
3311. *Lasioglossum* (*Evyaleus*) *marginellum* (Schenck, 1853) (Halictidae)  
3312. *Lasioglossum* (*Evyaleus*) *mesosclerum* (Pérez, 1903) (Halictidae)  
3313. *Lasioglossum* (*Evyaleus*) *mesosclerum* (Pérez, 1903) (Halictidae)  
3314. *Lasioglossum* (*Evyaleus*) *minutissimum* (Kirby, 1802) (Halictidae)  
3315. *Lasioglossum* (*Evyaleus*) *minutulum* (Schenck, 1853) (Halictidae)  
3316. *Lasioglossum* (*Evyaleus*) *montifringillum* (Warncke, 1984) (Halictidae)  
3317. *Lasioglossum* (*Evyaleus*) *montivolans* Ebmer, 1975 (Halictidae)  
3318. *Lasioglossum* (*Evyaleus*) *morio* (Fabricius, 1793) (Halictidae)  
3319. *Lasioglossum* (*Evyaleus*) *muganicum* Ebmer, 1972 (Halictidae)  
3320. *Lasioglossum* (*Evyaleus*) *nigripes* (Lepeletier, 1841) (Halictidae)  
3321. *Lasioglossum* (*Evyaleus*) *nitidiusculum* (Kirby, 1802) (Halictidae)  
3322. *Lasioglossum* (*Evyaleus*) *nitidulum* (Fabricius, 1804) (Halictidae)  
3323. *Lasioglossum* (*Evyaleus*) *obscuratum* (Morawitz, 1875) (Halictidae)  
3324. *Lasioglossum* (*Evyaleus*) *ordubadense* (Friese, 1916) (Halictidae)  
3325. *Lasioglossum* (*Evyaleus*) *paleae* Ebmer, 1972 (Halictidae)  
3326. *Lasioglossum* (*Evyaleus*) *parvulum* (Schenck, 1853) (Halictidae)  
3327. *Lasioglossum* (*Evyaleus*) *pauperatum* (Brullé, 1832) (Halictidae)  
3328. *Lasioglossum* (*Evyaleus*) *pauillum* (Schenck, 1853) (Halictidae)  
3329. *Lasioglossum* (*Evyaleus*) *peregrinum* (Blüthgen, 1923) (Halictidae)  
3330. *Lasioglossum* (*Evyaleus*) *pistorium* (Vachal, 1902) (Halictidae)  
3331. *Lasioglossum* (*Evyaleus*) *podolicum* (Noskiewicz, 1924) (Halictidae)  
3332. *Lasioglossum* (*Evyaleus*) *politum* Schenck, 1853 (Halictidae)  
3333. *Lasioglossum* (*Evyaleus*) *pressithorax* Ebmer, 1973 (Halictidae)  
3334. *Lasioglossum* (*Evyaleus*) *pseudoleptorhynchum* (Blüthgen, 1931) (Halictidae)  
3335. *Lasioglossum* (*Evyaleus*) *pseudonigripes* (Blüthgen, 1934) (Halictidae)  
3336. *Lasioglossum* (*Evyaleus*) *pseudosphecodimorphum* (Blüthgen, 1923) (Halictidae)  
3337. *Lasioglossum* (*Evyaleus*) *pulicarium* (Warncke, 1975) (Halictidae)  
3338. *Lasioglossum* (*Evyaleus*) *punctatissimum* (Schenck, 1853) (Halictidae)  
3339. *Lasioglossum* (*Evyaleus*) *puncticollis* (Morawitz, 1872) (Halictidae)  
3340. *Lasioglossum* (*Evyaleus*) *pygmaeum* Schenck, 1853 (Halictidae)  
3341. *Lasioglossum* (*Evyaleus*) *quadrisingatum* (Schenck, 1853) (Halictidae)  
3342. *Lasioglossum* (*Evyaleus*) *rhynchites* (Morawitz, 1876) (Halictidae)  
3343. *Lasioglossum* (*Evyaleus*) *rupestre* (Warncke, 1984) (Halictidae)  
3344. *Lasioglossum* (*Evyaleus*) *rusticolum* (Warncke, 1982) (Halictidae)  
3345. *Lasioglossum* (*Evyaleus*) *salinum* (Morawitz, 1875) (Halictidae)  
3346. *Lasioglossum* (*Evyaleus*) *samaricum* (Blüthgen, 1935) (Halictidae)  
3347. *Lasioglossum* (*Evyaleus*) *saxatile* (Warncke, 1984) (Halictidae)  
3348. *Lasioglossum* (*Evyaleus*) *schacht* (Warncke, 1984) (Halictidae)  
3349. *Lasioglossum* (*Evyaleus*) *schwarz* Ebmer, 1985 (Halictidae)  
3350. *Lasioglossum* (*Evyaleus*) *semilucens* (Alfken, 1914) (Halictidae)  
3351. *Lasioglossum* (*Evyaleus*) *setulellum* (Strand, 1909) (Halictidae)  
3352. *Lasioglossum* (*Evyaleus*) *siirtense* (Warncke, 1984) (Halictidae)  
3353. *Lasioglossum* (*Evyaleus*) *skorikovi* (Blüthgen, 1929) (Halictidae)  
3354. *Lasioglossum* (*Evyaleus*) *sobrinum* (Warncke, 1982) (Halictidae)  
3355. *Lasioglossum* (*Evyaleus*) *sociorum* (Blüthgen, 1924) (Halictidae)  
3356. *Lasioglossum* (*Evyaleus*) *soror* (Saunders, 1901) (Halictidae)  
3357. *Lasioglossum* (*Evyaleus*) *stelidum* (Warncke, 1982) (Halictidae)  
3358. *Lasioglossum* (*Evyaleus*) *subaenescens* (Pérez, 1896) (Halictidae)  
3359. *Lasioglossum* (*Evyaleus*) *subfulvicorne* (Blüthgen, 1934) (Halictidae)  
3360. *Lasioglossum* (*Evyaleus*) *taninense* (Warncke, 1984) (Halictidae)  
3361. *Lasioglossum* (*Evyaleus*) *tarsatum* (Schenck, 1868) (Halictidae)  
3362. *Lasioglossum* (*Evyaleus*) *tauricum* Ebmer, 1972 (Halictidae)  
3363. *Lasioglossum* (*Evyaleus*) *transitorium* (Schenck, 1870) (Halictidae)  
3364. *Lasioglossum* (*Evyaleus*) *trichopygum* (Blüthgen, 1923) (Halictidae)  
3365. *Lasioglossum* (*Evyaleus*) *trincinctum* (Schenck, 1874) (Halictidae)  
3366. *Lasioglossum* (*Evyaleus*) *truncaticolle* (Morawitz, 1877) (Halictidae)  
3367. *Lasioglossum* (*Evyaleus*) *tschibuklinum* (Blüthgen, 1931) (Halictidae)  
3368. *Lasioglossum* (*Evyaleus*) *villosulum* (Kirby, 1802) (Halictidae)  
3369. *Lasioglossum* (*Evyaleus*) *zostaceum* (Warncke, 1982) (Halictidae)  
3370. *Lasioglossum* (*s.str.*) *acephaloides* (Blüthgen, 1931) (Halictidae)  
3371. *Lasioglossum* (*s.str.*) *aegyptiellum* (Strand, 1909) (Halictidae)  
3372. *Lasioglossum* (*s.str.*) *caspicum* (Morawitz, 1873) (Halictidae)  
3373. *Lasioglossum* (*s.str.*) *chloropus* (Morawitz, 1893) (Halictidae)  
3374. *Lasioglossum* (*s.str.*) *cilicium* Ebmer, 1972 (Halictidae)  
3375. *Lasioglossum* (*s.str.*) *costulatum* (Kriechbaumer, 1873) (Halictidae)  
3376. *Lasioglossum* (*s.str.*) *cristulum* (Pérez, 1895) (Halictidae)  
3377. *Lasioglossum* (*s.str.*) *discum* (Smith, 1853) (Halictidae)  
3378. *Lasioglossum* (*s.str.*) *equinum* Ebmer, 1978 (Halictidae)  
3379. *Lasioglossum* (*s.str.*) *euxinicum* Ebmer, 1972 (Halictidae)  
3380. *Lasioglossum* (*s.str.*) *fahringeri* Friese, 1921 (Halictidae)  
3381. *Lasioglossum* (*s.str.*) *fallax* (Morawitz, 1873) (Halictidae)  
3382. *Lasioglossum* (*s.str.*) *haesitans* (Blüthgen, 1931) (Halictidae)



3383. *Lasioglossum* (s.str.) *korbi* (Blüthgen,1929) (Halictidae)  
3384. *Lasioglossum* (s.str.) *kussariense* (Blüthgen,1925) (Halictidae)  
3385. *Lasioglossum* (s.str.) *laevigatum* (Kirby,1802) (Halictidae)  
3386. *Lasioglossum* (s.str.) *laterale* (Brullé,1832) (Halictidae)  
3387. *Lasioglossum* (s.str.) *lativentris* (Schenck,1853) (Halictidae)  
3388. *Lasioglossum* (s.str.) *leucozonium* (Schränk,1781) (Halictidae)  
3389. *Lasioglossum* (s.str.) *pallens* (Brullé,1832) (Halictidae)  
3390. *Lasioglossum* (s.str.) *perclavipes* (Blüthgen,1934) (Halictidae)  
3391. *Lasioglossum* (s.str.) *perclavipes* (Blüthgen,1934) (Halictidae)  
3392. *Lasioglossum* (s.str.) *prunellum* Warncke,1975 (Halictidae)  
3393. *Lasioglossum* (s.str.) *pseudocaspicum* (Blüthgen,1923) (Halictidae)  
3394. *Lasioglossum* (s.str.) *quadrinotatum* (Kirby,1802) (Halictidae)  
3395. *Lasioglossum* (s.str.) *sexnotatum* (Kirby,1802) (Halictidae)  
3396. *Lasioglossum* (s.str.) *solitarium* (Warncke,1975) (Halictidae)  
3397. *Lasioglossum* (s.str.) *subbuteo* (Warncke,1982) (Halictidae)  
3398. *Lasioglossum* (s.str.) *subfasciatum* (Imhoff,1832) (Halictidae)  
3399. *Lasioglossum* (s.str.) *tadschicum* (Blüthgen,1929) (Halictidae)  
3400. *Lasioglossum* (s.str.) *tenuiceps* (Vachal,1905) (Halictidae)  
3401. *Lasioglossum* (s.str.) *xanthopum* (Kirby,1802) (Halictidae)  
3402. *Lasioglossum* (s.str.) *xanthopus* Kirby,1802 (Halictidae)  
3403. *Lasioglossum* (s.str.) *zonulum* (Smith,1848) (Halictidae)  
3404. *Lasioglossum* *eurasicum* Ebmer,1972 (Halictidae)  
3405. *Lasioglossum* *solitarium* Warncke,1975 (Halictidae)  
3406. *Lasioglossum* *tinnunculum* Warncke,1982 (Halictidae)  
3407. *Lasioglossum* *xanthopum* Kirby,1802 (Halictidae)  
3408. *Nomia* (Lobonomia) *armata* Olivier,1811 (Halictidae)  
3409. *Nomioides* (s.str.) *chalybeatus* (Blüthgen,1934) (Halictidae)  
3410. *Nomioides* (s.str.) *facilis* (Smith,1853) (Halictidae)  
3411. *Nomioides* (s.str.) *gussakovskiji* Blüthgen,1933 (Halictidae)  
3412. *Nomioides* (s.str.) *ino* (Nurse,1904) (Halictidae)  
3413. *Nomioides* (s.str.) *minutissimus* (Rossi,1790) (Halictidae)  
3414. *Nomioides* (s.str.) *modestus* Pesenko,1977 (Halictidae)  
3415. *Nomioides* (s.str.) *parviceps* Morawitz,1876 (Halictidae)  
3416. *Nomioides* (s.str.) *schwarzii* Pesenko,1989 (Halictidae)  
3417. *Nomioides* (s.str.) *similis* Pesenko,1983 (Halictidae)  
3418. *Nomioides* (s.str.) *squamiger* Saunders,1908 (Halictidae)  
3419. *Nomioides* (s.str.) *uranicus* Morawitz,1876 (Halictidae)  
3420. *Pseudapis* (Nomiapis) *bispinosa* (Brullé,1832) (Halictidae)  
3421. *Pseudapis* (Nomiapis) *diversipes* (Latreille,1806) (Halictidae)  
3422. *Pseudapis* (Nomiapis) *equestris* Gerstaecker,1872 (Halictidae)  
3423. *Pseudapis* (Nomiapis) *femoralis* (Pallas,1773) (Halictidae)  
3424. *Pseudapis* (Nomiapis) *monstrosa* (Costa,1861) (Halictidae)  
3425. *Pseudapis* (Nomiapis) *squamata* (Morawitz,1894) (Halictidae)  
3426. *Pseudapis* (Nomiapis) *unidentata* (Olivier,1811) (Halictidae)  
3427. *Pseudapis* (Nomiapis) *urfana* (Warncke,1980) (Halictidae)  
3428. *Pseudapis* (Nomiapis) *valga* (Gerstaecker,1872) (Halictidae)  
3429. *Pseudapis* (s.str.) *anatolica* (Warncke,1976) (Halictidae)  
3430. *Pseudapis* (s.str.) *bytinski* (Warncke,1976) (Halictidae)  
3431. *Pseudapis* (s.str.) *edentata* (Morawitz,1876) (Halictidae)  
3432. *Pseudapis* (s.str.) *lobata* (Olivier,1811) (Halictidae)  
3433. *Pseudapis* (s.str.) *platula* (Warncke,1976) (Halictidae)  
3434. *Pseudapis* (s.str.) *rufescens* (Morawitz,1876) (Halictidae)  
3435. *Rhopitoides* *anatolicus* Schwammberger,1975 (Halictidae)  
3436. *Rhopitoides* *canus* (Eversmann,1852) (Halictidae)  
3437. *Rophites* *algius* Pérez,1895 (Halictidae)  
3438. *Rophites* *caucasicus* Morawitz,1875 (Halictidae)  
3439. *Rophites* *clypealis* Schwammberger,1976 (Halictidae)  
3440. *Rophites* *foveolatus* Friese,1900 (Halictidae)  
3441. *Rophites* *gusenleitneri* Schwammberger,1973 (Halictidae)  
3442. *Rophites* *hartmanni* Friese,1902 (Halictidae)  
3443. *Rophites* *heinrichi* Schwammberger,1976 (Halictidae)  
3444. *Rophites* *leclercqi* Schwammberger,1971 (Halictidae)  
3445. *Rophites* *morawitzii* Friese,1902 (Halictidae)  
3446. *Rophites* *nigripes* Friese,1902 (Halictidae)  
3447. *Rophites* *quinquspinosus* Spinola,1808 (Halictidae)  
3448. *Rophites* *transitorius* (Fabricius,1793) (Halictidae)  
3449. *Sphecodes* *albibrans* (Fabricius,1793) (Halictidae)  
3450. *Sphecodes* *alternatus* Smith,1853 (Halictidae)  
3451. *Sphecodes* *anatolicus* Warncke,1992 (Halictidae)  
3452. *Sphecodes* *armeniacus* Warncke,1992 (Halictidae)  
3453. *Sphecodes* *crassus* Thomson,1870 (Halictidae)  
3454. *Sphecodes* *cristatus* Hagens,1882 (Halictidae)  
3455. *Sphecodes* *croaticus* Meyer,1922 (Halictidae)  
3456. *Sphecodes* *dusmeti* Blüthgen,1924 (Halictidae)  
3457. *Sphecodes* *ephippius* (Linnaeus,1767) (Halictidae)  
3458. *Sphecodes* *ferruginatus* Hagens,1882 (Halictidae)  
3459. *Sphecodes* *geoffrellus* (Kirby,1802) (Halictidae)  
3460. *Sphecodes* *gibbus* (Linnaeus,1758) (Halictidae)  
3461. *Sphecodes* *intermedius* Blüthgen,1923 (Halictidae)  
3462. *Sphecodes* *longulus* Hagens,1882 (Halictidae)  
3463. *Sphecodes* *majalis* Pérez,1903 (Halictidae)  
3464. *Sphecodes* *marginatus* Hagens,1882 (Halictidae)  
3465. *Sphecodes* *monilicornis* (Kirby,1802) (Halictidae)  
3466. *Sphecodes* *olivieri* Lepelletier,1825 (Halictidae)  
3467. *Sphecodes* *pellucidus* Smith,1845 (Halictidae)  
3468. *Sphecodes* *pungiculus* Pérez,1903 (Halictidae)  
3469. *Sphecodes* *punctipes* Thomson,1870 (Halictidae)  
3470. *Sphecodes* *reticulatus* Thomson,1870 (Halictidae)  
3471. *Sphecodes* *rubicundus* Hagens,1875 (Halictidae)  
3472. *Sphecodes* *rufiventris* (Panzer,1798) (Halictidae)  
3473. *Sphecodes* *zangeri* Noskiewicz,1931 (Halictidae)  
3474. *Systropha* (s.str.) *curvicornis* (Scopoli,1770) (Halictidae)  
3475. *Systropha* (s.str.) *planidens* Giraud,1861 (Halictidae)  
3476. *Thrincohalictus* *prognathus* (Pérez,1912) (Halictidae)
- Ibaliidae**  
3477. *Ibalia* *leucospoides* (Hochenwarth,1785) (Ibaliidae)
- Ichneumonidae**  
3478. *Absyrtus* *vernalis* Bauer,1961 (Ichneumonidae)  
3479. *Absyrtus* *vicinator* (Thunberg,1822) (Ichneumonidae)  
3480. *Acacitatus* *dubitator* (Panzer,1800) (Ichneumonidae)  
3481. *Aclastus* *gracilis* (Thomson,1884) (Ichneumonidae)  
3482. *Aclastus* *micator* (Gravenhorst,1807) (Ichneumonidae)  
3483. *Aclastus* *solutus* (Thomson,1884) (Ichneumonidae)  
3484. *Aclastus* *transversalis* Horstmann,1980 (Ichneumonidae)  
3485. *Acrodactyla* *quadrisculpta* (Gravenhorst,1820) (Ichneumonidae)  
3486. *Acropimpla* *didyma* (Gravenhorst,1829) (Ichneumonidae)  
3487. *Acropimpla* *pictipes* (Gravenhorst,1829) (Ichneumonidae)  
3488. *Acrocrinurus* *seductor* (Scopoli,1786) (Ichneumonidae)  
3489. *Acrocrinurus* *stylator* (Thunberg,1822) (Ichneumonidae)  
3490. *Acrotomus* *lucidulus* (Gravenhorst,1829) (Ichneumonidae)  
3491. *Acrotomus* *succinctus* (Gravenhorst,1829) (Ichneumonidae)  
3492. *Aderaeon* *hamatum* Kasparyan,1971 (Ichneumonidae)  
3493. *Agrothereutes* *abbreviatus* (Fabricius,1793) (Ichneumonidae)  
3494. *Agrothereutes* *fumipennis* (Gravenhorst,1829) (Ichneumonidae)  
3495. *Agrothereutes* *hospes* (Tschek,1871) (Ichneumonidae)  
3496. *Agrothereutes* *parvulus* (Habermehl,1926) (Ichneumonidae)  
3497. *Agrypon* *flaveolatum* (Gravenhorst,1807) (Ichneumonidae)  
3498. *Agrypon* *flexorium* (Thunberg,1822) (Ichneumonidae)  
3499. *Agrypon* *gracilipes* (Curtis,1839) (Ichneumonidae)  
3500. *Agrypon* *varitarsum* (Wesmael,1849) (Ichneumonidae)  
3501. *Alcima* *pictor* Aubert,1971 (Ichneumonidae)  
3502. *Alexeter* *niger* (Gravenhorst,1829) (Ichneumonidae)  
3503. *Alexeter* *segmentarius* (Fabricius,1787) (Ichneumonidae)  
3504. *Alloplasta* *piceator* (Thunberg,1822) (Ichneumonidae)  
3505. *Alloplasta* *plantaria* (Gravenhorst,1829) (Ichneumonidae)  
3506. *Alloplasta* *tomentosa* (Gravenhorst,1829) (Ichneumonidae)  
3507. *Alomya* *debellator* (Fabricius,1775) (Ichneumonidae)  
3508. *Amblyjoppa* *fuscipennis* (Wesmael,1845) (Ichneumonidae)  
3509. *Amblyteles* *armatorius* (Forster,1771) (Ichneumonidae)  
3510. *Aneucalis* *anterior* Horstmann,1971 (Ichneumonidae)  
3511. *Aneucalis* *incidens* (Thomson,1889) (Ichneumonidae)  
3512. *Aneucalis* *melanaria* (Holmgren,1860) (Ichneumonidae)  
3513. *Anisobas* *brombacheri* Heinrich,1933 (Ichneumonidae)  
3514. *Anisobas* *cephalotes* Kriechbaumer,1882 (Ichneumonidae)  
3515. *Anisobas* *cingulatus* Horstmann,1997 (Ichneumonidae)  
3516. *Anisobas* *gusenleitneri* Heinrich,1980 (Ichneumonidae)  
3517. *Anisobas* *hostilis* (Gravenhorst,1820) (Ichneumonidae)  
3518. *Anisobas* *rebellis* Wesmael,1845 (Ichneumonidae)  
3519. *Anisobas* *seyrigi* Heinrich,1934 (Ichneumonidae)  
3520. *Anisobas* *turcator* Horstmann,2007 (Ichneumonidae)  
3521. *Anomalon* *cruentatum* (Geoffroy,1785) (Ichneumonidae)  
3522. *Anomalon* *foliator* (Fabricius,1798) (Ichneumonidae)  
3523. *Aoplus* *castaneus* (Gravenhorst,1820) (Ichneumonidae)  
3524. *Apaeleticus* *bellicosus* Wesmael,1845 (Ichneumonidae)  
3525. *Apaeleticus* *inimicus* (Gravenhorst,1820) (Ichneumonidae)  
3526. *Apechthis* *compunctator* (Linnaeus,1758) (Ichneumonidae)  
3527. *Apechthis* *quadridentata* (Thomson,1877) (Ichneumonidae)  
3528. *Aphanistes* *bellicosus* (Wesmael,1849) (Ichneumonidae)  
3529. *Aphanistes* *gliscens* (Hartig,1838) (Ichneumonidae)  
3530. *Apophua* *bipunctoria* (Thunberg,1822) (Ichneumonidae)  
3531. *Aptesis* *cavigena* Kolarov & Gürbüz,2009 (Ichneumonidae)  
3532. *Aptesis* *cretata* (Gravenhorst,1829) (Ichneumonidae)  
3533. *Aptesis* *nigrocincta* (Gravenhorst,1815) (Ichneumonidae)  
3534. *Aptesis* *senicula* (Kriechbaumer,1893) (Ichneumonidae)  
3535. *Aritranis* *claviventris* (Kriechbaumer,1894) (Ichneumonidae)  
3536. *Aritranis* *director* (Thunberg,1822) (Ichneumonidae)  
3537. *Aritranis* *longicauda* (Kriechbaumer,1873) (Ichneumonidae)  
3538. *Aritranis* *nigrifemur* (Szépligeti,1916) (Ichneumonidae)  
3539. *Aritranis* *nigripes* (Gravenhorst,1829) (Ichneumonidae)  
3540. *Aritranis* *occisor* (Gravenhorst,1829) (Ichneumonidae)  
3541. *Arotes* *albicinctus* Gravenhorst,1829 (Ichneumonidae)  
3542. *Astiphromma* *aggressor* (Fabricius,1804) (Ichneumonidae)  
3543. *Astiphromma* *nigriceps* (Brischke,1880) (Ichneumonidae)  
3544. *Astiphromma* *nigrocoxatum* (Strobl,1904) (Ichneumonidae)  
3545. *Astiphromma* *splenium* (Curtis,1833) (Ichneumonidae)  
3546. *Astiphromma* *varipes* (Holmgren,1860) (Ichneumonidae)  
3547. *Atrometoides* *winkleri* Fahringer,1922 (Ichneumonidae)  
3548. *Banchopsis* *crassicornis* Rudow,1886 (Ichneumonidae)  
3549. *Banchus* *crefledensis* Ulbricht,1916 (Ichneumonidae)  
3550. *Banchus* *falcatorius* (Fabricius,1775) (Ichneumonidae)  
3551. *Banchus* *palpalis* Ruthe,1859 (Ichneumonidae)  
3552. *Banchus* *pictus* Fabricius,1798 (Ichneumonidae)  
3553. *Banchus* *turcator* Aubert,1981 (Ichneumonidae)  
3554. *Banchus* *volutatorius* (Linnaeus,1758) (Ichneumonidae)  
3555. *Baranisobas* *ridibundus* (Gravenhorst,1829) (Ichneumonidae)  
3556. *Barichneumon* *albicaudatus* (Fonscolombe,1847) (Ichneumonidae)  
3557. *Barichneumon* *bilunulatus* (Gravenhorst,1829) (Ichneumonidae)  
3558. *Barichneumon* *chionomus* (Wesmael,1845) (Ichneumonidae)  
3559. *Barichneumon* *manni* (Kriechbaumer,1888) (Ichneumonidae)  
3560. *Barichneumon* *plagiarius* (Wesmael,1848) (Ichneumonidae)  
3561. *Barycnemis* *alpina* (Strobl,1901) (Ichneumonidae)  
3562. *Barycnemis* *harpura* (Schränk,1802) (Ichneumonidae)  
3563. *Barylypa* *amabilis* (Tosquinet,1900) (Ichneumonidae)  
3564. *Barylypa* *delictor* (Thunberg,1822) (Ichneumonidae)  
3565. *Barylypa* *pallida* (Gravenhorst,1829) (Ichneumonidae)  
3566. *Barylypa* *prognator* (Förster,1855) (Ichneumonidae)  
3567. *Barylypa* *torquata* Atanasov,1975 (Ichneumonidae)  
3568. *Barylypa* *uniguttata* (Gravenhorst,1829) (Ichneumonidae)  
3569. *Barytarbes* *flavicornis* (Thomson,1892) (Ichneumonidae)

3570. *Barytarbes laeviusculus* (Thomson,1883) (Ichneumonidae)
3571. *Barytarbes superbus* Schmiedeknecht,1913 (Ichneumonidae)
3572. *Barytarbodes tenebrator* (Aubert,1987) (Ichneumonidae)
3573. *Barytarbodes turtator* Aubert,1996 (Ichneumonidae)
3574. *Barytatocephalus mocsaryi* (Brauns,1895) (Ichneumonidae)
3575. *Bathyplectes algericus* (Smit van Burgst,1913) (Ichneumonidae)
3576. *Bathyplectes anurus* Thomson,1887 (Ichneumonidae)
3577. *Bathyplectes carinatus* Horstmann,1974 (Ichneumonidae)
3578. *Bathyplectes carthagenensis* (Smit van Burgst,1913) (Ichneumonidae)
3579. *Bathyplectes curculionis* (Thomson,1887) (Ichneumonidae)
3580. *Bathyplectes exiguus* (Gravenhorst,1829) (Ichneumonidae)
3581. *Bathyplectes rufipes* Horstmann,1974 (Ichneumonidae)
3582. *Bathyplectes rufiventator* (Aubert,1979) (Ichneumonidae)
3583. *Bathythrix claviger* (Taschenberg,1865) (Ichneumonidae)
3584. *Bathythrix decipiens* (Gravenhorst,1829) (Ichneumonidae)
3585. *Bathythrix lamina* (Thomson,1884) (Ichneumonidae)
3586. *Bathythrix linearis* (Gravenhorst,1829) (Ichneumonidae)
3587. *Bathythrix pelliculator* (Gravenhorst,1829) (Ichneumonidae)
3588. *Benjaminia horstmanni* Wahl,1989 (Ichneumonidae)
3589. *Blapsidotes vicinus* (Gravenhorst,1829) (Ichneumonidae)
3590. *Brachycyrtus ornatus* Kriechbaumer,1880 (Ichneumonidae)
3591. *Brachyzapus tenuiabdominalis* (Uchida,1941) (Ichneumonidae)
3592. *Bremiella pulchella* (Kriechbaumer,1890) (Ichneumonidae)
3593. *Buathra laborator* (Thunberg,1822) (Ichneumonidae)
3594. *Buathra tarsoleucus* (Schränk,1781) (Ichneumonidae)
3595. *Caenocryptus rufiventris* (Gravenhorst,1829) (Ichneumonidae)
3596. *Campodorus agarcin* Kasparian,2005 (Ichneumonidae)
3597. *Campoletis cognata* Tschek,1871 (Ichneumonidae)
3598. *Campoletis crassicornis* (Tschek,1871) (Ichneumonidae)
3599. *Campoletis latrator* (Gravenhorst,1829) (Ichneumonidae)
3600. *Campoletis viennensis* Gravenhorst,1829 (Ichneumonidae)
3601. *Campoplex capitator* Aubert,1960 (Ichneumonidae)
3602. *Campoplex difformis* (Gmelin,1790) (Ichneumonidae)
3603. *Campoplex granditor* Aubert,1972 (Ichneumonidae)
3604. *Campoplex melanostictus* Gravenhorst,1829 (Ichneumonidae)
3605. *Campoplex ramidulus* (Brischke,1880) (Ichneumonidae)
3606. *Campoplex tridentator* Aubert,1972 (Ichneumonidae)
3607. *Casinaria tenuiventris* (Gravenhorst,1829) (Ichneumonidae)
3608. *Ceratophygadeuon anurus* (Thomson,1884) (Ichneumonidae)
3609. *Charops cantator* (De Geer,1778) (Ichneumonidae)
3610. *Chirotica decorator* (Villers,1789) (Ichneumonidae)
3611. *Chirotica orientalis* Horstmann,1983 (Ichneumonidae)
3612. *Chirotica ruficeps* Horstmann,1983 (Ichneumonidae)
3613. *Chirotica terebrator* Horstmann,1983 (Ichneumonidae)
3614. *Chromoplex picticollis* (Thomson,1887) (Ichneumonidae)
3615. *Cidaphus alarius* (Gravenhorst,1829) (Ichneumonidae)
3616. *Cidaphus areolatus* (Boie,1850) (Ichneumonidae)
3617. *Clistopyga rufator* Holmgren,1856 (Ichneumonidae)
3618. *Clypeocampulum tibiale* Gauld,1976 (Ichneumonidae)
3619. *Coelichneumon biannulatus* (Gravenhorst,1820) (Ichneumonidae)
3620. *Coelichneumon biguttatorius* (Thunberg,1789) (Ichneumonidae)
3621. *Coelichneumon bohemani* (Holmgren,1864) (Ichneumonidae)
3622. *Coelichneumon comitator* (Linnaeus,1758) (Ichneumonidae)
3623. *Coelichneumon consimilis* (Wesmael,1845) (Ichneumonidae)
3624. *Coelichneumon dorsosignatus* (Berthoumieu & Eversmann,1894) (Ichneumonidae)
3625. *Coelichneumon erythromerus* (Rudow,1888) (Ichneumonidae)
3626. *Coelichneumon haemorrhoidalis* (Gravenhorst,1820) (Ichneumonidae)
3627. *Coelichneumon lacrymator* (Fonscolombe,1847) (Ichneumonidae)
3628. *Coelichneumon leucocerus* (Gravenhorst,1820) (Ichneumonidae)
3629. *Coelichneumon merula* (Berthoumieu,1894) (Ichneumonidae)
3630. *Coelichneumon moestus* (Gravenhorst,1829) (Ichneumonidae)
3631. *Coelichneumon nigerrimus* (Stephens,1835) (Ichneumonidae)
3632. *Coelichneumon nigrator* Riedel, Çoruh & Özbek,2010 (Ichneumonidae)
3633. *Coelichneumon nudicoxator* Aubert,1966 (Ichneumonidae)
3634. *Coelichneumon oltenensis* Constantineanu, Pirvescu & Mihalache,1979 (Ichneumonidae)
3635. *Coelichneumon ophiuae* (Kriechbaumer,1890) (Ichneumonidae)
3636. *Coelichneumon orbitator* (Thunberg,1822) (Ichneumonidae)
3637. *Coelichneumon pararudis* Riedel,2008 (Ichneumonidae)
3638. *Coelichneumon paravioleiventris* Riedel,2008 (Ichneumonidae)
3639. *Coelichneumon problematicus* Riedel, Çoruh & Özbek,2010 (Ichneumonidae)
3640. *Coelichneumon rudis* (Fonscolombe,1847) (Ichneumonidae)
3641. *Coelichneumon rufigaster* Riedel,2008 (Ichneumonidae)
3642. *Coelichneumon subviolaceiventris* (Pic,1908) (Ichneumonidae)
3643. *Coelichneumon validus* (Berthoumieu,1894) (Ichneumonidae)
3644. *Collyria coxator* (Villers,1789) (Ichneumonidae)
3645. *Collyria isparta* Gürbüz & Kolarov,2006 (Ichneumonidae)
3646. *Colpognathus celerator* (Gravenhorst,1807) (Ichneumonidae)
3647. *Colpotrochia cincta* (Scopoli,1763) (Ichneumonidae)
3648. *Colpotrochia triclitor* (Aubert,1979) (Ichneumonidae)
3649. *Cosmoconus ceratophorus* (Thomson,1888) (Ichneumonidae)
3650. *Cosmoconus elongator* (Fabricius,1775) (Ichneumonidae)
3651. *Cosmoconus meridianator* Aubert,1963 (Ichneumonidae)
3652. *Cotihersiarthes dirus* (Wesmael,1853) (Ichneumonidae)
3653. *Craticheumon coruscator* (Linnaeus,1758) (Ichneumonidae)
3654. *Craticheumon culex* (Müller,1776) (Ichneumonidae)
3655. *Craticheumon viator* (Scopoli,1763) (Ichneumonidae)
3656. *Cremastus bellicosus* Gravenhorst,1829 (Ichneumonidae)
3657. *Cremastus crassicornis* Thomson,1880 (Ichneumonidae)
3658. *Cremastus geminus* Gravenhorst,1829 (Ichneumonidae)
3659. *Cremastus gigas* Heinrich,1953 (Ichneumonidae)
3660. *Cremastus inflatus* Roman,1939 (Ichneumonidae)
3661. *Cremastus lineatus* Gravenhorst,1829 (Ichneumonidae)
3662. *Cremastus petiolaris* Kolarov & Beyarslan,1999 (Ichneumonidae)
3663. *Cremastus pungens* Gravenhorst,1829 (Ichneumonidae)
3664. *Cremastus tristator* Aubert,1970 (Ichneumonidae)
3665. *Cryptopimpla caligata* (Gravenhorst,1829) (Ichneumonidae)
3666. *Cryptus armator* Fabricius,1804 (Ichneumonidae)
3667. *Cryptus bucculentus* Tschek,1871 (Ichneumonidae)
3668. *Cryptus dianae* Gravenhorst,1829 (Ichneumonidae)
3669. *Cryptus genalis* Tschek,1872 (Ichneumonidae)
3670. *Cryptus immitis* Tschek,1871 (Ichneumonidae)
3671. *Cryptus inculcator* (Linnaeus,1758) (Ichneumonidae)
3672. *Cryptus laticlypeatus* Schwarz,2015 (Ichneumonidae)
3673. *Cryptus leucocheir* (Ratzeburg,1844) (Ichneumonidae)
3674. *Cryptus minor* Gravenhorst,1829 (Ichneumonidae)
3675. *Cryptus moschator* (Fabricius,1787) (Ichneumonidae)
3676. *Cryptus notaulicus* Schwarz,2015 (Ichneumonidae)
3677. *Cryptus schenkioides* Schwarz,2015 (Ichneumonidae)
3678. *Cryptus spinosus* Gravenhorst,1829 (Ichneumonidae)
3679. *Cryptus spiralis* (Geoffroy,1785) (Ichneumonidae)
3680. *Cryptus spissus* Schwarz,2015 (Ichneumonidae)
3681. *Cryptus subspinosus* Smits van Burgst,1913 (Ichneumonidae)
3682. *Cryptus tuberculatus* Gravenhorst,1829 (Ichneumonidae)
3683. *Cryptus viduarius* Fabricius,1804 (Ichneumonidae)
3684. *Cryptus vitreofrontalis* Schwarz,2015 (Ichneumonidae)
3685. *Ctenichneumon castigator* (Fabricius,1793) (Ichneumonidae)
3686. *Ctenichneumon divisorius* (Gravenhorst,1820) (Ichneumonidae)
3687. *Ctenichneumon funereus* (Geoffroy,1785) (Ichneumonidae)
3688. *Ctenichneumon inspector* (Wesmael,1845) (Ichneumonidae)
3689. *Ctenichneumon melanocastanus* Gravenhorst,1829 (Ichneumonidae)
3690. *Ctenichneumon nitens* (Christ,1791) (Ichneumonidae)
3691. *Ctenichneumon panzeri* (Wesmael,1845) (Ichneumonidae)
3692. *Ctenichneumon repentinus* (Gravenhorst,1820) (Ichneumonidae)
3693. *Ctenochira meridianator* Aubert,1969 (Ichneumonidae)
3694. *Ctenochira pratensis* (Gravenhorst,1829) (Ichneumonidae)
3695. *Cycasis rubiginosa* (Gravenhorst,1829) (Ichneumonidae)
3696. *Cyclolabus pactor* (Wesmael,1845) (Ichneumonidae)
3697. *Cylloceria melancholica* (Gravenhorst,1820) (Ichneumonidae)
3698. *Cymodusa* (s.str.) *longiterebra* Dbar,1985 (Ichneumonidae)
3699. *Cymodusa* (s.str.) *propodeata* Kolarov & Yurtcan,2008 (Ichneumonidae)
3700. *Cymodusa* (s.str.) *yildirimi* Kolarov & Çoruh,2008 (Ichneumonidae)
3701. *Delomerista mandibularis* (Gravenhorst,1829) (Ichneumonidae)
3702. *Delomerista pfankuchi* Brauns,1905 (Ichneumonidae)
3703. *Diadegma armillatum* (Gravenhorst,1829) (Ichneumonidae)
3704. *Diadegma chrysostictus* (Gmelin,1790) (Ichneumonidae)
3705. *Diadegma claripennis* (Thomson,1887) (Ichneumonidae)
3706. *Diadegma consumptor* Gravenhorst,1829 (Ichneumonidae)
3707. *Diadegma crassicornis* (Gravenhorst,1829) (Ichneumonidae)
3708. *Diadegma elishae* Bridgman,1884 (Ichneumonidae)
3709. *Diadegma fenestralis* (Holmgren,1860) (Ichneumonidae)
3710. *Diadegma griseus* (Gravenhorst,1829) (Ichneumonidae)
3711. *Diadegma maculatum* (Gravenhorst,1829) (Ichneumonidae)
3712. *Diadegma mediterraneum* Constantineanu,1930 (Ichneumonidae)
3713. *Diadegma pulchripes* (Kokujev,1915) (Ichneumonidae)
3714. *Diadegma semiclausum* (Hellén,1949) (Ichneumonidae)
3715. *Diadegma velox* (Holmgren,1860) (Ichneumonidae)
3716. *Diadromus collaris* (Gravenhorst,1829) (Ichneumonidae)
3717. *Diadromus subtilicornis* (Gravenhorst,1829) (Ichneumonidae)
3718. *Diaglyptelodes sculpturator* (Aubert,1977) (Ichneumonidae)
3719. *Diaparsis* (Nanodiaparsis) *aperta* (Thomson,1889) (Ichneumonidae)
3720. *Diaparsis* (Nanodiaparsis) *frontella* (Holmgren,1860) (Ichneumonidae)
3721. *Diaparsis* (s.str.) *carinifer* (Thomson,1889) (Ichneumonidae)
3722. *Diaparsis* (s.str.) *multiplicator* Aubert,1969 (Ichneumonidae)
3723. *Diaparsis* (s.str.) *nitida* Horstmann,1981 (Ichneumonidae)
3724. *Diaparsis* (s.str.) *nutritor* (Fabricius,1804) (Ichneumonidae)
3725. *Diaparsis* (s.str.) *rara* (Horstmann,1971) (Ichneumonidae)
3726. *Diaparsis* (s.str.) *temporalis* Horstmann,1979 (Ichneumonidae)
3727. *Dicaelotus erythrogaster* (Holmgren,1890) (Ichneumonidae)
3728. *Dicaelotus mandibulator* (Aubert,1958) (Ichneumonidae)
3729. *Dicaelotus montanus* (Destefani,1886) (Ichneumonidae)
3730. *Dicaelotus morosator* Aubert,1969 (Ichneumonidae)
3731. *Dicaelotus rufilimbatus* (Gravenhorst,1820) (Ichneumonidae)
3732. *Dichrogaster aestivalis* (Gravenhorst,1829) (Ichneumonidae)
3733. *Dichrogaster liostylus* (Thomson,1885) (Ichneumonidae)
3734. *Dichrogaster longicauda* (Thomson,1884) (Ichneumonidae)
3735. *Dichrogaster modesta* (Gravenhorst,1829) (Ichneumonidae)
3736. *Dichrogaster saharator* (Aubert,1964) (Ichneumonidae)
3737. *Dichrogaster schimitscheki* (Fahringer,1935) (Ichneumonidae)
3738. *Dimophora nitens* (Gravenhorst,1829) (Ichneumonidae)
3739. *Diphyus amatorius* (Müller,1776) (Ichneumonidae)
3740. *Diphyus fossorius* (Linnaeus,1758) (Ichneumonidae)
3741. *Diphyus inopinatus* Heinrich,1972 (Ichneumonidae)

3742. *Diphyus longimanus* (Wesmael, 1857) (Ichneumonidae)  
3743. *Diphyus luctatorius* (Linnaeus, 1758) (Ichneumonidae)  
3744. *Diphyus mercatorius* (Fabricius, 1793) (Ichneumonidae)  
3745. *Diphyus montivagans* (Berthoumieu, 1896) (Ichneumonidae)  
3746. *Diphyus ochromelas* (Gmelin, 1790) (Ichneumonidae)  
3747. *Diphyus palliatorius* (Gravenhorst, 1829) (Ichneumonidae)  
3748. *Diphyus pseudomercator* Heinrich, 1978 (Ichneumonidae)  
3749. *Diphyus quadripunctorius* (Müller, 1776) (Ichneumonidae)  
3750. *Diphyus quinquecinctus* (Kriechbaumer, 1892) (Ichneumonidae)  
3751. *Diphyus septemguttatus* (Gravenhorst, 1829) (Ichneumonidae)  
3752. *Diplazon annulatus* (Gravenhorst, 1829) (Ichneumonidae)  
3753. *Diplazon laetatorius* (Fabricius, 1781) (Ichneumonidae)  
3754. *Diplazon pectoratorius* (Thunberg, 1822) (Ichneumonidae)  
3755. *Diplazon schachtii* Diller, 1986 (Ichneumonidae)  
3756. *Diplazon scutatorius* Teunissen, 1943 (Ichneumonidae)  
3757. *Diplazon tetragonus* Thunberg, 1822 (Ichneumonidae)  
3758. *Diplazon tibiatorius* (Thunberg, 1822) (Ichneumonidae)  
3759. *Dirophanes invisor* (Thunberg, 1822) (Ichneumonidae)  
3760. *Dirophanes maculicornis* (Stephens, 1835) (Ichneumonidae)  
3761. *Dirophanes mysticus* (Wesmael, 1855) (Ichneumonidae)  
3762. *Dirophanes regenerator* (Fabricius, 1804) (Ichneumonidae)  
3763. *Dolichomitrus kriebhaumeri* (Schulz, 1906) (Ichneumonidae)  
3764. *Dolichomitrus mesocentrus* (Gravenhorst, 1829) (Ichneumonidae)  
3765. *Dolichomitrus messor* (Gravenhorst, 1829) (Ichneumonidae)  
3766. *Dolichomitrus populneus* (Ratzeburg, 1848) (Ichneumonidae)  
3767. *Dolichomitrus sericeus* (Hartig, 1847) (Ichneumonidae)  
3768. *Dolichomitrus tuberculatus* (Geoffroy, 1785) (Ichneumonidae)  
3769. *Drepanoctonus tricoloratus* Sedivy, 1971 (Ichneumonidae)  
3770. *Dusona culturator* (Gravenhorst, 1829) (Ichneumonidae)  
3771. *Dusona falcator* (Fabricius, 1775) (Ichneumonidae)  
3772. *Dusona inermis* (Förster, 1868) (Ichneumonidae)  
3773. *Dusona inteligator* Aubert, 1966 (Ichneumonidae)  
3774. *Dusona mercator* (Fabricius, 1793) (Ichneumonidae)  
3775. *Dusona nidulator* (Fabricius, 1804) (Ichneumonidae)  
3776. *Dusona prominula* (Förster, 1868) (Ichneumonidae)  
3777. *Dusona stragifex* (Förster, 1868) (Ichneumonidae)  
3778. *Dusona tricolorator* Aubert, 1970 (Ichneumonidae)  
3779. *Dusona turtator* Horstmann, 2009 (Ichneumonidae)  
3780. *Dusona ucrainica* Hinz, 1972 (Ichneumonidae)  
3781. *Echthronomas tricineta* (Gravenhorst, 1829) (Ichneumonidae)  
3782. *Echthrus reluctator* (Linnaeus, 1758) (Ichneumonidae)  
3783. *Eclytus (Zapedias) exornatus* (Gravenhorst, 1829) (Ichneumonidae)  
3784. *Enclisis ornateps* (Thomson, 1885) (Ichneumonidae)  
3785. *Encrateola laevigata* (Ratzeburg, 1848) (Ichneumonidae)  
3786. *Endasys brevis* (Gravenhorst, 1829) (Ichneumonidae)  
3787. *Endasys erythrogaster* (Gravenhorst, 1829) (Ichneumonidae)  
3788. *Endasys femoralis* (Habermehl, 1912) (Ichneumonidae)  
3789. *Endasys minutulus* (Thomson, 1883) (Ichneumonidae)  
3790. *Endasys parviventris* (Gravenhorst, 1829) (Ichneumonidae)  
3791. *Endasys plagiator* (Gravenhorst, 1829) (Ichneumonidae)  
3792. *Endasys senilis* (Gmelin, 1790) (Ichneumonidae)  
3793. *Endasys thunbergi* Sawoniewicz & Luhmann, 1992 (Ichneumonidae)  
3794. *Endromopoda arundinator* (Fabricius, 1804) (Ichneumonidae)  
3795. *Endromopoda detrita* (Holmgren, 1860) (Ichneumonidae)  
3796. *Endromopoda phragmitidis* (Perkins, 1957) (Ichneumonidae)  
3797. *Enicospilus cerebrator* Aubert, 1966 (Ichneumonidae)  
3798. *Enicospilus cruciator* Victorov, 1957 (Ichneumonidae)  
3799. *Enicospilus incognitus* Izquierdo, 1983 (Ichneumonidae)  
3800. *Enicospilus inflexus* (Ratzeburg, 1844) (Ichneumonidae)  
3801. *Enicospilus repentinus* (Holmgren, 1858) (Ichneumonidae)  
3802. *Enicospilus tournieri* (Snellen van Vollenhoven, 1879) (Ichneumonidae)  
3803. *Enizemum ornatum* (Gravenhorst, 1829) (Ichneumonidae)  
3804. *Enytus apostatus* (Gravenhorst, 1829) (Ichneumonidae)  
3805. *Enytus crataegellae* (Thomson, 1877) (Ichneumonidae)  
3806. *Ephialtes manifestator* (Linnaeus, 1758) (Ichneumonidae)  
3807. *Eremotylus marginatus* (Jurine, 1807) (Ichneumonidae)  
3808. *Eriborus terebrans* (Gravenhorst, 1829) (Ichneumonidae)  
3809. *Eridolius dorsator* (Thunberg, 1822) (Ichneumonidae)  
3810. *Eridolius pictus* (Gravenhorst, 1829) (Ichneumonidae)  
3811. *Erromenus bibulus* Kasparyan, 1973 (Ichneumonidae)  
3812. *Erromenus brunnicans* (Gravenhorst, 1829) (Ichneumonidae)  
3813. *Erromenus junior* (Thunberg, 1822) (Ichneumonidae)  
3814. *Erromenus melanotus* (Gravenhorst, 1829) (Ichneumonidae)  
3815. *Erromenus punctulatus* Holmgren, 1857 (Ichneumonidae)  
3816. *Eucremastoides angelovi* Kolarov, 1980 (Ichneumonidae)  
3817. *Eucremastus collaris* Narolsky, 1990 (Ichneumonidae)  
3818. *Eucremastus manni* (Tschek, 1871) (Ichneumonidae)  
3819. *Eucremastus priebei* Kolarov, 1999 (Ichneumonidae)  
3820. *Eudelus similis* (Taschenberg, 1865) (Ichneumonidae)  
3821. *Eugalta cinctipes* (Kriechbaumer, 1899) (Ichneumonidae)  
3822. *Eurylabus larvatus* (Christ, 1791) (Ichneumonidae)  
3823. *Euryproctus arbutorum* Holmgren, 1857 (Ichneumonidae)  
3824. *Euryproctus geniculatus* (Gravenhorst, 1829) (Ichneumonidae)  
3825. *Euryproctus luteicornis* (Gravenhorst, 1829) (Ichneumonidae)  
3826. *Euryproctus mundus* (Gravenhorst, 1820) (Ichneumonidae)  
3827. *Euryproctus nemoralis* (Geoffroy, 1785) (Ichneumonidae)  
3828. *Euryproctus numidicus* Schmiedeknecht, 1900 (Ichneumonidae)  
3829. *Euryproctus trochantellator* Aubert, 1998 (Ichneumonidae)  
3830. *Euryproctus turtator* Aubert, 1979 (Ichneumonidae)  
3831. *Eutanyacra glaucatoria* (Fabricius, 1793) (Ichneumonidae)  
3832. *Eutanyacra picta* (Schränk, 1776) (Ichneumonidae)  
3833. *Exenterus abruptorius* (Thunberg, 1822) (Ichneumonidae)  
3834. *Exenterus ictericus* (Gravenhorst, 1829) (Ichneumonidae)  
3835. *Exephanes fulvaceus* Vollenhoven, 1875 (Ichneumonidae)  
3836. *Exephanes ischioxanthus* (Gravenhorst, 1829) (Ichneumonidae)  
3837. *Exephanes tauricus* Hinz, 2000 (Ichneumonidae)  
3838. *Exeristes arundinis* Kriechbaumer, 1887 (Ichneumonidae)  
3839. *Exeristes roborator* (Fabricius, 1793) (Ichneumonidae)  
3840. *Exetastes adpressorius* (Thunberg, 1822) (Ichneumonidae)  
3841. *Exetastes alpius* (Heinrich, 1952) (Ichneumonidae)  
3842. *Exetastes crassus* (Gravenhorst, 1829) (Ichneumonidae)  
3843. *Exetastes curvator* Aubert, 1977 (Ichneumonidae)  
3844. *Exetastes femorator* Desvignes, 1856 (Ichneumonidae)  
3845. *Exetastes fornicator* (Fabricius, 1781) (Ichneumonidae)  
3846. *Exetastes gracilicornis* Gravenhorst, 1829 (Ichneumonidae)  
3847. *Exetastes illusor* Gravenhorst, 1829 (Ichneumonidae)  
3848. *Exetastes inquisitor* Gravenhorst, 1829 (Ichneumonidae)  
3849. *Exetastes laevigator* (Villers, 1789) (Ichneumonidae)  
3850. *Exetastes nigripes* Gravenhorst, 1829 (Ichneumonidae)  
3851. *Exetastes robustus* Gravenhorst, 1829 (Ichneumonidae)  
3852. *Exetastes ruffemur* Hortsman & Yu, 1999 (Ichneumonidae)  
3853. *Exetastes segmentarius* Pérez, 1895 (Ichneumonidae)  
3854. *Exochus albicinctus* Holmgren, 1873 (Ichneumonidae)  
3855. *Exochus bolivari* Seyrig, 1927 (Ichneumonidae)  
3856. *Exochus britannicus* Morley, 1911 (Ichneumonidae)  
3857. *Exochus castaniventris* Brauns, 1896 (Ichneumonidae)  
3858. *Exochus consimilis* Holmgren, 1858 (Ichneumonidae)  
3859. *Exochus erkini* Kolarov, 1986 (Ichneumonidae)  
3860. *Exochus erythronotus* (Gravenhorst, 1820) (Ichneumonidae)  
3861. *Exochus ferus* Tolkantiz, 1993 (Ichneumonidae)  
3862. *Exochus flavifrons* Boheman, 1863 (Ichneumonidae)  
3863. *Exochus flavomarginatus* Holmgren, 1856 (Ichneumonidae)  
3864. *Exochus foveolatus* Schmiedeknecht, 1924 (Ichneumonidae)  
3865. *Exochus gravipes* (Gravenhorst, 1820) (Ichneumonidae)  
3866. *Exochus gravis* Gravenhorst, 1829 (Ichneumonidae)  
3867. *Exochus lictor* Haliday, 1838 (Ichneumonidae)  
3868. *Exochus marklini* Holmgren, 1858 (Ichneumonidae)  
3869. *Exochus mitratus* Gravenhorst, 1829 (Ichneumonidae)  
3870. *Exochus morionellus* Holmgren, 1858 (Ichneumonidae)  
3871. *Exochus prosopius* Gravenhorst, 1829 (Ichneumonidae)  
3872. *Exochus protuberans* Kolarov & Çoruh, 2009 (Ichneumonidae)  
3873. *Exochus suborbitalis* Schmiedeknecht, 1924 (Ichneumonidae)  
3874. *Exochus thomsoni* Schmiedeknecht, 1924 (Ichneumonidae)  
3875. *Exochus vafer* Holmgren, 1873 (Ichneumonidae)  
3876. *Exyston montanus* Kerrich, 1975 (Ichneumonidae)  
3877. *Exyston sponosius* (Fabricius, 1781) (Ichneumonidae)  
3878. *Exyston subnitidus* (Gravenhorst, 1829) (Ichneumonidae)  
3879. *Fileanta flavolaeta* (Berthoumieu, 1892) (Ichneumonidae)  
3880. *Fileanta radoszkowskii* (Berthoumieu, 1892) (Ichneumonidae)  
3881. *Gambrus incubitor* (Linnaeus, 1758) (Ichneumonidae)  
3882. *Gambrus ornatus* (Gravenhorst, 1829) (Ichneumonidae)  
3883. *Gambrus tricolor* (Gravenhorst, 1829) (Ichneumonidae)  
3884. *Gelis agilis* (Fabricius, 1775) (Ichneumonidae)  
3885. *Gelis anaticus* Schwarz, 1998 (Ichneumonidae)  
3886. *Gelis cursitans* (Fabricius, 1775) (Ichneumonidae)  
3887. *Gelis cyanurus* (Förster, 1850) (Ichneumonidae)  
3888. *Gelis exareolatus* (Förster, 1850) (Ichneumonidae)  
3889. *Gelis formicarius* (Linnaeus, 1758) (Ichneumonidae)  
3890. *Gelis mutillatus* (Gmelin, 1790) (Ichneumonidae)  
3891. *Gelis stevenii* (Gravenhorst, 1829) (Ichneumonidae)  
3892. *Gelis trux* (Förster, 1850) (Ichneumonidae)  
3893. *Giraudia gyrtatoria* (Thunberg, 1822) (Ichneumonidae)  
3894. *Glyphicnemis profligator* (Fabricius, 1775) (Ichneumonidae)  
3895. *Glyphicnemis vagabunda* (Gravenhorst, 1829) (Ichneumonidae)  
3896. *Glypta (Diblastomorpha) cylindrator* (Fabricius, 1787) (Ichneumonidae)  
3897. *Glypta* (s.str.) *bifoveolata* Gravenhorst, 1829 (Ichneumonidae)  
3898. *Glypta* (s.str.) *haesitor* Gravenhorst, 1829 (Ichneumonidae)  
3899. *Glypta* (s.str.) *mensurator* (Fabricius, 1775) (Ichneumonidae)  
3900. *Glypta* (s.str.) *salicis* Thomson, 1889 (Ichneumonidae)  
3901. *Glypta* (s.str.) *salsicola* Schmiedeknecht, 1907 (Ichneumonidae)  
3902. *Glypta* (s.str.) *similis* Bridgman, 1886 (Ichneumonidae)  
3903. *Grasseiteles ciliator* Aubert, 1965 (Ichneumonidae)  
3904. *Grasseiteles punctus* (Holmgren, 1857) (Ichneumonidae)  
3905. *Gravenhorstia (Erigorgus) cerinops* (Gravenhorst, 1829) (Ichneumonidae)  
3906. *Gravenhorstia (Erigorgus) cubitor* (Aubert, 1960) (Ichneumonidae)  
3907. *Gravenhorstia (Erigorgus) femorator* (Aubert, 1960) (Ichneumonidae)  
3908. *Gravenhorstia (Erigorgus) fibulator* (Gravenhorst, 1829) (Ichneumonidae)  
3909. *Gravenhorstia (Erigorgus) melanobatus* (Gravenhorst, 1829) (Ichneumonidae)  
3910. *Gravenhorstia (Erigorgus) melanops* (Förster, 1855) (Ichneumonidae)  
3911. *Gravenhorstia (Kokujewiella) ibera* (Ceballos, 1957) (Ichneumonidae)  
3912. *Gravenhorstia (Kokujewiella) vicaria* Shestakov, 1926 (Ichneumonidae)  
3913. *Gravenhorstia* (s.str.) *picta* Boie, 1836 (Ichneumonidae)  
3914. *Gregopimpla bernuthii* (Hartig, 1838) (Ichneumonidae)  
3915. *Gregopimpla inquisitor* (Scopoli, 1763) (Ichneumonidae)  
3916. *Gregopimpla malacosomae* (Seyrig, 1927) (Ichneumonidae)  
3917. *Habronyx heros* (Wesmael, 1849) (Ichneumonidae)  
3918. *Hadrodictylus bidentulus* Thomson, 1883 (Ichneumonidae)  
3919. *Hadrodictylus femoralis* (Holmgren, 1857) (Ichneumonidae)  
3920. *Hadrodictylus flavofacialis* Hortsman, 2000 (Ichneumonidae)

3921. *Hadrodactylus fugax* (Gravenhorst,1829) (Ichneumonidae)  
3922. *Hadrodactylus larvatus* Kriechbaumer,1891 (Ichneumonidae)  
3923. *Hadrodactylus tiphae* (Geoffroy,1785) (Ichneumonidae)  
3924. *Helcostizus restaurator* (Fabricius,1775) (Ichneumonidae)  
3925. *Hellwigiella dichromoptera* (Costa,1886) (Ichneumonidae)  
3926. *Hepiopelmus melanogaster* (Gmelin,1790) (Ichneumonidae)  
3927. *Herpestomus brunnicornis* (Gravenhorst,1829) (Ichneumonidae)  
3928. *Heterischmus anomalus* (Wesmael,1857) (Ichneumonidae)  
3929. *Heterischmus truncator* (Fabricius,1798) (Ichneumonidae)  
3930. *Heterocola longipalpis* Kolarov & Beyarslan,1994 (Ichneumonidae)  
3931. *Heterocola nigrotibialis* Horstmann & Kolarov,1988 (Ichneumonidae)  
3932. *Hidryta sordida* (Tschek,1871) (Ichneumonidae)  
3933. *Himerta bisannulata* (Thomson,1883) (Ichneumonidae)  
3934. *Himerta scutellaris* (Kriechbaumer,1897) (Ichneumonidae)  
3935. *Homotherus locutor* (Thunberg,1822) (Ichneumonidae)  
3936. *Homotropus elegans* (Gravenhorst,1829) (Ichneumonidae)  
3937. *Homotropus nigritarsus* (Gravenhorst,1829) (Ichneumonidae)  
3938. *Homotropus signatus* (Gravenhorst,1829) (Ichneumonidae)  
3939. *Hoplismenus axillatorius* (Thunberg,1822) (Ichneumonidae)  
3940. *Hoplismenus bidentatus* (Gmelin,1790) (Ichneumonidae)  
3941. *Hoplocryptus bohemani* (Holmgren,1856) (Ichneumonidae)  
3942. *Hoplocryptus confector* (Gravenhorst,1829) (Ichneumonidae)  
3943. *Hoplocryptus coxator* (Tschek,1871) (Ichneumonidae)  
3944. *Hoplocryptus femoralis* (Gravenhorst,1829) (Ichneumonidae)  
3945. *Hoplocryptus heliophilus* (Tschek,1871) (Ichneumonidae)  
3946. *Hoplocryptus magretti* (Kriechbaumer,1893) (Ichneumonidae)  
3947. *Hoplocryptus murarius* (Börner,1782) (Ichneumonidae)  
3948. *Hoplocryptus odoriferator* (Dufour & Perris,1840) (Ichneumonidae)  
3949. *Hoplocryptus quadriguttatus* (Gravenhorst,1829) (Ichneumonidae)  
3950. *Hypamblys albopictus* (Gravenhorst,1829) (Ichneumonidae)  
3951. *Hyposoter didymator* (Thunberg,1822) (Ichneumonidae)  
3952. *Hyposoter discedens* (Schmiedeknecht,1909) (Ichneumonidae)  
3953. *Hyposoter ebeninus* (Gravenhorst,1829) (Ichneumonidae)  
3954. *Hyposoter ebenitor* Aubert,1972 (Ichneumonidae)  
3955. *Hyposoter notatus* (Gravenhorst,1829) (Ichneumonidae)  
3956. *Hypsicera britannica* Tolkaitz,2011 (Ichneumonidae)  
3957. *Hypsicera femoralis* (Geoffroy,1785) (Ichneumonidae)  
3958. *Ichneumon albicollis* Wesmael,1857 (Ichneumonidae)  
3959. *Ichneumon alius* Tischbein,1879 (Ichneumonidae)  
3960. *Ichneumon balteatus* Wesmael,1845 (Ichneumonidae)  
3961. *Ichneumon bucculentus* Wesmael,1844 (Ichneumonidae)  
3962. *Ichneumon cessator* Müller,1776 (Ichneumonidae)  
3963. *Ichneumon confusor* Gravenhorst,1820 (Ichneumonidae)  
3964. *Ichneumon coniger* Tischbein,1876 (Ichneumonidae)  
3965. *Ichneumon curtulus* Kriechbaumer,1882 (Ichneumonidae)  
3966. *Ichneumon erythromerus* Wesmael,1857 (Ichneumonidae)  
3967. *Ichneumon exilicornis* Wesmael,1857 (Ichneumonidae)  
3968. *Ichneumon extensorius* Linnaeus,1758 (Ichneumonidae)  
3969. *Ichneumon fulvicornis* Gravenhorst,1829 (Ichneumonidae)  
3970. *Ichneumon gracilentus* Wesmael,1844 (Ichneumonidae)  
3971. *Ichneumon gracilicornis* Gravenhorst,1829 (Ichneumonidae)  
3972. *Ichneumon gratus* Wesmael,1855 (Ichneumonidae)  
3973. *Ichneumon haematofemur* Heinrich,1980 (Ichneumonidae)  
3974. *Ichneumon ignobilis* Wesmael,1855 (Ichneumonidae)  
3975. *Ichneumon languidus* Wesmael,1845 (Ichneumonidae)  
3976. *Ichneumon lautatorius* Desvignes,1856 (Ichneumonidae)  
3977. *Ichneumon ligatorius* Thunberg,1822 (Ichneumonidae)  
3978. *Ichneumon minutorius* Desvignes,1856 (Ichneumonidae)  
3979. *Ichneumon ostentator* Heinrich,1978 (Ichneumonidae)  
3980. *Ichneumon phaeostigmus* Wesmael,1857 (Ichneumonidae)  
3981. *Ichneumon primatorius* Forster,1771 (Ichneumonidae)  
3982. *Ichneumon proletarius* Wesmael,1848 (Ichneumonidae)  
3983. *Ichneumon quaesitorius* Linnaeus,1761 (Ichneumonidae)  
3984. *Ichneumon sarcitorius* Linnaeus,1758 (Ichneumonidae)  
3985. *Ichneumon sexcinctoides* Riedel, Çoruh & Özbek,2010 (Ichneumonidae)  
3986. *Ichneumon sexcinctus* Gravenhorst,1829 (Ichneumonidae)  
3987. *Ichneumon simulans* Tischbein,1873 (Ichneumonidae)  
3988. *Ichneumon stramentarius* Gravenhorst,1820 (Ichneumonidae)  
3989. *Ichneumon stramentor* Rasnitsin,1984 (Ichneumonidae)  
3990. *Ichneumon suspiciosus* Wesmael,1845 (Ichneumonidae)  
3991. *Ichneumon terminatorius* Gravenhorst,1820 (Ichneumonidae)  
3992. *Ichneumon tuberculipes* Wesmael,1848 (Ichneumonidae)  
3993. *Ichneumon vafer* Tischbein,1876 (Ichneumonidae)  
3994. *Ichneumon veressi* (Kiss,1915) (Ichneumonidae)  
3995. *Ichneumon xanthorius* Forster,1771 (Ichneumonidae)  
3996. *Idiolispa analis* (Gravenhorst,1807) (Ichneumonidae)  
3997. *Ischnus agitator* (Olivier,1792) (Ichneumonidae)  
3998. *Ischnus alternator* (Gravenhorst,1829) (Ichneumonidae)  
3999. *Ischnus inquisitorius* (Müller,1776) (Ichneumonidae)  
4000. *Ischnus migrator* (Fabricius,1775) (Ichneumonidae)  
4001. *Iseropus stercorator* (Fabricius,1793) (Ichneumonidae)  
4002. *Itopectis alternans* (Gravenhorst,1829) (Ichneumonidae)  
4003. *Itopectis aterrima* Jussila,1965 (Ichneumonidae)  
4004. *Itopectis maculator* (Fabricius,1775) (Ichneumonidae)  
4005. *Itopectis tunetana* (Schmiedeknecht,1914) (Ichneumonidae)  
4006. *Itopectis viduata* (Gravenhorst,1829) (Ichneumonidae)  
4007. *Kristotomus laetus* (Gravenhorst,1829) (Ichneumonidae)  
4008. *Kristotomus pumilio* (Holmgren,1857) (Ichneumonidae)  
4009. *Lagarotis debitor* (Thunberg,1822) (Ichneumonidae)  
4010. *Lagarotis semicaligata* (Gravenhorst,1820) (Ichneumonidae)  
4011. *Lamachus cruralis* (Gravenhorst,1829) (Ichneumonidae)  
4012. *Lamachus eques* (Hartig,1838) (Ichneumonidae)  
4013. *Lamachus splendor* Aubert,1989 (Ichneumonidae)  
4014. *Lathrolestes acinaes* Reshchikov,2011 (Ichneumonidae)  
4015. *Lathrolestes buccinator* (Holmgren,1857) (Ichneumonidae)  
4016. *Lathrolestes fascialis* Reshchikov,2011 (Ichneumonidae)  
4017. *Lathrolestes lucidulus* (Holmgren,1857) (Ichneumonidae)  
4018. *Lathrolestes zoticus* Reshchikov,2011 (Ichneumonidae)  
4019. *Latibulus argiolus* (Rossi,1790) (Ichneumonidae)  
4020. *Limerodops subsericans* (Gravenhorst,1820) (Ichneumonidae)  
4021. *Linyceus exhortator* (Fabricius,1793) (Ichneumonidae)  
4022. *Liotryphon caudatus* (Ratzeburg,1848) (Ichneumonidae)  
4023. *Liotryphon crassisetus* (Thomson,1877) (Ichneumonidae)  
4024. *Liotryphon punctulatus* (Ratzeburg,1848) (Ichneumonidae)  
4025. *Lissonota (Loxonota) cruentator* (Panzer,1809) (Ichneumonidae)  
4026. *Lissonota (Loxonota) flavovariegata* (Lucas,1849) (Ichneumonidae)  
4027. *Lissonota (Loxonota) histrio* (Fabricius,1798) (Ichneumonidae)  
4028. *Lissonota (Loxonota) mediterranea* Seyrig,1927 (Ichneumonidae)  
4029. *Lissonota (Loxonota) perspicillator* Gravenhorst,1829 (Ichneumonidae)  
4030. *Lissonota (s.str.) accusator* (Fabricius,1793) (Ichneumonidae)  
4031. *Lissonota (s.str.) barbator* Aubert,1972 (Ichneumonidae)  
4032. *Lissonota (s.str.) biguttata* Holmgren,1860 (Ichneumonidae)  
4033. *Lissonota (s.str.) bivittata* Gravenhorst,1829 (Ichneumonidae)  
4034. *Lissonota (s.str.) buolianae* Hartig,1838 (Ichneumonidae)  
4035. *Lissonota (s.str.) carbonaria* Holmgren,1860 (Ichneumonidae)  
4036. *Lissonota (s.str.) clypeator* (Gravenhorst,1820) (Ichneumonidae)  
4037. *Lissonota (s.str.) compar* Fonscolombe,1854 (Ichneumonidae)  
4038. *Lissonota (s.str.) culiciformis* Gravenhorst,1829 (Ichneumonidae)  
4039. *Lissonota (s.str.) fundator* (Thunberg,1822) (Ichneumonidae)  
4040. *Lissonota (s.str.) mutator* Aubert,1969 (Ichneumonidae)  
4041. *Lissonota (s.str.) oculatoria* (Fabricius,1798) (Ichneumonidae)  
4042. *Lissonota (s.str.) quadrinotata* Gravenhorst,1829 (Ichneumonidae)  
4043. *Lissonota (s.str.) rufitarsis* Szépligeti,1899 (Ichneumonidae)  
4044. *Lissonota (s.str.) superbator* Aubert,1967 (Ichneumonidae)  
4045. *Lissonota (s.str.) variabilis* Holmgren,1860 (Ichneumonidae)  
4046. *Listrodromus nyctemerus* (Gravenhorst,1820) (Ichneumonidae)  
4047. *Listrognathus (s.str.) furax* (Tschek,1871) (Ichneumonidae)  
4048. *Listrognathus firmator* (Fabricius,1798) (Ichneumonidae)  
4049. *Listrognathus orientalis* Horstmann,1989 (Ichneumonidae)  
4050. *Lymantrichneumon disparis* (Poda,1761) (Ichneumonidae)  
4051. *Lysibia nana* (Gravenhorst,1829) (Ichneumonidae)  
4052. *Magwengiella flavescens* Bachmaier & Diller,1985 (Ichneumonidae)  
4053. *Megarhyssa perlata* (Christ,1791) (Ichneumonidae)  
4054. *Megastylus flavopictus* (Gravenhorst,1829) (Ichneumonidae)  
4055. *Melanichneumon glaucatoriops* Heinrich,1972 (Ichneumonidae)  
4056. *Meloboris collector* (Thunberg,1822) (Ichneumonidae)  
4057. *Meringopus calescens* (Gravenhorst,1829) (Ichneumonidae)  
4058. *Meringopus cyanator* (Gravenhorst,1829) (Ichneumonidae)  
4059. *Meringopus nigerrimus* (Fonscolombe,1850) (Ichneumonidae)  
4060. *Meringopus pamirensis* (Maljavin,1965) (Ichneumonidae)  
4061. *Meringopus persicator* Aubert,1986 (Ichneumonidae)  
4062. *Meringopus pseudonymphus* (Tschek,1872) (Ichneumonidae)  
4063. *Meringopus titillator* (Linnaeus,1758) (Ichneumonidae)  
4064. *Mesochorella nigriceps* (Brischke,1880) (Ichneumonidae)  
4065. *Mesochorus arenarius* (Haliday,1838) (Ichneumonidae)  
4066. *Mesochorus cimbicis* Ratzeburg,1844 (Ichneumonidae)  
4067. *Mesochorus discitergus* (Say,1835) (Ichneumonidae)  
4068. *Mesochorus faciator* Horstmann,2003 (Ichneumonidae)  
4069. *Mesochorus fulgurans* (Curtis,1833) (Ichneumonidae)  
4070. *Mesochorus giberius* (Thunberg,1822) (Ichneumonidae)  
4071. *Mesochorus laricis* Hartig,1838 (Ichneumonidae)  
4072. *Mesochorus nuncupator* (Panzer,1800) (Ichneumonidae)  
4073. *Mesochorus olerum* Curtis,1833 (Ichneumonidae)  
4074. *Mesochorus punctipleuris* Thomson,1886 (Ichneumonidae)  
4075. *Mesochorus rubeculus* Hartig,1838 (Ichneumonidae)  
4076. *Mesochorus salicis* Thomson,1886 (Ichneumonidae)  
4077. *Mesochorus semirufus* Holmgren,1886 (Ichneumonidae)  
4078. *Mesochorus stigmator* (Thunberg,1822) (Ichneumonidae)  
4079. *Mesochorus temporalis* Thomson,1886 (Ichneumonidae)  
4080. *Mesochorus testaceus* Gravenhorst,1829 (Ichneumonidae)  
4081. *Mesochorus vittator* (Zetterstedt,1839) (Ichneumonidae)  
4082. *Mesochorus vitticollis* Holmgren,1860 (Ichneumonidae)  
4083. *Mesoleptidea cingulata* (Gravenhorst,1829) (Ichneumonidae)  
4084. *Mesoleptidea prosouleuca* (Gravenhorst,1820) (Ichneumonidae)  
4085. *Mesoleptus inessor* (Haliday,1838) (Ichneumonidae)  
4086. *Mesoleptus laevigatus* (Gravenhorst,1820) (Ichneumonidae)  
4087. *Mesoleptus laticinctus* (Walker,1874) (Ichneumonidae)



4088. *Mesostenus albinotatus* Gravenhorst, 1829 (Ichneumonidae)  
4089. *Mesostenus grammicus* Gravenhorst, 1829 (Ichneumonidae)  
4090. *Mesostenus transfuga* Gravenhorst, 1829 (Ichneumonidae)  
4091. *Metopius (Ceratopius) erythropus* Kirechbaumer, 1894 (Ichneumonidae)  
4092. *Metopius (Peltastes) brevispinus* Thomson, 1887 (Ichneumonidae)  
4093. *Metopius (Peltastes) leiopygus* Förster, 1850 (Ichneumonidae)  
4094. *Metopius (Peltastes) pinatorius* Brullé, 1846 (Ichneumonidae)  
4095. *Metopius (Peltocarus) croceicornis* Thomson, 1887 (Ichneumonidae)  
4096. *Metopius (Peltocarus) dentatus* (Fabricius, 1779) (Ichneumonidae)  
4097. *Metopius (Peltocarus) dirus* Mocsary, 1883 (Ichneumonidae)  
4098. *Metopius (s.str.) fulvicornis* Mocsary, 1883 (Ichneumonidae)  
4099. *Monoblastus brachyacanthus* (Gmelin, 1790) (Ichneumonidae)  
4100. *Monoblastus discedens* (Schmiedeknecht, 1912) (Ichneumonidae)  
4101. *Monoblastus fulvescens* (Fonscolombe, 1849) (Ichneumonidae)  
4102. *Monoblastus marginellus* (Gravenhorst, 1829) (Ichneumonidae)  
4103. *Myrmeleonostenus italicus* (Gravenhorst, 1829) (Ichneumonidae)  
4104. *Nemeritis nactor* (Aubert, 1986) (Ichneumonidae)  
4105. *Nemeritis specularis* Horstmann, 1975 (Ichneumonidae)  
4106. *Nemeritis tuitor* Aubert, 1986 (Ichneumonidae)  
4107. *Neotypus corensis* Uchida, 1930 (Ichneumonidae)  
4108. *Neotypus melanocephalus* (Gmelin, 1790) (Ichneumonidae)  
4109. *Neotypus nobilitator* (Gravenhorst, 1807) (Ichneumonidae)  
4110. *Neoxorides nitens* (Gravenhorst, 1829) (Ichneumonidae)  
4111. *Netelia (Bessobates) latungula* (Thomson, 1888) (Ichneumonidae)  
4112. *Netelia (Bessobates) virgata* (Fourcroy, 1785) (Ichneumonidae)  
4113. *Netelia (Paropheltes) beschkovi* Kolarov, 1994 (Ichneumonidae)  
4114. *Netelia (Paropheltes) elevator* Aubert, 1971 (Ichneumonidae)  
4115. *Netelia (Paropheltes) maculiventris* Kokujev, 1915 (Ichneumonidae)  
4116. *Netelia (Paropheltes) nomas* Kokujev, 1899 (Ichneumonidae)  
4117. *Netelia (Paropheltes) turanica* (Kokujev, 1899) (Ichneumonidae)  
4118. *Netelia (Prosthodocis) japonica* (Uchida, 1928) (Ichneumonidae)  
4119. *Netelia (s.str.) dilatata* (Thomson, 1888) (Ichneumonidae)  
4120. *Netelia (s.str.) fuscicornis* (Holmgren, 1860) (Ichneumonidae)  
4121. *Netelia (s.str.) testacea* (Gravenhorst, 1829) (Ichneumonidae)  
4122. *Netelia (Toxochiloides) krishtali* Tolkanitz, 1971 (Ichneumonidae)  
4123. *Obtusodonta equitatoria* (Panzer, 1786) (Ichneumonidae)  
4124. *Odontocolon dentipes* (Gmelin, 1790) (Ichneumonidae)  
4125. *Oedemopsis scabricula* (Gravenhorst, 1829) (Ichneumonidae)  
4126. *Olesicampe fulviventris* (Gmelin, 1790) (Ichneumonidae)  
4127. *Olesicampe macellator* (Thunberg, 1822) (Ichneumonidae)  
4128. *Olesicampe proterva* (Brischke, 1880) (Ichneumonidae)  
4129. *Olesicampe radiella* (Thomson, 1885) (Ichneumonidae)  
4130. *Opheltes glaucopterus* (Linnaeus, 1758) (Ichneumonidae)  
4131. *Ophion bipictor* Aubert, 1980 (Ichneumonidae)  
4132. *Ophion brevicornis* Morley, 1915 (Ichneumonidae)  
4133. *Ophion capitatus* Kohl, 1905 (Ichneumonidae)  
4134. *Ophion costatus* Ratzeburg, 1848 (Ichneumonidae)  
4135. *Ophion internigrans* Kokujev, 1906 (Ichneumonidae)  
4136. *Ophion longigena* Thomson, 1888 (Ichneumonidae)  
4137. *Ophion luteus* (Linnaeus, 1758) (Ichneumonidae)  
4138. *Ophion minutus* Kriechbaumer, 1879 (Ichneumonidae)  
4139. *Ophion mirsa* (Shestakov, 1926) (Ichneumonidae)  
4140. *Ophion mocsaryi* Brauns, 1889 (Ichneumonidae)  
4141. *Ophion obscurotus* Fabricius, 1798 (Ichneumonidae)  
4142. *Ophion parvulus* Kriechbaumer, 1879 (Ichneumonidae)  
4143. *Ophion pteridis* Kriechbaumer, 1879 (Ichneumonidae)  
4144. *Ophion rufoniger* Kohl, 1905 (Ichneumonidae)  
4145. *Ophion similis* (Szépligeti, 1905) (Ichneumonidae)  
4146. *Ophion ventricosus* Gravenhorst, 1829 (Ichneumonidae)  
4147. *Orthocentrus radialis* Thomson, 1897 (Ichneumonidae)  
4148. *Orthopelma brevicorne* Morley, 1907 (Ichneumonidae)  
4149. *Orthopelma mediator* (Thunberg, 1822) (Ichneumonidae)  
4150. *Otiophorus inflammator* Aubert, 1970 (Ichneumonidae)  
4151. *Otiophorus vepretorum* (Gravenhorst, 1829) (Ichneumonidae)  
4152. *Otoblastus luteomarginatus* (Gravenhorst, 1829) (Ichneumonidae)  
4153. *Oxytorus luridator* (Gravenhorst, 1820) (Ichneumonidae)  
4154. *Pantorhaestes xanthostomus* (Gravenhorst, 1829) (Ichneumonidae)  
4155. *Parablastus anatolicus* Gürbüz & Kolarov, 2005 (Ichneumonidae)  
4156. *Parablastus ibericus* Kasparyan, 1999 (Ichneumonidae)  
4157. *Parania geniculata* (Holmgren, 1857) (Ichneumonidae)  
4158. *Paraperithous gnathaulax* (Thomson, 1877) (Ichneumonidae)  
4159. *Patroclodes sputator* (Fabricius, 1793) (Ichneumonidae)  
4160. *Perilissus albitarsis* Thomson, 1883 (Ichneumonidae)  
4161. *Perilissus dissimilitor* Aubert, 1987 (Ichneumonidae)  
4162. *Perilissus lutescens* Holmgren, 1855 (Ichneumonidae)  
4163. *Perilissus rufoniger* (Gravenhorst, 1820) (Ichneumonidae)  
4164. *Perilissus spilonotus* (Stephens, 1835) (Ichneumonidae)  
4165. *Perilissus variator* (Müller, 1776) (Ichneumonidae)  
4166. *Perithous divinator* (Rossi, 1790) (Ichneumonidae)  
4167. *Perithous scurra* (Panzer, 1804) (Ichneumonidae)  
4168. *Perithous septemcinctarius* (Thunberg, 1822) (Ichneumonidae)  
4169. *Phaenolobus areolator* (Constantineanu & Constantineanu, 1968) (Ichneumonidae)  
4170. *Phaenolobus cornutus* Victorov, 1962 (Ichneumonidae)  
4171. *Phaenolobus fulvicornis* (Gravenhorst, 1829) (Ichneumonidae)  
4172. *Phaenolobus hilalii* Kolarov & Gürbüz, 2010 (Ichneumonidae)  
4173. *Phaenolobus maior* Szépligeti, 1914 (Ichneumonidae)  
4174. *Phaenolobus saltans* (Gravenhorst, 1829) (Ichneumonidae)  
4175. *Phaenolobus terebrator* (Scopoli, 1763) (Ichneumonidae)  
4176. *Phaenolobus trochanteralis* Çoruh & Kolarov, 2013 (Ichneumonidae)  
4177. *Phaeogenes corcirensis* Berthoumieu, 1901 (Ichneumonidae)  
4178. *Phaeogenes planifrons* Wesmael, 1845 (Ichneumonidae)  
4179. *Phaestacoenitus bidentator* Aubert, 1979 (Ichneumonidae)  
4180. *Phaestacoenitus caucasicus* Kasparyan, 1983 (Ichneumonidae)  
4181. *Phaestacoenitus niger* Kasparyan, 1983 (Ichneumonidae)  
4182. *Phobetes atomator* (Müller, 1776) (Ichneumonidae)  
4183. *Phobetes leptocerus* (Gravenhorst, 1820) (Ichneumonidae)  
4184. *Phradis brevis* (Brischke, 1880) (Ichneumonidae)  
4185. *Phradis decrescens* (Thomson, 1889) (Ichneumonidae)  
4186. *Phradis minutus* (Bridgman, 1889) (Ichneumonidae)  
4187. *Phradis morionellus* (Holmgren, 1860) (Ichneumonidae)  
4188. *Phradis nigrifolius* (Gravenhorst, 1829) (Ichneumonidae)  
4189. *Phradis rufiventris* Horstmann, 1980 (Ichneumonidae)  
4190. *Phygadeuon dubius* (Gravenhorst, 1829) (Ichneumonidae)  
4191. *Phygadeuon vexator* (Thunberg, 1822) (Ichneumonidae)  
4192. *Pimpla aquilonia* Cresson, 1870 (Ichneumonidae)  
4193. *Pimpla arcadica* Kasparyan, 1973 (Ichneumonidae)  
4194. *Pimpla argenturica* Koçak, 2015 (Ichneumonidae)  
4195. *Pimpla artemonis* Kasparyan, 1973 (Ichneumonidae)  
4196. *Pimpla caucasica* Kasparyan, 1974 (Ichneumonidae)  
4197. *Pimpla contemplantor* (Müller, 1776) (Ichneumonidae)  
4198. *Pimpla illecebrator* (Villers, 1789) (Ichneumonidae)  
4199. *Pimpla insignatoria* (Gravenhorst, 1807) (Ichneumonidae)  
4200. *Pimpla melanacrias* Perkins, 1941 (Ichneumonidae)  
4201. *Pimpla sodalis* Ruthe, 1859 (Ichneumonidae)  
4202. *Pimpla spuria* Gravenhorst, 1829 (Ichneumonidae)  
4203. *Pimpla turionellae* (Linnaeus, 1758) (Ichneumonidae)  
4204. *Pion fortipes* (Gravenhorst, 1829) (Ichneumonidae)  
4205. *Pion nigripes* Schiödt, 1839 (Ichneumonidae)  
4206. *Pithotomus rufiventris* Kriechbaumer, 1888 (Ichneumonidae)  
4207. *Platylabus iridipennis* (Gravenhorst, 1829) (Ichneumonidae)  
4208. *Platylabus neglectus* (Fonscolombe, 1847) (Ichneumonidae)  
4209. *Platylabus obator* (Desvignes, 1856) (Ichneumonidae)  
4210. *Platylabus odiosus* Perkins, 1953 (Ichneumonidae)  
4211. *Platylabus oehlkei* (Heinrich, 1972) (Ichneumonidae)  
4212. *Platylabus ponticus* Riedel, 2008 (Ichneumonidae)  
4213. *Platylabus tricingulatus* (Gravenhorst, 1820) (Ichneumonidae)  
4214. *Platylabus vibratorius* (Thunberg, 1822) (Ichneumonidae)  
4215. *Pleolophus brachypterus* (Gravenhorst, 1815) (Ichneumonidae)  
4216. *Poemenia hectica* (Gravenhorst, 1829) (Ichneumonidae)  
4217. *Polyblastus cothurnatus* (Gravenhorst, 1829) (Ichneumonidae)  
4218. *Polyblastus varitarsus* (Gravenhorst, 1829) (Ichneumonidae)  
4219. *Polysphincta tuberosa* Gravenhorst, 1829 (Ichneumonidae)  
4220. *Polytribax rufipes* (Gravenhorst, 1829) (Ichneumonidae)  
4221. *Priopoda stictica* (Fabricius, 1799) (Ichneumonidae)  
4222. *Pristomerus armatus* (Lucas, 1849) (Ichneumonidae)  
4223. *Pristomerus kasparyani* Narolsky, 1986 (Ichneumonidae)  
4224. *Pristomerus luridus* Kokujev, 1905 (Ichneumonidae)  
4225. *Pristomerus rivalis* Narolsky, 1987 (Ichneumonidae)  
4226. *Pristomerus vulnerator* (Panzer, 1799) (Ichneumonidae)  
4227. *Probles (Euporizon) exilis* (Holmgren, 1860) (Ichneumonidae)  
4228. *Probles (Euporizon) rufipes* (Holmgren, 1860) (Ichneumonidae)  
4229. *Probles (Microdiaparsis) anatolicus* Hortsman, 1980 (Ichneumonidae)  
4230. *Probles (Microdiaparsis) caudiculatus* Khalaim, 2007 (Ichneumonidae)  
4231. *Probles (Microdiaparsis) neoversutus* (Horstmann, 1967) (Ichneumonidae)  
4232. *Probles (Microdiaparsis) versutus* Holmgren, 1860 (Ichneumonidae)  
4233. *Probles (Rugodiaparsis) sp.* (Ichneumonidae)  
4234. *Probles (s.str.) erythrostomus* (Gravenhorst, 1829) (Ichneumonidae)  
4235. *Probles (s.str.) flavipes* (Szépligeti, 1899) (Ichneumonidae)  
4236. *Probolus crassulus* Horstmann, 2000 (Ichneumonidae)  
4237. *Procinetus decimator* Gravenhorst, 1829 (Ichneumonidae)  
4238. *Promethes sulcator* (Gravenhorst, 1829) (Ichneumonidae)  
4239. *Protichneumon coqueberti* (Wesmael, 1848) (Ichneumonidae)  
4240. *Protichneumon fusorius* (Linnaeus, 1761) (Ichneumonidae)  
4241. *Protichneumon similatorius* (Fabricius, 1798) (Ichneumonidae)  
4242. *Pseudoamblyteles homocerus* (Wesmael, 1854) (Ichneumonidae)  
4243. *Pseudoplatylabus violentus* (Gravenhorst, 1829) (Ichneumonidae)  
4244. *Pyncocryptodes reticulator* Aubert, 1971 (Ichneumonidae)  
4245. *Pygmaeolus turcius* Kolarov, 1993 (Ichneumonidae)  
4246. *Rhyssa persuasoria* (Linnaeus, 1758) (Ichneumonidae)  
4247. *Rictichneumon lombardi* (Berthoumieu, 1897) (Ichneumonidae)  
4248. *Scambus (Atelophadnus) rufator* Aubert, 1963 (Ichneumonidae)  
4249. *Scambus (s.str.) brevicornis* (Gravenhorst, 1829) (Ichneumonidae)  
4250. *Scambus (s.str.) buolianae* (Hartig, 1838) (Ichneumonidae)  
4251. *Scambus (s.str.) calobatus* (Gravenhorst, 1829) (Ichneumonidae)  
4252. *Scambus (s.str.) elegans* (Woldstedt, 1877) (Ichneumonidae)  
4253. *Scambus (s.str.) foliae* (Cushman, 1938) (Ichneumonidae)  
4254. *Scambus (s.str.) nigricans* (Thomson, 1877) (Ichneumonidae)  
4255. *Scambus (s.str.) pomorum* (Ratzeburg, 1848) (Ichneumonidae)  
4256. *Scambus (s.str.) sagax* Hartig, 1838 (Ichneumonidae)  
4257. *Scambus (s.str.) signatus* Pfeffer, 1913 (Ichneumonidae)  
4258. *Scambus (s.str.) strobilorum* (Ratzeburg, 1848) (Ichneumonidae)  
4259. *Scambus (s.str.) vesicarius* (Ratzeburg, 1844) (Ichneumonidae)  
4260. *Schizopyga circulator* (Panzer, 1800) (Ichneumonidae)  
4261. *Schizopyga pictifrons* (Thomson, 1877) (Ichneumonidae)  
4262. *Schizopyga podagrica* Gravenhorst, 1829 (Ichneumonidae)  
4263. *Schreineria populnea* (Giraud, 1872) (Ichneumonidae)  
4264. *Scolobates auriculatus* (Fabricius, 1804) (Ichneumonidae)  
4265. *Scolobates nigripennis* Sichel, 1860 (Ichneumonidae)  
4266. *Sinophorus geniculatus* (Gravenhorst, 1829) (Ichneumonidae)  
4267. *Sinophorus pleuralis* (Thomson, 1887) (Ichneumonidae)

4268. *Sinophorus sticticalae* Sanborne, 1984 (Ichneumonidae)  
4269. *Sinophorus turionum* (Ratzeburg, 1844) (Ichneumonidae)  
4270. *Sinophorus xanthostomus* (Gravenhorst, 1829) (Ichneumonidae)  
4271. *Spilichneumon ammonius* (Gravenhorst, 1820) (Ichneumonidae)  
4272. *Spilichneumon limnophilus* (Thomson, 1888) (Ichneumonidae)  
4273. *Spilichneumon occisarius* (Fabricius, 1793) (Ichneumonidae)  
4274. *Spilothyrates illuminatorius* (Gravenhorst, 1820) (Ichneumonidae)  
4275. *Spilothyrates nuptatorius* (Fabricius, 1893) (Ichneumonidae)  
4276. *Spudaus scaber* (Gravenhorst, 1829) (Ichneumonidae)  
4277. *Stenarella domator* (Poda, 1761) (Ichneumonidae)  
4278. *Stenichneumon culpator* (Schränk, 1802) (Ichneumonidae)  
4279. *Stenomacrus affinitor* Aubert, 1981 (Ichneumonidae)  
4280. *Stictopisthus bilineatus* (Thomson, 1886) (Ichneumonidae)  
4281. *Stictopisthus maroccanus* Schwenke, 1999 (Ichneumonidae)  
4282. *Stilbops ruficornis* (Gravenhorst, 1829) (Ichneumonidae)  
4283. *Stilpnus adanensis* Kolarov & Beyarslan, 1994 (Ichneumonidae)  
4284. *Stilpnus gagates* (Gravenhorst, 1807) (Ichneumonidae)  
4285. *Strongylopsis abdominalis* Kasparyan, 1974 (Ichneumonidae)  
4286. *Strongylopsis belua* Kuzin, 1950 (Ichneumonidae)  
4287. *Sympherta antilope* (Gravenhorst, 1829) (Ichneumonidae)  
4288. *Sympherta obligator* (Thunberg, 1822) (Ichneumonidae)  
4289. *Sympherta ullrichi* (Tschek, 1869) (Ichneumonidae)  
4290. *Synechocryptus mactator* (Tschek, 1871) (Ichneumonidae)  
4291. *Synmelix alipes* (Gravenhorst, 1829) (Ichneumonidae)  
4292. *Syrphoctonus tarsatorius* (Panzer, 1809) (Ichneumonidae)  
4293. *Syrphophilus asperatus* Dasch, 1964 (Ichneumonidae)  
4294. *Syrphophilus bizanarius* (Gravenhorst, 1829) (Ichneumonidae)  
4295. *Syspasis carinator* (Fabricius, 1798) (Ichneumonidae)  
4296. *Syspasis scutellator* (Gravenhorst, 1829) (Ichneumonidae)  
4297. *Syzeuctus irrisorius* (Rossi, 1794) (Ichneumonidae)  
4298. *Syzeuctus tenuifasciatus* Schmiedeknecht, 1900 (Ichneumonidae)  
4299. *Syzeuctus tureator* Aubert, 1984 (Ichneumonidae)  
4300. *Temelucha afghana* Sedivy, 1968 (Ichneumonidae)  
4301. *Temelucha anatolica* (Sedivy, 1959) (Ichneumonidae)  
4302. *Temelucha annulata* (Szépligeti, 1899) (Ichneumonidae)  
4303. *Temelucha arenosa* (Szépligeti, 1900) (Ichneumonidae)  
4304. *Temelucha brevipetiolata* Kolarov, 1989 (Ichneumonidae)  
4305. *Temelucha caudata* (Szépligeti, 1899) (Ichneumonidae)  
4306. *Temelucha confluens* (Gravenhorst, 1829) (Ichneumonidae)  
4307. *Temelucha decorata* (Gravenhorst, 1829) (Ichneumonidae)  
4308. *Temelucha discoidalis* (Szépligeti, 1899) (Ichneumonidae)  
4309. *Temelucha genalis* (Szépligeti, 1899) (Ichneumonidae)  
4310. *Temelucha interruptor* (Gravenhorst, 1829) (Ichneumonidae)  
4311. *Temelucha lucida* (Szépligeti, 1899) (Ichneumonidae)  
4312. *Temelucha meridiocellator* Aubert, 1981 (Ichneumonidae)  
4313. *Temelucha observator* Aubert, 1966 (Ichneumonidae)  
4314. *Temelucha ophthalmica* (Holmgren, 1860) (Ichneumonidae)  
4315. *Temelucha pseudocaudata* (Kolarov, 1982) (Ichneumonidae)  
4316. *Temelucha schoenobia* (Thomson, 1890) (Ichneumonidae)  
4317. *Temelucha tricolorata* Sedivy, 1968 (Ichneumonidae)  
4318. *Temelucha tuberculata* (homonym) (Ichneumonidae)  
4319. *Temelucha turcata* Kolarov & Beyarslan, 1999 (Ichneumonidae)  
4320. *Temelucha variipes* (Szépligeti, 1899) (Ichneumonidae)  
4321. *Tersilochus (Gonolochus) caudatus* (Holmgren, 1860) (Ichneumonidae)  
4322. *Tersilochus (Gonolochus) nitens* Horstmann & Kolarov, 1988 (Ichneumonidae)  
4323. *Tersilochus (Gonolochus) rugulosus* Horstmann, 1980 (Ichneumonidae)  
4324. *Tersilochus (s.str.) cognatus* Holmgren, 1860 (Ichneumonidae)  
4325. *Tersilochus (s.str.) heterocerus* (Thomson, 1889) (Ichneumonidae)  
4326. *Tersilochus (s.str.) jocator* Holmgren, 1859 (Ichneumonidae)  
4327. *Tersilochus (s.str.) obscurator* (Aubert, 1959) (Ichneumonidae)  
4328. *Tersilochus (s.str.) triangularis* (Gravenhorst, 1807) (Ichneumonidae)  
4329. *Tersilochus (s.str.) tripartitus* (Brischke, 1880) (Ichneumonidae)  
4330. *Therion brevicorne* Gravenhorst, 1829 (Ichneumonidae)  
4331. *Therion circumflexum* (Linnaeus, 1758) (Ichneumonidae)  
4332. *Therion tarsatum* (Shestakov, 1923) (Ichneumonidae)  
4333. *Theronia atalantae* (Poda, 1761) (Ichneumonidae)  
4334. *Therospocus esenbeckii* (Gravenhorst, 1815) (Ichneumonidae)  
4335. *Therospocus hemipteron* (Riche, 1791) (Ichneumonidae)  
4336. *Thibetoides acerbus* Victorov, 1964 (Ichneumonidae)  
4337. *Thrybius praedator* (Rossi, 1792) (Ichneumonidae)  
4338. *Thyratales camelinus* (Wesmael, 1845) (Ichneumonidae)  
4339. *Thyratales pandur* (Kriechbaumer, 1882) (Ichneumonidae)  
4340. *Trathala hieronchotica* (Schmiedeknecht, 1910) (Ichneumonidae)  
4341. *Trematopygus triangulator* Aubert, 1981 (Ichneumonidae)  
4342. *Trematopygus vellicans* (Gravenhorst, 1829) (Ichneumonidae)  
4343. *Trichomma enecator* (Rossi, 1790) (Ichneumonidae)  
4344. *Triclistus areolatus* Thomson, 1887 (Ichneumonidae)  
4345. *Triclistus globulipes* (Desvignes, 1856) (Ichneumonidae)  
4346. *Triclistus lativentris* Thomson, 1887 (Ichneumonidae)  
4347. *Triclistus longicalcar* Thomson, 1887 (Ichneumonidae)  
4348. *Triclistus niger* (Bridgman, 1883) (Ichneumonidae)  
4349. *Triclistus podagricus* (Gravenhorst, 1829) (Ichneumonidae)  
4350. *Trices tricarinatus* (Holmgren, 1856) (Ichneumonidae)  
4351. *Triptognathus atripes* (Gravenhorst, 1820) (Ichneumonidae)  
4352. *Triptognathus fumigator* (Gravenhorst, 1820) (Ichneumonidae)  
4353. *Triptognathus unifasciatus* (Spinola, 1843) (Ichneumonidae)  
4354. *Triptognathus uniguttatus* (Gravenhorst, 1829) (Ichneumonidae)  
4355. *Trogus lapidator* (Fabricius, 1787) (Ichneumonidae)  
4356. *Tromatobia ornata* (Gravenhorst, 1829) (Ichneumonidae)  
4357. *Tromatobia ovivora* (Boheman, 1821) (Ichneumonidae)  
4358. *Tromatobia variabilis* (Holmgren, 1856) (Ichneumonidae)  
4359. *Trychosis ambigua* (Tschek, 1871) (Ichneumonidae)  
4360. *Trychosis atripes* (Gravenhorst, 1829) (Ichneumonidae)  
4361. *Trychosis legator* (Thunberg, 1822) (Ichneumonidae)  
4362. *Trychosis neglecta* (Tschek, 1871) (Ichneumonidae)  
4363. *Trychosis pauper* (Tschek, 1871) (Ichneumonidae)  
4364. *Trychosis priessneri* Rossem, 1971 (Ichneumonidae)  
4365. *Trychosis tristator* (Tschek, 1871) (Ichneumonidae)  
4366. *Tryphon (s.str.) abditus* Kasparyan, 1969 (Ichneumonidae)  
4367. *Tryphon (s.str.) atriceps* Stephens, 1835 (Ichneumonidae)  
4368. *Tryphon (s.str.) caucasicus* Kasparyan, 1969 (Ichneumonidae)  
4369. *Tryphon (s.str.) latrator* (Fabricius, 1781) (Ichneumonidae)  
4370. *Tryphon (s.str.) psilosagator* Aubert, 1966 (Ichneumonidae)  
4371. *Tryphon (s.str.) rarus* Kasparyan, 1969 (Ichneumonidae)  
4372. *Tryphon (s.str.) relator* (Thunberg, 1822) (Ichneumonidae)  
4373. *Tryphon (s.str.) rutilator* (Linnaeus, 1761) (Ichneumonidae)  
4374. *Tryphon (s.str.) signator* Gravenhorst, 1829 (Ichneumonidae)  
4375. *Tryphon (s.str.) talitzkii* Telenga, 1930 (Ichneumonidae)  
4376. *Tryphon (s.str.) thomsoni* Roman, 1939 (Ichneumonidae)  
4377. *Tryphon (s.str.) trochanteratus* Holmgren, 1855 (Ichneumonidae)  
4378. *Tryphon (s.str.) zavreli* Gregor, 1939 (Ichneumonidae)  
4379. *Tryphon (Stenocrotaphon) subsulcatus* Holmgren, 1857 (Ichneumonidae)  
4380. *Trycherus nigridens* (Wesmael, 1845) (Ichneumonidae)  
4381. *Venturia anatolica* Horstmann, 1987 (Ichneumonidae)  
4382. *Venturia canescens* (Gravenhorst, 1829) (Ichneumonidae)  
4383. *Virgichneumon albosignatus* (Gravenhorst, 1829) (Ichneumonidae)  
4384. *Virgichneumon callicerus* (Gravenhorst, 1820) (Ichneumonidae)  
4385. *Virgichneumon digrammus* (Gravenhorst, 1820) (Ichneumonidae)  
4386. *Virgichneumon maculicauda* Perkins, 1953 (Ichneumonidae)  
4387. *Vulgichneumon deceptor* (Scopoli, 1763) (Ichneumonidae)  
4388. *Vulgichneumon saturatorius* (Linnaeus, 1758) (Ichneumonidae)  
4389. *Vulgichneumon suavis* (Gravenhorst, 1820) (Ichneumonidae)  
4390. *Xenoschisis (Polycinetis) ustulata* (Desvignes, 1856) (Ichneumonidae)  
4391. *Xenoschisis (s.str.) fulvipes* (Gravenhorst, 1829) (Ichneumonidae)  
4392. *Xorides (Gonophonus) annulator* (Fabricius, 1804) (Ichneumonidae)  
4393. *Xorides (Moerophora) rufipes* (Gravenhorst, 1829) (Ichneumonidae)  
4394. *Xorides (s.str.) filiformis* (Gravenhorst, 1829) (Ichneumonidae)  
4395. *Xorides (s.str.) fuligator* (Thunberg, 1822) (Ichneumonidae)  
4396. *Xorides (s.str.) gracilicornis* (Gravenhorst, 1829) (Ichneumonidae)  
4397. *Xorides (s.str.) gravenhorstii* (Curtis, 1831) (Ichneumonidae)  
4398. *Xorides (s.str.) praecatorius* (Fabricius, 1793) (Ichneumonidae)  
4399. *Xylophrus augustus* (Dalman, 1823) (Ichneumonidae)  
4400. *Zabrachypus primus* Cushman, 1920 (Ichneumonidae)  
4401. *Zaglyptus multicolor* (Gravenhorst, 1829) (Ichneumonidae)  
4402. *Zaglyptus varipes* (Gravenhorst, 1829) (Ichneumonidae)  
4403. *Zaplethocornia procurator* (Gravenhorst, 1829) (Ichneumonidae)  
4404. *Zatypota anomala* (Holmgren, 1860) (Ichneumonidae)  
4405. *Zatypota bohemani* (Holmgren, 1860) (Ichneumonidae)  
4406. *Zatypota percentatoria* (Müller, 1776) (Ichneumonidae)
- Leucospidae**
4407. *Leucospis bifasciata* Klug, 1814 (Leucospidae)  
4408. *Leucospis biguetina* Jurine, 1807 (Leucospidae)  
4409. *Leucospis brevicauda* Fabricius, 1804 (Leucospidae)  
4410. *Leucospis dorsigera* (Fabricius, 1775) (Leucospidae)  
4411. *Leucospis gigas* (Fabricius, 1793) (Leucospidae)  
4412. *Leucospis intermedia* Illiger, 1807 (Leucospidae)
- Megachilidae**
4413. *Aglaoapis tridentata* (Nylander, 1848) (Megachilidae)  
4414. *Allodioxya schulthessi* (Popov, 1936) (Megachilidae)  
4415. *Anthidium (Anthidiellum) brevisculum* Pérez, 1890 (Megachilidae)  
4416. *Anthidium (Anthidiellum) strigatum* (Panzer, 1805) (Megachilidae)  
4417. *Anthidium (Archianthidium) forcipatum* Morawitz, 1875 (Megachilidae)  
4418. *Anthidium (Archianthidium) laticeps* Morawitz, 1873 (Megachilidae)  
4419. *Anthidium (Exanthidium) eximium* Giraud, 1863 (Megachilidae)  
4420. *Anthidium (Icteranthidium) aequabile* Morawitz, 1896 (Megachilidae)  
4421. *Anthidium (Icteranthidium) cimbiciforme* (Smith, 1854) (Megachilidae)  
4422. *Anthidium (Icteranthidium) ferrugineum* (Fabricius, 1787) (Megachilidae)  
4423. *Anthidium (Icteranthidium) grohmanni* Spinola, 1838 (Megachilidae)  
4424. *Anthidium (Icteranthidium) laterale* Latreille, 1809 (Megachilidae)  
4425. *Anthidium (Icteranthidium) limbiferum* Morawitz, 1875 (Megachilidae)  
4426. *Anthidium (Icteranthidium) ovasi* Warncke, 1980 (Megachilidae)  
4427. *Anthidium (Icteranthidium) urfanum* Warncke, 1980 (Megachilidae)  
4428. *Anthidium (Mesanthidium) carduele* Morawitz, 1876 (Megachilidae)  
4429. *Anthidium (Mesanthidium) lebanense* Mavromoustakis, 1955 (Megachilidae)  
4430. *Anthidium (Mesanthidium) malacopygum* (Gribodo, 1894) (Megachilidae)  
4431. *Anthidium (Mesanthidium) pusillum* Morawitz, 1895 (Megachilidae)  
4432. *Anthidium (Oxyanthidium) aculeatum* Klug, 1832 (Megachilidae)  
4433. *Anthidium (Paraanthidium) dumerlei* Warncke, 1980 (Megachilidae)  
4434. *Anthidium (Paraanthidium) interruptum* (Fabricius, 1781) (Megachilidae)  
4435. *Anthidium (Proanthidium) anguliventre* Morawitz, 1888 (Megachilidae)  
4436. *Anthidium (Proanthidium) oblongatum* (Illiger, 1806) (Megachilidae)  
4437. *Anthidium (Proanthidium) rotundum* Warncke, 1980 (Megachilidae)

4438. Anthidium (Proanthidium) undulatifforme Friese,1917 (Megachilidae)  
4439. Anthidium (Proanthidium) undulatum Dours,1873 (Megachilidae)  
4440. Anthidium (Pseudoanthidium) alpinum Morawitz,1874 (Megachilidae)  
4441. Anthidium (Pseudoanthidium) cribratum Morawitz,1875 (Megachilidae)  
4442. Anthidium (Pseudoanthidium) lituratum (Panzer,1801) (Megachilidae)  
4443. Anthidium (Pseudoanthidium) melanurum Klug,1832 (Megachilidae)  
4444. Anthidium (Pseudoanthidium) reticulatum Mocsary,1884 (Megachilidae)  
4445. Anthidium (Pseudoanthidium) rhombiferum Friese,1917 (Megachilidae)  
4446. Anthidium (Rhodanthidium) acuminatum Mocsary,1884 (Megachilidae)  
4447. Anthidium (Rhodanthidium) buteum Warncke,1980 (Megachilidae)  
4448. Anthidium (Rhodanthidium) caturigense Giraud,1863 (Megachilidae)  
4449. Anthidium (Rhodanthidium) exsectum (Pasteels,1969) (Megachilidae)  
4450. Anthidium (Rhodanthidium) septemdentatum (Latreille,1809) (Megachilidae)  
4451. Anthidium (Rhodanthidium) superbum Radoszkowski,1876 (Megachilidae)  
4452. Anthidium (s.str.) caspicum Morawitz,1880 (Megachilidae)  
4453. Anthidium (s.str.) cingulatum Latreille,1809 (Megachilidae)  
4454. Anthidium (s.str.) dalmaticum Mocsary,1884 (Megachilidae)  
4455. Anthidium (s.str.) diadema Latreille,1809 (Megachilidae)  
4456. Anthidium (s.str.) florentinum (Fabricius,1775) (Megachilidae)  
4457. Anthidium (s.str.) gussakowskiji Mavromoustakis,1939 (Megachilidae)  
4458. Anthidium (s.str.) loti Perris,1852 (Megachilidae)  
4459. Anthidium (s.str.) manicatum (Linnaeus,1758) (Megachilidae)  
4460. Anthidium (s.str.) neosyriacum Mavromoustakis,1956 (Megachilidae)  
4461. Anthidium (s.str.) punctatum Latreille,1809 (Megachilidae)  
4462. Anthidium (s.str.) septemspinus Lepeletier,1841 (Megachilidae)  
4463. Anthidium (s.str.) spiniventris Friese,1899 (Megachilidae)  
4464. Anthidium (s.str.) syriacum Pérez,1911 (Megachilidae)  
4465. Anthidium (s.str.) taeniatum Latreille,1809 (Megachilidae)  
4466. Anthidium (s.str.) trispinosum Friese,1917 (Megachilidae)  
4467. Anthidium (s.str.) waltlii Spinosa,1838 (Megachilidae)  
4468. Anthidium (s.str.) wuestneii Mocsary,1887 (Megachilidae)  
4469. Anthidium (Trachusa) byssinum (Panzer,1804) (Megachilidae)  
4470. Anthidium (Trachusa) pubescens Morawitz,1872 (Megachilidae)  
4471. Chalicodoma (Euchalicodoma) asiaticum (Morawitz,1875) (Megachilidae)  
4472. Chalicodoma (Euchalicodoma) montenegrensis (Dours,1873) (Megachilidae)  
4473. Chalicodoma (Pseudomegachile) ericetorum (Lepeletier,1841) (Megachilidae)  
4474. Chalicodoma (Pseudomegachile) flavipes (Spinola,1838) (Megachilidae)  
4475. Chalicodoma (Pseudomegachile) sanguinipes (Morawitz,1875) (Megachilidae)  
4476. Chalicodoma (Pseudomegachile) saussurei (Radoszkowski,1874) (Megachilidae)  
4477. Chalicodoma (Pseudomegachile) transgrediens (Rebmann,1970) (Megachilidae)  
4478. Chalicodoma (s.str.) parietina (Geoffroy,1785) (Megachilidae)  
4479. Chelostoma (Foveosmia) bytinskii (Mavromoustakis,1948) (Megachilidae)  
4480. Chelostoma (Foveosmia) campanularum (Kirby,1802) (Megachilidae)  
4481. Chelostoma (Foveosmia) distinctum (Stöckert,1929) (Megachilidae)  
4482. Chelostoma (Foveosmia) forcipatum (Benoist,1928) (Megachilidae)  
4483. Chelostoma (Foveosmia) foveolatum (Morawitz,1868) (Megachilidae)  
4484. Chelostoma (Foveosmia) galeridum (Warncke,1991) (Megachilidae)  
4485. Chelostoma (Foveosmia) garrulum (Warncke,1991) (Megachilidae)  
4486. Chelostoma (Foveosmia) isabellinum (Warncke,1991) (Megachilidae)  
4487. Chelostoma (Foveosmia) josephi Schwarz & Gusenleiner,2000 (Megachilidae)  
4488. Chelostoma (Foveosmia) maidli (Benoist,1935) (Megachilidae)  
4489. Chelostoma (Foveosmia) palaestina (Benoist,1935) (Megachilidae)  
4490. Chelostoma (Foveosmia) schlettereri (Friese,1899) (Megachilidae)  
4491. Chelostoma (Foveosmia) styriacum Schwarz & Gusenleiner,1999 (Megachilidae)  
4492. Chelostoma (Foveosmia) subnitidum (Benoist,1935) (Megachilidae)  
4493. Chelostoma (Foveosmia) torquillum Warncke,1991 (Megachilidae)  
4494. Chelostoma (Foveosmia) ventrale Schletterer,1889 (Megachilidae)  
4495. Chelostoma (Gyrodromella) handlirshi Schletterer,1889 (Megachilidae)  
4496. Chelostoma (Gyrodromella) hebraeum (Benoist,1935) (Megachilidae)  
4497. Chelostoma (Gyrodromella) orientale Schletterer,1890 (Megachilidae)  
4498. Chelostoma (Gyrodromella) proximum Schletterer,1889 (Megachilidae)  
4499. Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841) (Megachilidae)  
4500. Chelostoma (s.str.) diodon Schletterer,1889 (Megachilidae)  
4501. Chelostoma (s.str.) dolosum (Benoist,1935) (Megachilidae)  
4502. Chelostoma (s.str.) emarginatum (Nylander,1856) (Megachilidae)  
4503. Chelostoma (s.str.) florisomnis (Linnaeus,1758) (Megachilidae)  
4504. Chelostoma (s.str.) grande (Nylander,1852) (Megachilidae)  
4505. Chelostoma (s.str.) lucens (Benoist,1928) (Megachilidae)  
4506. Chelostoma (s.str.) mocsaryi Schletterer,1889 (Megachilidae)  
4507. Chelostoma (s.str.) transversum (Friese,1897) (Megachilidae)  
4508. Chelostoma (subgen?) ventrale Schletterer,1889 (Megachilidae)  
4509. Coelioxys (Allocoelioxys) acanthura (Illiger,1806) (Megachilidae)  
4510. Coelioxys (Allocoelioxys) afra Lepeletier,1841 (Megachilidae)  
4511. Coelioxys (Allocoelioxys) artemis Schwarz,1991 (Megachilidae)  
4512. Coelioxys (Allocoelioxys) echinata Förster,1853 (Megachilidae)  
4513. Coelioxys (Allocoelioxys) elsei Schwarz,2001 (Megachilidae)  
4514. Coelioxys (Allocoelioxys) emarginata Förster,1853 (Megachilidae)  
4515. Coelioxys (Allocoelioxys) haemorrhoea Förster,1853 (Megachilidae)  
4516. Coelioxys (Allocoelioxys) polycentris Förster,1853 (Megachilidae)  
4517. Coelioxys (Allocoelioxys) pulchella Morawitz,1874 (Megachilidae)  
4518. Coelioxys (Argoelioxys) argentea Lepeletier,1841 (Megachilidae)  
4519. Coelioxys (Liothyrapis) decipiens Spinola,1838 (Megachilidae)  
4520. Coelioxys (Radoszkowskiana) rufiventris (Spinola,1838) (Megachilidae)  
4521. Coelioxys (Radoszkowskiana) tkalcui Schwarz,2001 (Megachilidae)  
4522. Coelioxys (s.str.) aurolimbata Förster,1853 (Megachilidae)  
4523. Coelioxys (s.str.) brevis Eversmann,1842 (Megachilidae)  
4524. Coelioxys (s.str.) conoidea (Illiger,1806) (Megachilidae)  
4525. Coelioxys (s.str.) elongata Lepeletier,1841 (Megachilidae)  
4526. Coelioxys (s.str.) inermis (Kirby,1802) (Megachilidae)  
4527. Coelioxys (s.str.) mandibularis Nylander,1848 (Megachilidae)  
4528. Coelioxys (s.str.) quadridentata (Linnaeus,1758) (Megachilidae)  
4529. Coelioxys (s.str.) rufescens Lepeletier,1825 (Megachilidae)  
4530. Coelioxys alata Förster,1853 (Megachilidae)  
4531. Coelioxys caudata Spinola,1838 (Megachilidae)  
4532. Coelioxys elytrura Spinola,1838 (Megachilidae)  
4533. Coelioxys obtusa Pérez,1884 (Megachilidae)  
4534. Creightonella (Metamegachile) albisepta (Klug,1817) (Megachilidae)  
4535. Creightonella (Metamegachile) doriae (Magretti,1890) (Megachilidae)  
4536. Creightonella (Metamegachile) heinrichi Tkalcu,1979 (Megachilidae)  
4537. Dioxys cincta (Jurine,1807) (Megachilidae)  
4538. Dioxys moesta (Costa,1883) (Megachilidae)  
4539. Dioxys montana Heinrich,1977 (Megachilidae)  
4540. Dioxys pumila Gerstaecker,1869 (Megachilidae)  
4541. Ensliniana bidentata (Friese,1899) (Megachilidae)  
4542. Eoanthidium (Clistanthidium) nasicum (Friese,1917) (Megachilidae)  
4543. Eoanthidium (s.str.) clypeare (Morawitz,1874) (Megachilidae)  
4544. Eoanthidium (s.str.) insulare (Morawitz,1873) (Megachilidae)  
4545. Eoanthidium (s.str.) judaense (Mavromoustakis,1945) (Megachilidae)  
4546. Haetosmia vechti (Peters,1974) (Megachilidae)  
4547. Heriades (Michenerella) dalmaticus Maidl,1922 (Megachilidae)  
4548. Heriades (Michenerella) hissaricus Popov,1955 (Megachilidae)  
4549. Heriades (Michenerella) punctuliferus Schletterer,1889 (Megachilidae)  
4550. Heriades (Rhopaloheriades) clavicornis Morawitz,1875 (Megachilidae)  
4551. Heriades (s.str.) crenulatus Nylander,1856 (Megachilidae)  
4552. Heriades (s.str.) rubicola Pérez,1890 (Megachilidae)  
4553. Heriades (s.str.) truncorum (Linnaeus,1758) (Megachilidae)  
4554. Hofferia schmiedeknechti (Schletterer,1889) (Megachilidae)  
4555. Hoplitis (Aldidamea) acanthophora (Morawitz,1875) (Megachilidae)  
4556. Hoplitis (Aldidamea) acuticornis (Dufour & Perris,1840) (Megachilidae)  
4557. Hoplitis (Aldidamea) antennata (Morawitz,1876) (Megachilidae)  
4558. Hoplitis (Aldidamea) bicallosa (Morawitz,1876) (Megachilidae)  
4559. Hoplitis (Aldidamea) bispinosa Zanden,1992 (Megachilidae)  
4560. Hoplitis (Aldidamea) caucasica (Friese,1920) (Megachilidae)  
4561. Hoplitis (Aldidamea) caularis (Morawitz,1875) (Megachilidae)  
4562. Hoplitis (Aldidamea) ciliaris (Pérez,1902) (Megachilidae)  
4563. Hoplitis (Aldidamea) claviventris (Thomson,1872) (Megachilidae)  
4564. Hoplitis (Aldidamea) decaocta (Warncke,1991) (Megachilidae)  
4565. Hoplitis (Aldidamea) galbula (Warncke,1991) (Megachilidae)  
4566. Hoplitis (Aldidamea) garzetta (Warncke,1991) (Megachilidae)  
4567. Hoplitis (Aldidamea) leucomelaena (Kirby,1802) (Megachilidae)  
4568. Hoplitis (Aldidamea) limassolica (Mavromoustakis,1937) (Megachilidae)  
4569. Hoplitis (Aldidamea) mollis Tkalcu,2000 (Megachilidae)  
4570. Hoplitis (Aldidamea) ozbeki Tkalcu,2000 (Megachilidae)  
4571. Hoplitis (Aldidamea) praestans (Morawitz,1894) (Megachilidae)  
4572. Hoplitis (Aldidamea) stellaris (Warncke,1991) (Megachilidae)  
4573. Hoplitis (Aldidamea) subbutea (Warncke,1991) (Megachilidae)  
4574. Hoplitis (Aldidamea) tridentata (Dufour & Perris,1840) (Megachilidae)  
4575. Hoplitis (Aldidamea) verruciventris (Morawitz,1886) (Megachilidae)  
4576. Hoplitis (Aldidamea) xanthopyrma (Warncke,1991) (Megachilidae)  
4577. Hoplitis (Annosmia) annulata (Latreille,1811) (Megachilidae)  
4578. Hoplitis (Annosmia) chukar (Warncke,1991) (Megachilidae)  
4579. Hoplitis (Annosmia) elaziga (Warncke,1991) (Megachilidae)  
4580. Hoplitis (Annosmia) eremophila (Warncke,1991) (Megachilidae)  
4581. Hoplitis (Annosmia) fulica (Warncke,1991) (Megachilidae)  
4582. Hoplitis (Annosmia) gentilis (Warncke,1991) (Megachilidae)  
4583. Hoplitis (Annosmia) idaensis (Warncke,1991) (Megachilidae)  
4584. Hoplitis (Annosmia) mutica (Warncke,1991) (Megachilidae)  
4585. Hoplitis (Annosmia) uncaticornis (Staneek,1969) (Megachilidae)  
4586. Hoplitis (Anthocopa) agis (Benoist,1929) (Megachilidae)  
4587. Hoplitis (Anthocopa) anipuncta (Alfken,1935) (Megachilidae)  
4588. Hoplitis (Anthocopa) bifoveolata (Alfken,1935) (Megachilidae)  
4589. Hoplitis (Anthocopa) bipartita (Friese,1899) (Megachilidae)  
4590. Hoplitis (Anthocopa) bisulca (Gerstaecker,1869) (Megachilidae)  
4591. Hoplitis (Anthocopa) brevispina (Tkalcu,2000) (Megachilidae)  
4592. Hoplitis (Anthocopa) cristatula (Zanden,1990) (Megachilidae)  
4593. Hoplitis (Anthocopa) cypriaca (Mavromoustakis,1938) (Megachilidae)  
4594. Hoplitis (Anthocopa) dalmatica (Morawitz,1871) (Megachilidae)  
4595. Hoplitis (Anthocopa) dukeana (Kohl,1905) (Megachilidae)  
4596. Hoplitis (Anthocopa) furcula (Morawitz,1875) (Megachilidae)  
4597. Hoplitis (Anthocopa) graeca (Tkalcu,2000) (Megachilidae)  
4598. Hoplitis (Anthocopa) grumi (Morawitz,1894) (Megachilidae)  
4599. Hoplitis (Anthocopa) idalia (Mavromoustakis,1948) (Megachilidae)  
4600. Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874) (Megachilidae)

4601. *Hoplitis* (Anthocopa) *mocsaryi* (Friese,1895) (Megachilidae)  
4602. *Hoplitis* (Anthocopa) *obtusa* (Friese,1899) (Megachilidae)  
4603. *Hoplitis* (Anthocopa) *papaveris* (Latreille,1799) (Megachilidae)  
4604. *Hoplitis* (Anthocopa) *perezi* (Ferton,1895) (Megachilidae)  
4605. *Hoplitis* (Anthocopa) *picicornis* (Morawitz,1895) (Megachilidae)  
4606. *Hoplitis* (Anthocopa) *rugidorsis* (Pérez,1895) (Megachilidae)  
4607. *Hoplitis* (Anthocopa) *singularis* (Morawitz,1875) (Megachilidae)  
4608. *Hoplitis* (Anthocopa) *unispina* (Alfken,1935) (Megachilidae)  
4609. *Hoplitis* (Anthocopa) *urfensis* (Zanden,1984) (Megachilidae)  
4610. *Hoplitis* (Anthocopa) *villosa* (Schenck,1853) (Megachilidae)  
4611. *Hoplitis* (Anthocopa) *wadicola* (Alfken,1935) (Megachilidae)  
4612. *Hoplitis* (Anthocopa) *yermasoyiae* (Mavromoustakis,1938) (Megachilidae)  
4613. *Hoplitis* (Bytinskia) *parasitica* (Warncke,1991) (Megachilidae)  
4614. *Hoplitis* (Chlidoplitis) *heinrichi* Zanden,1980 (Megachilidae)  
4615. *Hoplitis* (Chlidoplitis) *illustris* Zanden,1992 (Megachilidae)  
4616. *Hoplitis* (Chlidoplitis) *lysholmi* (Friese,1899) (Megachilidae)  
4617. *Hoplitis* (Chlidoplitis) *onychophora* (Mavromoustakis,1939) (Megachilidae)  
4618. *Hoplitis* (Megahoplitis) *tigrina* (Morawitz,1871) (Megachilidae)  
4619. *Hoplitis* (Megalosmia) *fulva* (Eversmann,1852) (Megachilidae)  
4620. *Hoplitis* (Micreriades) *antalyae* Tkalcu,2000 (Megachilidae)  
4621. *Hoplitis* (Micreriades) *lebanotica* (Mavromoustakis,1955) (Megachilidae)  
4622. *Hoplitis* (Micreriades) *mazzuccoi* (Schwarz & Gusenleitner,2005) (Megachilidae)  
4623. *Hoplitis* (Micreriades) *pisidiae* Tkalcu,2000 (Megachilidae)  
4624. *Hoplitis* (Pentadentostoma) *gallinula* (Warncke,1991) (Megachilidae)  
4625. *Hoplitis* (Pentadentostoma) *laevifrons* (Morawitz,1872) (Megachilidae)  
4626. *Hoplitis* (Pentadentostoma) *pomarina* (Warncke,1991) (Megachilidae)  
4627. *Hoplitis* (Pentadentostoma) *ridibunda* (Warncke,1991) (Megachilidae)  
4628. *Hoplitis* (Pentadentostoma) *rufopicta* (Morawitz,1875) (Megachilidae)  
4629. *Hoplitis* (Pentadentostoma) *tringa* (Warncke,1991) (Megachilidae)  
4630. *Hoplitis* (Platosmia) *alchata* (Warncke,1990) (Megachilidae)  
4631. *Hoplitis* (Platosmia) *recticauda* (Stanek,1969) (Megachilidae)  
4632. *Hoplitis* (Prionohoplitis) *brachypogon* (Pérez,1879) (Megachilidae)  
4633. *Hoplitis* (Prionohoplitis) *campanularis* (Morawitz,1877) (Megachilidae)  
4634. *Hoplitis* (Prionohoplitis) *curvipes* (Morawitz,1871) (Megachilidae)  
4635. *Hoplitis* (Prionohoplitis) *eburnea* (Warncke,1991) (Megachilidae)  
4636. *Hoplitis* (Prionohoplitis) *grossepunctata* (Kohl,1905) (Megachilidae)  
4637. *Hoplitis* (s.str.) *adunca* (Panzer,1798) (Megachilidae)  
4638. *Hoplitis* (s.str.) *bombiformis* Zanden,1991 (Megachilidae)  
4639. *Hoplitis* (s.str.) *carinata* (Stanek,1969) (Megachilidae)  
4640. *Hoplitis* (s.str.) *erzurumensis* Tkalcu,2000 (Megachilidae)  
4641. *Hoplitis* (s.str.) *flabellifera* (Morice,1901) (Megachilidae)  
4642. *Hoplitis* (s.str.) *lapidaria* (Morawitz,1877) (Megachilidae)  
4643. *Hoplitis* (s.str.) *libanensis* (Morice,1901) (Megachilidae)  
4644. *Hoplitis* (s.str.) *linguaria* (Morawitz,1876) (Megachilidae)  
4645. *Hoplitis* (s.str.) *manicata* (Morice,1901) (Megachilidae)  
4646. *Hoplitis* (s.str.) *monstrabilis* Tkalcu,2000 (Megachilidae)  
4647. *Hoplitis* (s.str.) *pallicornis* (Friese,1895) (Megachilidae)  
4648. *Hoplitis* (s.str.) *pici* (Friese,1899) (Megachilidae)  
4649. *Hoplitis* (s.str.) *strymonia* Tkalcu,1999 (Megachilidae)  
4650. *Hoplitis* (Stenosmia) *kotschisa* (Warncke,1991) (Megachilidae)  
4651. *Lithurgus* *chrysurus* Fonscolombe,1834 (Megachilidae)  
4652. *Lithurgus* *cornutus* (Fabricius,1787) (Megachilidae)  
4653. *Lithurgus* *tibialis* Morawitz,1875 (Megachilidae)  
4654. *Megachile* (Eutricharaea) *inexpectata* Rebmman,1968 (Megachilidae)  
4655. *Megachile* (Eutricharaea) *anatolica* Rebmman,1968 (Megachilidae)  
4656. *Megachile* (Eutricharaea) *apicalis* Spinola,1808 (Megachilidae)  
4657. *Megachile* (Eutricharaea) *deceptor* Pérez,1890 (Megachilidae)  
4658. *Megachile* (Eutricharaea) *leachella* Curtis,1828 (Megachilidae)  
4659. *Megachile* (Eutricharaea) *pilidens* Alfken,1924 (Megachilidae)  
4660. *Megachile* (Eutricharaea) *rotundata* (Fabricius,1787) (Megachilidae)  
4661. *Megachile* (Metamegachile) *rhodosiaca* Rebmman,1972 (Megachilidae)  
4662. *Megachile* (Neoeutricharaea) *basilaris* Mavromoustakis,1952 (Megachilidae)  
4663. *Megachile* (Neoeutricharaea) *communis* Morawitz,1875 (Megachilidae)  
4664. *Megachile* (Neoeutricharaea) *fertoni* Pérez,1896 (Megachilidae)  
4665. *Megachile* (Neoeutricharaea) *flabellipes* Pérez,1895 (Megachilidae)  
4666. *Megachile* (Neoeutricharaea) *leucomella* Gerstaecker,1869 (Megachilidae)  
4667. *Megachile* (Neoeutricharaea) *melanogaster* Eversmann,1852 (Megachilidae)  
4668. *Megachile* (Neoeutricharaea) *minutissima* Radoszkowski,1876 (Megachilidae)  
4669. *Megachile* (Neoeutricharaea) *picicornis* Morawitz,1878 (Megachilidae)  
4670. *Megachile* (Neoeutricharaea) *rubrimana* Morawitz,1893 (Megachilidae)  
4671. *Megachile* (Neoeutricharaea) *terminata* Morawitz,1875 (Megachilidae)  
4672. *Megachile* (Neoeutricharaea) *villipes* Morawitz,1875 (Megachilidae)  
4673. *Megachile* (s.str.) *alpicola* Alfken,1924 (Megachilidae)  
4674. *Megachile* (s.str.) *armenia* Tkalcu,1992 (Megachilidae)  
4675. *Megachile* (s.str.) *centuncularis* (Linnaeus,1758) (Megachilidae)  
4676. *Megachile* (s.str.) *genalis* Morawitz,1880 (Megachilidae)  
4677. *Megachile* (s.str.) *lignisea* (Kirby,1802) (Megachilidae)  
4678. *Megachile* (s.str.) *melanopyga* Costa,1863 (Megachilidae)  
4679. *Megachile* (s.str.) *octosignata* Nylander,1852 (Megachilidae)  
4680. *Megachile* (s.str.) *pilicrus* Morawitz,1878 (Megachilidae)  
4681. *Megachile* (s.str.) *pyrenaica* Pérez,1890 (Megachilidae)  
4682. *Megachile* (s.str.) *versicolor* Smith,1844 (Megachilidae)  
4683. *Megachile* (Xanthosarus) *analis* Nylander,1852 (Megachilidae)  
4684. *Megachile* (Xanthosarus) *boops* Friese,1921 (Megachilidae)  
4685. *Megachile* (Xanthosarus) *circumcincta* (Kirby,1802) (Megachilidae)  
4686. *Megachile* (Xanthosarus) *giraudi* Gerstaecker,1869 (Megachilidae)  
4687. *Megachile* (Xanthosarus) *lagopoda* (Linnaeus,1761) (Megachilidae)  
4688. *Megachile* (Xanthosarus) *maritima* (Kirby,1802) (Megachilidae)  
4689. *Megachile* (Xanthosarus) *metatarsalis* Morawitz,1895 (Megachilidae)  
4690. *Megachile* (Xanthosarus) *willughbiella* (Kirby,1802) (Megachilidae)  
4691. *Megachile* *albocristata* Smith,1853 (Megachilidae)  
4692. *Megachile* *albonotata* Radoszkowski,1886 (Megachilidae)  
4693. *Megachile* *atrutula* Rebmman,1968 (Megachilidae)  
4694. *Megachile* *bicoloriventris* Mocsary,1878 (Megachilidae)  
4695. *Megachile* *derasa* Gerstäcker,1869 (Megachilidae)  
4696. *Megachile* *foersteri* Gerstäcker,1869 (Megachilidae)  
4697. *Megachile* *hungarica* Mocsary,1877 (Megachilidae)  
4698. *Megachile* *manicata* Giraud,1861 (Megachilidae)  
4699. *Megachile* *monstrifica* Morawitz,1878 (Megachilidae)  
4700. *Megachile* *multispinosa* Morawitz,1875 (Megachilidae)  
4701. *Megachile* *nigrita* Radoszkowski,1876 (Megachilidae)  
4702. *Megachile* *pacifica* Panzer,1798 (Megachilidae)  
4703. *Megachile* *pyrenaica* Lepeletier,1841 (Megachilidae)  
4704. *Megachile* *roeweri* (Alfken,1927) (Megachilidae)  
4705. *Megachile* *thracia* Tkalcu,1979 (stat.n.) (Megachilidae)  
4706. *Metadioxys* *graeca* Mavromoustakis,1963 (Megachilidae)  
4707. *Osmia* (Allosmia) *bischoffi* Atanassov,1938 (Megachilidae)  
4708. *Osmia* (Allosmia) *melanura* Morawitz,1871 (Megachilidae)  
4709. *Osmia* (Allosmia) *nuda* Friese,1899 (Megachilidae)  
4710. *Osmia* (Allosmia) *rufohirta* Latreille,1811 (Megachilidae)  
4711. *Osmia* (Allosmia) *sybarita* Smith,1853 (Megachilidae)  
4712. *Osmia* (Erythrosmia) *andrenoides* Spinola,1808 (Megachilidae)  
4713. *Osmia* (Erythrosmia) *erythrogastra* Ferton,1905 (Megachilidae)  
4714. *Osmia* (Helicosmia) *aeruginosa* Warncke,1988 (Megachilidae)  
4715. *Osmia* (Helicosmia) *aquila* Warncke,1988 (Megachilidae)  
4716. *Osmia* (Helicosmia) *aurulenta* (Panzer,1799) (Megachilidae)  
4717. *Osmia* (Helicosmia) *breviata* Warncke,1988 (Megachilidae)  
4718. *Osmia* (Helicosmia) *brevipes* Zanden,1994 (Megachilidae)  
4719. *Osmia* (Helicosmia) *caerulescens* (Linnaeus,1758) (Megachilidae)  
4720. *Osmia* (Helicosmia) *carinoclypearis* Wu,1985 (Megachilidae)  
4721. *Osmia* (Helicosmia) *chrysaetos* Warncke,1988 (Megachilidae)  
4722. *Osmia* (Helicosmia) *cinerea* Warncke,1988 (Megachilidae)  
4723. *Osmia* (Helicosmia) *clypearis* Morawitz,1871 (Megachilidae)  
4724. *Osmia* (Helicosmia) *dimidiata* Morawitz,1870 (Megachilidae)  
4725. *Osmia* (Helicosmia) *diomedia* Warncke,1988 (Megachilidae)  
4726. *Osmia* (Helicosmia) *dives* Mocsary,1877 (Megachilidae)  
4727. *Osmia* (Helicosmia) *dlaboliae* Tkalcu,1978 (Megachilidae)  
4728. *Osmia* (Helicosmia) *fulviventris* (Panzer,1798) (Megachilidae)  
4729. *Osmia* (Helicosmia) *gutturialis* Warncke,1988 (Megachilidae)  
4730. *Osmia* (Helicosmia) *heliaca* Warncke,1988 (Megachilidae)  
4731. *Osmia* (Helicosmia) *latreillei* (Spinola,1806) (Megachilidae)  
4732. *Osmia* (Helicosmia) *leaiana* (Kirby,1802) (Megachilidae)  
4733. *Osmia* (Helicosmia) *livida* Tkalcu,1978 (Megachilidae)  
4734. *Osmia* (Helicosmia) *melanogaster* Spinola,1808 (Megachilidae)  
4735. *Osmia* (Helicosmia) *milena* Tkalcu,1992 (Megachilidae)  
4736. *Osmia* (Helicosmia) *niveata* (Fabricius,1804) (Megachilidae)  
4737. *Osmia* (Helicosmia) *ocularis* Warncke,1988 (Megachilidae)  
4738. *Osmia* (Helicosmia) *onocrotala* Warncke,1988 (Megachilidae)  
4739. *Osmia* (Helicosmia) *pennata* Warncke,1988 (Megachilidae)  
4740. *Osmia* (Helicosmia) *peregrina* Warncke,1988 (Megachilidae)  
4741. *Osmia* (Helicosmia) *saxatilis* Warncke,1988 (Megachilidae)  
4742. *Osmia* (Helicosmia) *signata* Erichson,1835 (Megachilidae)  
4743. *Osmia* (Helicosmia) *sogdiana* Morawitz,1875 (Megachilidae)  
4744. *Osmia* (Helicosmia) *subaenea* Pérez,1895 (Megachilidae)  
4745. *Osmia* (Helicosmia) *subcornuta* Morawitz,1875 (Megachilidae)  
4746. *Osmia* (Helicosmia) *torquata* Warncke,1988 (Megachilidae)  
4747. *Osmia* (Helicosmia) *ventralis* (Panzer,1798) (Megachilidae)  
4748. *Osmia* (Hemiosmia) *difficilis* Morawitz,1875 (Megachilidae)  
4749. *Osmia* (Hoplosmia) *algae* (Tkalcu,1978) (Megachilidae)  
4750. *Osmia* (Hoplosmia) *bidentata* Morawitz,1876 (Megachilidae)  
4751. *Osmia* (Hoplosmia) *croatica* Friese,1893 (Megachilidae)  
4752. *Osmia* (Hoplosmia) *distinguenda* (Tkalcu,1974) (Megachilidae)  
4753. *Osmia* (Hoplosmia) *elegans* (Tkalcu,1992) (Megachilidae)  
4754. *Osmia* (Hoplosmia) *ligurica* Morawitz,1868 (Megachilidae)  
4755. *Osmia* (Hoplosmia) *padi* (Tkalcu,1974) (Megachilidae)  
4756. *Osmia* (Hoplosmia) *scutellaris* Morawitz,1868 (Megachilidae)  
4757. *Osmia* (Hoplosmia) *spinigera* Latreille,1811 (Megachilidae)  
4758. *Osmia* (Hoplosmia) *spinulosa* (Kirby,1802) (Megachilidae)  
4759. *Osmia* (Hoplosmia) *warnckei* (Tkalcu,1992) (Megachilidae)  
4760. *Osmia* (Melanosmia) *parietina* Curtis,1828 (Megachilidae)  
4761. *Osmia* (Melanosmia) *thoracica* Radoszkowski,1874 (Megachilidae)  
4762. *Osmia* (Metallinella) *brevicornis* (Fabricius,1798) (Megachilidae)  
4763. *Osmia* (Monosmia) *apicata* Smith,1853 (Megachilidae)



4764. *Osmia* (*Neosmia*) *bicolor* (Schränk, 1781) (Megachilidae)  
4765. *Osmia* (*Orientosmia*) *maxillaris* Morawitz, 1875 (Megachilidae)  
4766. *Osmia* (*Ozbekosmia*) *avosetta* Warncke, 1988 (Megachilidae)  
4767. *Osmia* (*Pyrosomia*) *amathusica* Mavromoustakis, 1937 (Megachilidae)  
4768. *Osmia* (*Pyrosomia*) *cephalotes* Morawitz, 1870 (Megachilidae)  
4769. *Osmia* (*Pyrosomia*) *cyanoxantha* Pérez, 1879 (Megachilidae)  
4770. *Osmia* (*Pyrosomia*) *dilaticornis* Morawitz, 1875 (Megachilidae)  
4771. *Osmia* (*Pyrosomia*) *forticornis* Zanden, 1989 (Megachilidae)  
4772. *Osmia* (*Pyrosomia*) *gallarum* Spinola, 1808 (Megachilidae)  
4773. *Osmia* (*Pyrosomia*) *hellados* Zanden, 1984 (Megachilidae)  
4774. *Osmia* (*Pyrosomia*) *hermona* Warncke, 1992 (Megachilidae)  
4775. *Osmia* (*Pyrosomia*) *laticauda* Stanek, 1969 (Megachilidae)  
4776. *Osmia* (*Pyrosomia*) *morensis* Zanden, 1984 (Megachilidae)  
4777. *Osmia* (*Pyrosomia*) *nana* Morawitz, 1874 (Megachilidae)  
4778. *Osmia* (*Pyrosomia*) *nigricollis* Warncke, 1992 (Megachilidae)  
4779. *Osmia* (*Pyrosomia*) *oramara* Warncke, 1992 (Megachilidae)  
4780. *Osmia* (*Pyrosomia*) *saxicola* Ducke, 1899 (Megachilidae)  
4781. *Osmia* (*Pyrosomia*) *submicans* Morawitz, 1870 (Megachilidae)  
4782. *Osmia* (*Pyrosomia*) *tavildara* Warncke, 1992 (Megachilidae)  
4783. *Osmia* (*Pyrosomia*) *teunissenii* Zanden, 1981 (Megachilidae)  
4784. *Osmia* (*Pyrosomia*) *versicolor* Latreille, 1811 (Megachilidae)  
4785. *Osmia* (*Pyrosomia*) *viridana* Morawitz, 1874 (Megachilidae)  
4786. *Osmia* (s.str.) *ariadne* Peters, 1978 (Megachilidae)  
4787. *Osmia* (s.str.) *bicornis* (Linnaeus, 1758) (Megachilidae)  
4788. *Osmia* (s.str.) *cerinthidis* Morawitz, 1876 (Megachilidae)  
4789. *Osmia* (s.str.) *cornuta* (Latreille, 1805) (Megachilidae)  
4790. *Osmia* (s.str.) *mustelina* Gerstaecker, 1869 (Megachilidae)  
4791. *Osmia* (s.str.) *mutensis* Peters, 1978 (Megachilidae)  
4792. *Osmia* (s.str.) *nigrohirta* Friese, 1899 (Megachilidae)  
4793. *Osmia* (s.str.) *rufa* (Linnaeus, 1758) (Megachilidae)  
4794. *Osmia* (*Tergosmia*) *glareola* Warncke, 1988 (Megachilidae)  
4795. *Osmia* (*Tergosmia*) *pratricula* Warncke, 1988 (Megachilidae)  
4796. *Osmia* (*Tergosmia*) *rhodoensis* (Zanden, 1983) (Megachilidae)  
4797. *Osmia* (*Tergosmia*) *tergestensis* Ducke, 1897 (Megachilidae)  
4798. *Paradoxys* *pannonica* Mocsary, 1877 (Megachilidae)  
4799. *Protosmia* (*Chelostomopsis*) *longiceps* (Friese, 1899) (Megachilidae)  
4800. *Protosmia* (*Nanosmia*) *limbata* (Benoist, 1935) (Megachilidae)  
4801. *Protosmia* (s.str.) *exenterata* (Pérez, 1895) (Megachilidae)  
4802. *Protosmia* (s.str.) *glutinosa* (Giraud, 1871) (Megachilidae)  
4803. *Protosmia* (s.str.) *humeralis* (Pérez, 1895) (Megachilidae)  
4804. *Protosmia* (s.str.) *magnicapitis* (Stanek, 1969) (Megachilidae)  
4805. *Protosmia* (s.str.) *mirabilis* (Friese, 1899) (Megachilidae)  
4806. *Protosmia* (s.str.) *monstrosa* (Pérez, 1895) (Megachilidae)  
4807. *Protosmia* (s.str.) *paradoxa* (Friese, 1899) (Megachilidae)  
4808. *Protosmia* (s.str.) *sideritis* Tkalcu, 1978 (Megachilidae)  
4809. *Protosmia* (s.str.) *stigmatica* (Pérez, 1895) (Megachilidae)  
4810. *Protosmia* (s.str.) *tauricola* Popov, 1961 (Megachilidae)  
4811. *Protosmia* (s.str.) *tiflensis* (Morawitz, 1876) (Megachilidae)  
4812. *Stelis* (s.str.) *aculeata* Morawitz, 1880 (Megachilidae)  
4813. *Stelis* (s.str.) *annulata* (Lepeletier, 1841) (Megachilidae)  
4814. *Stelis* (s.str.) *breviuscula* (Nylander, 1848) (Megachilidae)  
4815. *Stelis* (s.str.) *denticulata* Friese, 1899 (Megachilidae)  
4816. *Stelis* (s.str.) *gigantea* Friese, 1921 (Megachilidae)  
4817. *Stelis* (s.str.) *iugae* Noskiewicz, 1962 (Megachilidae)  
4818. *Stelis* (s.str.) *minuta* Lepeletier & Audinet-Serville, 1828 (Megachilidae)  
4819. *Stelis* (s.str.) *odontopyga* Noskiewicz, 1925 (Megachilidae)  
4820. *Stelis* (s.str.) *ornatula* (Klug, 1807) (Megachilidae)  
4821. *Stelis* (s.str.) *punctulatissima* (Kirby, 1802) (Megachilidae)  
4822. *Stelis* (s.str.) *rhodia* Mavromoustakis, 1959 (Megachilidae)  
4823. *Stelis* (s.str.) *ruficornis* Morawitz, 1872 (Megachilidae)  
4824. *Stelis* (s.str.) *scutellaris* Morawitz, 1894 (Megachilidae)  
4825. *Stelis* (s.str.) *signata* (Latreille, 1809) (Megachilidae)  
4826. *Stelis* (s.str.) *simillima* Morawitz, 1876 (Megachilidae)  
4827. *Stelis* (*Stelidomorpha*) *nasuta* (Latreille, 1809) (Megachilidae)  
4828. *Stelis* (*Stelidomorpha*) *pentelica* Mavromoustakis, 1963 (Megachilidae)  
4829. *Stenoheriades* *asiaticus* (Friese, 1921) (Megachilidae)  
4830. *Stenoheriades* *hofferi* (Tkalcu, 1984) (Megachilidae)  
**Megalodontesidae**  
4831. *Megalodontes* *cephalotes* (Fabricius, 1781) (Megalodontesidae)  
4832. *Megalodontes* *crassicornis* Springate, Burckardt & Springate, 2011 (Megalodontesidae)  
4833. *Megalodontes* *escalerae* Konow, 1899 (Megalodontesidae)  
4834. *Megalodontes* *eversmanni* (Freymuth, 1870) (Megalodontesidae)  
4835. *Megalodontes* *fabricii* (Leach, 1817) (Megalodontesidae)  
4836. *Megalodontes* *flabellicornis* Germar, 1817 (Megalodontesidae)  
4837. *Megalodontes* *flavicornis* Klug, 1824 (Megalodontesidae)  
4838. *Megalodontes* *jucundus* (Mocsary, 1891) (Megalodontesidae)  
4839. *Megalodontes* *judaicus* (Lepeletier, 1823) (Megalodontesidae)  
4840. *Megalodontes* *laticeps* Konow, 1897 (Megalodontesidae)  
4841. *Megalodontes* *medius* Konow, 1897 (Megalodontesidae)  
4842. *Megalodontes* *mocsaryi* (André, 1881) (Megalodontesidae)  
4843. *Megalodontes* *olivieri* (Brullé, 1846) (Megalodontesidae)  
4844. *Megalodontes* *phaenicus* (Lepeletier, 1823) (Megalodontesidae)  
4845. *Megalodontes* *quintani* Springate, Burckardt & Springate, 2011 (Megalodontesidae)  
4846. *Megalodontes* *reitteri* (Konow, 1894) (Megalodontesidae)  
4847. *Megalodontes* *turcicus* (Mocsary, 1881) (Megalodontesidae)  
4848. *Megalodontes* *weiffenbachii* Springate, Burckardt & Springate, 2011 (Megalodontesidae)  
**Melittidae**  
4849. *Dasypoda* (*Heterodasypoda*) *pyrotrichia* Förster, 1855 (Melittidae)  
4850. *Dasypoda* (*Megadasypoda*) *argentata* Panzer, 1809 (Melittidae)  
4851. *Dasypoda* (*Megadasypoda*) *aurata* Rudow, 1881 (Melittidae)  
4852. *Dasypoda* (*Megadasypoda*) *braccata* Eversmann, 1852 (Melittidae)  
4853. *Dasypoda* (*Megadasypoda*) *frieseana* Schletterer, 1890 (Melittidae)  
4854. *Dasypoda* (*Megadasypoda*) *longigena* Schletterer, 1890 (Melittidae)  
4855. *Dasypoda* (*Megadasypoda*) *patinyi* Michez, 2002 (Melittidae)  
4856. *Dasypoda* (*Megadasypoda*) *spinigera* Kohl, 1905 (Melittidae)  
4857. *Dasypoda* (*Megadasypoda*) *toroki* Michez, 2004 (Melittidae)  
4858. *Dasypoda* (*Megadasypoda*) *visnaga* Rossi, 1790 (Melittidae)  
4859. *Dasypoda* (s.str.) *hirtipes* (Fabricius, 1793) (Melittidae)  
4860. *Dasypoda* (s.str.) *pyriformis* Radoszkowski, 1887 (Melittidae)  
4861. *Dasypoda* (s.str.) *tubera* Warncke, 1973 (Melittidae)  
4862. *Dasypoda* (s.str.) *warnckeii* Michez, 2004 (Melittidae)  
4863. *Macropis* (s.str.) *frivaldszkii* Mocsary, 1878 (Melittidae)  
4864. *Macropis* (s.str.) *fulvipes* (Fabricius, 1804) (Melittidae)  
4865. *Melitta* (*Cilissa*) *bicollaris* Warncke, 1973 (Melittidae)  
4866. *Melitta* (*Cilissa*) *budensis* (Mocsary, 1878) (Melittidae)  
4867. *Melitta* (*Cilissa*) *dimidiata* Morawitz, 1875 (Melittidae)  
4868. *Melitta* (*Cilissa*) *haemorrhoidalis* (Fabricius, 1775) (Melittidae)  
4869. *Melitta* (*Cilissa*) *melanura* (Nylander, 1852) (Melittidae)  
4870. *Melitta* (*Cilissa*) *rasmonti* Michez, 2007 (Melittidae)  
4871. *Melitta* (*Cilissa*) *singular* Michez, 2012 (Melittidae)  
4872. *Melitta* (s.str.) *leporina* (Panzer, 1799) (Melittidae)  
4873. *Melitta* (s.str.) *nigricans* Alfken, 1905 (Melittidae)  
**Mutillidae**  
4874. *Artiotilla* *biguttata* (Costa, 1858) (Mutillidae)  
4875. *Ctenotilla* *caeca* (Radoszkowski, 1879) (Mutillidae)  
4876. *Dasyllabris* (*Craspedopyga*) *manderstiernii* (Radoszkowski, 1865) (Mutillidae)  
4877. *Dasyllabris* (*Inbaltilla*) *biblica* Invrea, 1950 (Mutillidae)  
4878. *Dasyllabris* (*Inbaltilla*) *scutilla* Skorikov, 1935 (Mutillidae)  
4879. *Dasyllabris* (s.str.) *maura* (Linnaeus, 1758) (Mutillidae)  
4880. *Dentilla* *curtiventris* (André, 1901) (Mutillidae)  
4881. *Dentilla* *erronea* (André, 1902) (Mutillidae)  
4882. *Dentilla* *persica* (Sichel & Radoszkowski, 1869) (Mutillidae)  
4883. *Dentilla* *ursina* (Nagy, 1972) (Mutillidae)  
4884. *Krombeinella* *aramaea* (Suarez, 1963) (Mutillidae)  
4885. *Krombeinella* *beaumonti* (Invrea, 1953) (Mutillidae)  
4886. *Krombeinella* *gaulliei* (Invrea, 1952) (Mutillidae)  
4887. *Krombeinella* *hebraea* (Suarez, 1963) (Mutillidae)  
4888. *Krombeinella* *longicollis* (Tournier, 1889) (Mutillidae)  
4889. *Krombeinella* *wolffi* (Invrea, 1963) (Mutillidae)  
4890. *Macromyrme* *binotata* (Radoszkowski, 1879) (Mutillidae)  
4891. *Macromyrme* *sinuata* (Olivier, 1811) (Mutillidae)  
4892. *Mutilla* *europaea* Linnaeus, 1758 (Mutillidae)  
4893. *Mutilla* *marginata* BAer, 1848 (Mutillidae)  
4894. *Mutilla* *quinquemaculata* Cyrillo, 1787 (Mutillidae)  
4895. *Mutilla* *richterae* Lelej, 1984 (Mutillidae)  
4896. *Myrmilla* (*Eurygnathilla*) *emiliae* (Dalla Torre, 1897) (Mutillidae)  
4897. *Myrmilla* (*Pseudomutilla*) *atalanta* Nagy, 1967 (Mutillidae)  
4898. *Myrmilla* (*Pseudomutilla*) *filippovi* Lelej, 1985 (Mutillidae)  
4899. *Myrmilla* (*Pseudomutilla*) *glabrata* (Fabricius, 1775) (Mutillidae)  
4900. *Myrmilla* (*Pseudomutilla*) *vutshetitschi* Skorikov, 1927 (Mutillidae)  
4901. *Myrmilla* (s.str.) *anopla* Skorikov, 1927 (Mutillidae)  
4902. *Myrmilla* (s.str.) *calva* (Villers, 1789) (Mutillidae)  
4903. *Myrmilla* (s.str.) *caucasica* (Kolenati, 1846) (Mutillidae)  
4904. *Myrmilla* (s.str.) *corniculata* (Sichel & Radoszkowski, 1869) (Mutillidae)  
4905. *Myrmilla* (s.str.) *legzinica* (Radoszkowski, 1885) (Mutillidae)  
4906. *Myrmilla* *atra* Panzer, 1801 (Mutillidae)  
4907. *Nemka* *viduata* (Pallas, 1773) (Mutillidae)  
4908. *Paramyrmosa* *brunnipes* (Lepeletier, 1845) (Mutillidae)  
4909. *Paramyrmosa* *radoszkowskyi* (Saussure, 1880) (Mutillidae)  
4910. *Physetopoda* *daghestanica* (Radoszkowski, 1885) (Mutillidae)  
4911. *Physetopoda* *punctata* (Latreille, 1792) (Mutillidae)  
4912. *Physetopoda* *scutellaris* (Latreille, 1792) (Mutillidae)  
4913. *Physetopoda* *similis* (Lelej, 1984) (Mutillidae)  
4914. *Platymyrmylla* *quinquefasciata* (Olivier, 1811) (Mutillidae)  
4915. *Pseudophotopsis* *caucasica* (Radoszkowski, 1885) (Mutillidae)  
4916. *Pseudophotopsis* *schachruda* (Skorikov, 1935) (Mutillidae)  
4917. *Pseudophotopsis* *syriaca* (André, 1900) (Mutillidae)  
4918. *Ronisia* *brutia* (Petagna, 1787) (Mutillidae)  
4919. *Ronisia* *marocana* (Olivier, 1811) (Mutillidae)  
4920. *Sigilla* *dorsata* (Fabricius, 1798) (Mutillidae)  
4921. *Skorikovia* *anatolica* Lelej, 2009 (Mutillidae)  
4922. *Skorikovia* *radoszkowskii* (Skorikov, 1935) (Mutillidae)  
4923. *Skorikovia* *transcaucasica* (Lelej, 1985) (Mutillidae)  
4924. *Smicromyrme* (*Astomyrme*) *ausonius* Invrea, 1950 (Mutillidae)  
4925. *Smicromyrme* (*Eremotilla*) *novaki* Invrea, 1954 (Mutillidae)  
4926. *Smicromyrme* (*Eremotilla*) *schwarzi* Suarez, 1975 (Mutillidae)  
4927. *Smicromyrme* (*Erimyrme*) *azerbaidzhanicus* Lelej, 1985 (Mutillidae)  
4928. *Smicromyrme* (*Erimyrme*) *pulawskii* Suarez, 1975 (Mutillidae)  
4929. *Smicromyrme* (*Erimyrme*) *sicanus* (De Stefani, 1887) (Mutillidae)  
4930. *Smicromyrme* (s.str.) *ruficollis* (Fabricius, 1793) (Mutillidae)  
4931. *Smicromyrme* (s.str.) *rufipes* (Fabricius, 1787) (Mutillidae)  
4932. *Smicromyrme* (s.str.) *turanicus* (Morawitz, 1893) (Mutillidae)  
4933. *Stenomutilla* (s.str.) *acanthosterna* Nonveiller, 1994 (Mutillidae)  
4934. *Stenomutilla* (s.str.) *anatolica* Nonveiller, 1994 (Mutillidae)  
4935. *Stenomutilla* (s.str.) *bizonata* (Smith, 1856) (Mutillidae)  
4936. *Stenomutilla* (s.str.) *osellai* Nonveiller, 1994 (Mutillidae)  
4937. *Trogaspidia* *catanensis* (Rossi, 1794) (Mutillidae)  
4938. *Tropidotilla* *griseus* (Lepeletier, 1845) (Mutillidae)  
4939. *Tropidotilla* *litoralis* (Petagna, 1787) (Mutillidae)  
4940. *Tropidotilla* *sareptana* (André, 1901) (Mutillidae)  
4941. *Tropidotilla* *semirufa* (André, 1893) (Mutillidae)  
**Mymaridae**

4942. *Anagrus atomus* (Linnaeus,1767) (Mymaridae)  
4943. *Anaphes diana* (Girault,1911) (Mymaridae)  
4944. *Gonatocerus chrysis* (Debauche,1948) (Mymaridae)  
4945. *Gonatocerus litoralis* (Haliday,1833) (Mymaridae)  
4946. *Gonatocerus longicornis* (Nees ab Esenbeck,1834) (Mymaridae)  
4947. *Gonatocerus longior* Soyka,1946 (Mymaridae)  
4948. *Gonatocerus ovicnatus* Leonhard & Crosby,1915 (Mymaridae)  
4949. *Gonatocerus sulphuripes* (Förster,1847) (Mymaridae)  
4950. *Gonatocerus thyrides* (Debauche,1948) (Mymaridae)  
4951. *Litus cynipseus* Haliday,1833 (Mymaridae)  
4952. *Polynema fennicum* Soyka,1946 (Mymaridae)  
4953. *Polynema fuscipes* Haliday,1833 (Mymaridae)  
4954. *Polynema laetum* Förster,1833 (Mymaridae)  
4955. *Polynema ovulorum* (Linnaeus,1758) (Mymaridae)  
4956. *Polynema pusillum* Haliday,1833 (Mymaridae)  
4957. *Polynema tenue* Soyka,1956 (Mymaridae)  
4958. *Polynema valkenburgense* Soyka,1931 (Mymaridae)  
4959. *Stephanodes similis* (Förster,1847) (Mymaridae)

**Ormyridae**

4960. *Mocsarya syriaca* Benson,1936 (Orussidae)  
4961. *Ormyrus ardahanensis* (Doğanlar,1991) (Ormyridae)  
4962. *Ormyrus bingoliensis* Doğanlar,1991 (Ormyridae)  
4963. *Ormyrus diffinis* (Fonscolombe,1832) (Ormyridae)  
4964. *Ormyrus gratosius* (Förster,1860) (Ormyridae)  
4965. *Ormyrus kazovaensis* (Doğanlar,1991) (Ormyridae)  
4966. *Ormyrus longicornis* Boucek,1969 (Ormyridae)  
4967. *Ormyrus nitidulus* (Fabricius,1804) (Ormyridae)  
4968. *Ormyrus orientalis* Walker,1871 (Ormyridae)  
4969. *Ormyrus rufimanus* Mayr,1904 (Ormyridae)  
4970. *Ormyrus tschami* (Doğanlar,1991) (Ormyridae)  
4971. *Ormyrus wachtl* Mayr,1904 (Ormyridae)  
4972. *Ormyrus yeschilirmaka* (Doğanlar,1991) (Ormyridae)  
4973. *Orussus abietinus* (Scopoli,1763) (Orussidae)  
4974. *Pseudoryssus henshii* (Mocsary,1910) (Orussidae)

**Pamphiliidae**

4975. *Acantholyda* (*Itycorsia*) *fumata* (Enslin,1910) (Pamphiliidae)  
4976. *Acantholyda* (*Itycorsia*) *hieroglyphica* (Christ,1791) (Pamphiliidae)  
4977. *Kelidoptera maculipennis* (J.P.E.F.Stein,1876) (Pamphiliidae)  
4978. *Neurotoma fausta* (Klug,1808) (Pamphiliidae)  
4979. *Neurotoma nemoralis* (Linnaeus,1758) (Pamphiliidae)  
4980. *Neurotoma saltuum* (Linnaeus,1758) (Pamphiliidae)  
4981. *Pamphilus betulae* (Linnaeus,1758) (Pamphiliidae)  
4982. *Pamphilus cilix* Konow,1897 (Pamphiliidae)  
4983. *Pamphilus sylvaticus* (Linnaeus,1758) (Pamphiliidae)  
4984. *Pseudocephaleia praetitorum* (Semenov,1934) (Pamphiliidae)

**Perilampidae**

4985. *Chrysolampus thenae* (Walker,1848) (Perilampidae)  
4986. *Chrysomalla roseri* Förster,1859 (Perilampidae)  
4987. *Chrysomalla stigmatica* Boucek,1972 (Perilampidae)  
4988. *Chrysomalla turcica* Boucek,1972 (Perilampidae)  
4989. *Perilampus aeneus* (Rossius,1790) (Perilampidae)  
4990. *Perilampus catilus* (Argaman,1990) (Perilampidae)

**Platygastridae**

4991. *Baryconus graeffei* (Kieffer,1908) (Platygastridae)

**Pompilidae**

4992. *Agenioideus apicalis* (Van der Linden,1827) (Pompilidae)  
4993. *Agenioideus ciliatus* (Lepeletier,1845) (Pompilidae)  
4994. *Agenioideus cinctellus* (Spinola,1808) (Pompilidae)  
4995. *Agenioideus dichrous* (Brullé,1840) (Pompilidae)  
4996. *Agenioideus excisus* (Morawitz,1890) (Pompilidae)  
4997. *Agenioideus nubecula* (Costa,1874) (Pompilidae)  
4998. *Agenioideus oasis* (Haupt,1962) (Pompilidae)  
4999. *Agenioideus rhodosoma* (Kohl,1886) (Pompilidae)  
5000. *Agenioideus ruficeps* (Eversmann,1849) (Pompilidae)  
5001. *Agenioideus rypithorus* (Kohl,1886) (Pompilidae)  
5002. *Agenioideus sericeus* (Van der Linden,1827) (Pompilidae)  
5003. *Agenioideus usurarius* (Tournier,1889) (Pompilidae)  
5004. *Agenioideus vesanus* (Kohl,1907) (Pompilidae)  
5005. *Amblyellus hasdrubal* (Kohl,1894) (Pompilidae)  
5006. *Anoplus aeruginosus* (Tournier,1890) (Pompilidae)  
5007. *Anoplus caviventris* (Aurivillius,1907) (Pompilidae)  
5008. *Anoplus concinnus* (Dahlbom,1845) (Pompilidae)  
5009. *Anoplus infuscatus* (Van der Linden,1827) (Pompilidae)  
5010. *Anoplus nigerrimus* (Scopoli,1763) (Pompilidae)  
5011. *Anoplus piliventris* (Morawitz,1889) (Pompilidae)  
5012. *Anoplus samariensis* (Pallas,1771) (Pompilidae)  
5013. *Anoplus schlettereri* (Radoszkowski,1888) (Pompilidae)  
5014. *Anoplus viaticus* (Linnaeus,1758) (Pompilidae)  
5015. *Anopilus orbitalis* (Costa,1863) (Pompilidae)

5016. *Aporinellus moestus* (Klug,1834) (Pompilidae)  
5017. *Aporinellus sexmaculatus* (Spinola,1805) (Pompilidae)  
5018. *Aporus bicolor* Spinola,1808 (Pompilidae)  
5019. *Aporus pollux* (Kohl,1888) (Pompilidae)  
5020. *Arachnospila anceps* (Wesmael,1851) (Pompilidae)  
5021. *Arachnospila angarana* (Wolf,1990) (Pompilidae)  
5022. *Arachnospila ausa* (Tournier,1890) (Pompilidae)  
5023. *Arachnospila clericalis* (Morawitz,1889) (Pompilidae)  
5024. *Arachnospila colpostoma* (Kohl,1886) (Pompilidae)  
5025. *Arachnospila conjungens* (Kohl,1898) (Pompilidae)  
5026. *Arachnospila consobrina* (Dahlbom,1843) (Pompilidae)  
5027. *Arachnospila esau* (Kohl,1886) (Pompilidae)  
5028. *Arachnospila fumipennis* (Zetterstedt,1838) (Pompilidae)  
5029. *Arachnospila fuscomarginata* (Thomson,1870) (Pompilidae)  
5030. *Arachnospila gibbomima* (Haupt,1929) (Pompilidae)  
5031. *Arachnospila hedickae* (Haupt,1929) (Pompilidae)  
5032. *Arachnospila holomelas* (Costa,1882) (Pompilidae)  
5033. *Arachnospila ionica* (Wolf,1964) (Pompilidae)  
5034. *Arachnospila minutula* (Dahlbom,1843) (Pompilidae)  
5035. *Arachnospila osmana* (Wolf,1999) (Pompilidae)  
5036. *Arachnospila pamira* (Haupt,1930) (Pompilidae)  
5037. *Arachnospila rufa* (Haupt,1927) (Pompilidae)  
5038. *Arachnospila silvana* (Kohl,1886) (Pompilidae)  
5039. *Arachnospila sogdiana* (Morawitz,1893) (Pompilidae)  
5040. *Arachnospila spissa* (Schioedte,1837) (Pompilidae)  
5041. *Arachnospila trivialis* (Dahlbom,1843) (Pompilidae)  
5042. *Arachnospila valesabnormis* (Wolf,1965) (Pompilidae)  
5043. *Arachnotheutes leucurus* (Morawitz,1891) (Pompilidae)  
5044. *Arachnotheutes minor* (Priesner,1955) (Pompilidae)  
5045. *Arachnotheutes rufithorax* (Costa,1887) (Pompilidae)  
5046. *Arachnotheutes signatipennis* (Klug,1834) (Pompilidae)  
5047. *Arachnotheutes squalidus* (Haupt,1962) (Pompilidae)  
5048. *Arctocavelia soikai* Wolf,1966 (Pompilidae)  
5049. *Auplopus albifrons* (Dalman,1823) (Pompilidae)  
5050. *Auplopus carbonarius* (Scopoli,1763) (Pompilidae)  
5051. *Auplopus rectus* (Haupt,1927) (Pompilidae)  
5052. *Batozonellus lacerticida* (Pallas,1771) (Pompilidae)  
5053. *Caliadurgus fasciatellus* (Spinola,1808) (Pompilidae)  
5054. *Ceropales albicincta* (Rossi,1790) (Pompilidae)  
5055. *Ceropales bipartita* Haupt,1962 (Pompilidae)  
5056. *Ceropales bogdanovi* Radoszkowski,1877 (Pompilidae)  
5057. *Ceropales cribrata* Costa,1881 (Pompilidae)  
5058. *Ceropales helvetica* Tournier,1889 (Pompilidae)  
5059. *Ceropales maculata* (Fabricius,1775) (Pompilidae)  
5060. *Ceropales maroccana* Beaumont,1947 (Pompilidae)  
5061. *Ceropales ruficornis* Gussakovskii,1931 (Pompilidae)  
5062. *Ceropales seraxensis* Radoszkowski,1893 (Pompilidae)  
5063. *Ceropales tectigera* Moczar,1987 (Pompilidae)  
5064. *Ceropales variegata* (Fabricius,1798) (Pompilidae)  
5065. *Cryptocheilus albosignatus* Sustera,1924 (Pompilidae)  
5066. *Cryptocheilus alternatus* (Lepeletier,1845) (Pompilidae)  
5067. *Cryptocheilus bequaerti* Sustera,1924 (Pompilidae)  
5068. *Cryptocheilus confinis* Haupt,1926 (Pompilidae)  
5069. *Cryptocheilus discolor* (Fabricius,1793) (Pompilidae)  
5070. *Cryptocheilus egregius* (Lepeletier,1845) (Pompilidae)  
5071. *Cryptocheilus elegans* (Spinola,1806) (Pompilidae)  
5072. *Cryptocheilus exiguis* Sustera,1924 (Pompilidae)  
5073. *Cryptocheilus fabricii* (Van der Linden,1827) (Pompilidae)  
5074. *Cryptocheilus fischeri* (Spinola,1855) (Pompilidae)  
5075. *Cryptocheilus freygessneri* (Kohl,1883) (Pompilidae)  
5076. *Cryptocheilus gazella* Haupt,1962 (Pompilidae)  
5077. *Cryptocheilus guttulator* (Costa,1887) (Pompilidae)  
5078. *Cryptocheilus hebraeus* Sustera,1924 (Pompilidae)  
5079. *Cryptocheilus ichneumonoides* (Costa,1874) (Pompilidae)  
5080. *Cryptocheilus infumatus* (Palma,1869) (Pompilidae)  
5081. *Cryptocheilus manchurianus* Yasumatsu,1935 (Pompilidae)  
5082. *Cryptocheilus nigroferrugineus* (Sustera,1924) (Pompilidae)  
5083. *Cryptocheilus notatus* (Rossi,1792) (Pompilidae)  
5084. *Cryptocheilus octomaculatus* (Rossi,1790) (Pompilidae)  
5085. *Cryptocheilus postscutellabus* Wolf,1998 (Pompilidae)  
5086. *Cryptocheilus propodeonitens* Wolf,1998 (Pompilidae)  
5087. *Cryptocheilus pseudonotatus* Sustera,1913 (Pompilidae)  
5088. *Cryptocheilus richardsi* Moczar,1953 (Pompilidae)  
5089. *Cryptocheilus rubellus* (Eversmann,1846) (Pompilidae)  
5090. *Cryptocheilus rufatus* Priesner,1967 (Pompilidae)  
5091. *Cryptocheilus stygium* Priesner,1967 (Pompilidae)  
5092. *Cryptocheilus susterae* (Haupt,1930) (Pompilidae)

5093. *Cryptocheilus tredecimmaculatus* Haupt,1962 (Pompilidae)  
5094. *Cryptocheilus variabilis* (Rossi,1790) (Pompilidae)  
5095. *Cryptocheilus varipennis* Sustera,1924 (Pompilidae)  
5096. *Cryptocheilus versicolor* (Scopoli,1763) (Pompilidae)  
5097. *Ctenagenia ozbeki* Wahis,2002 (Pompilidae)  
5098. *Ctenagenia vespiformis* (Klug,1834) (Pompilidae)  
5099. *Cyphononyx flavicornis* (Fabricius,1793) (Pompilidae)  
5100. *Dicyrtomellus argenteus* Wahis,1982 (Pompilidae)  
5101. *Dicyrtomellus dubitabilis* (Saunders,1901) (Pompilidae)  
5102. *Dicyrtomellus tomentosus* (Priesner,1955) (Pompilidae)  
5103. *Dipogon* (*Deuteraenia*) *variegatus* (Linnaeus,1758) (Pompilidae)  
5104. *Dipogon sinan* Wolf,1998 (Pompilidae)  
5105. *Elaphrosyrion heinrichi* Haupt,1930 (Pompilidae)  
5106. *Elaphrosyrion paglianoi* Wolf,1999 (Pompilidae)  
5107. *Entomobora crassitarsis* (Costa,1887) (Pompilidae)  
5108. *Entomobora fuscipennis* (Van der Linden,1827) (Pompilidae)  
5109. *Entomobora vomeriventrtris* (Costa,1863) (Pompilidae)  
5110. *Eoferreola anatolica* Piesner,1973 (Pompilidae)  
5111. *Eoferreola anomala* (Piesner,1955) (Pompilidae)  
5112. *Eoferreola distincta* (Smith,1855) (Pompilidae)  
5113. *Eoferreola erythraea* (Pallas,1773) (Pompilidae)  
5114. *Eoferreola manticata* (Pallas,1771) (Pompilidae)  
5115. *Eoferreola rhombica* (Christ,1791) (Pompilidae)  
5116. *Eoferreola thoracica* (Rossi,1794) (Pompilidae)  
5117. *Episyrion albonotatum* (Van der Linden,1827) (Pompilidae)  
5118. *Episyrion arrogans* (Smith,1873) (Pompilidae)  
5119. *Episyrion candiotum* Wahis,1966 (Pompilidae)  
5120. *Episyrion coccineipes* (Saunders,1904) (Pompilidae)  
5121. *Episyrion funerarium* (Tournier,1889) (Pompilidae)  
5122. *Episyrion gallicum* (Tournier,1889) (Pompilidae)  
5123. *Episyrion rufipes* (Linnaeus,1758) (Pompilidae)  
5124. *Evagetes anatolicus* Van der Smisen,2003 (Pompilidae)  
5125. *Evagetes crassicornis* (Shuckard,1837) (Pompilidae)  
5126. *Evagetes dubius* (Van der Linden,1827) (Pompilidae)  
5127. *Evagetes elongatus* Lepeletier,1845 (Pompilidae)  
5128. *Evagetes fabrei* Van der Smisen,2003 (Pompilidae)  
5129. *Evagetes gibbulus* Lepeletier,1845 (Pompilidae)  
5130. *Evagetes gusenleitneri* Wolf,1988 (Pompilidae)  
5131. *Evagetes iconionus* Wolf,1970 (Pompilidae)  
5132. *Evagetes pauli* Haupt,1941 (Pompilidae)  
5133. *Evagetes paulinus* Wolf,1970 (Pompilidae)  
5134. *Evagetes pectinipes* (Linnaeus,1758) (Pompilidae)  
5135. *Evagetes pontomoravicus* (Sustera,1938) (Pompilidae)  
5136. *Evagetes proximus* (Dahlbom,1843) (Pompilidae)  
5137. *Evagetes sciculus* (Lepeletier,1845) (Pompilidae)  
5138. *Evagetes tumidosus* (Tournier,1890) (Pompilidae)  
5139. *Ferreola diffinis* (Lepeletier,1845) (Pompilidae)  
5140. *Ferreola dimidiata* (Van der Linden,1827) (Pompilidae)  
5141. *Ferreola sagax* (Kohl,1886) (Pompilidae)  
5142. *Hemipepsis brunnea* (Klug,1834) (Pompilidae)  
5143. *Hemipepsis mauritanica* (Linnaeus,1767) (Pompilidae)  
5144. *Homonotus sanguinolentus* (Fabricius,1793) (Pompilidae)  
5145. *Microphadnus insperatus* Priesner,1967 (Pompilidae)  
5146. *Microphadnus pumilus* (Costa,1882) (Pompilidae)  
5147. *Nanocavelia leucoptera* (Dahlbom,1845) (Pompilidae)  
5148. *Pedinpompilus ataturki* (Wolf,1960) (Pompilidae)  
5149. *Pedinpompilus obscurus* (Haupt,1962) (Pompilidae)  
5150. *Pedinpompilus orbitalis* (Haupt,1962) (Pompilidae)  
5151. *Pedinpompilus paulinus* (Wolf,1960) (Pompilidae)  
5152. *Pedinpompilus wolff* (Priesner,1965) (Pompilidae)  
5153. *Podagenia crassipes* Priesner,1973 (Pompilidae)  
5154. *Podagenia Priesner*,1973 (Pompilidae)  
5155. *Poecilagenia Haupt*,1926 (Pompilidae)  
5156. *Poecilagenia sculpturata* (Kohl,1898) (Pompilidae)  
5157. *Pompilus cinereus* (Fabricius,1787) (Pompilidae)  
5158. *Priocnemis agilis* (Shuckard,1837) (Pompilidae)  
5159. *Priocnemis coriacea* Dahlbom,1843 (Pompilidae)  
5160. *Priocnemis costai* Costa,1887 (Pompilidae)  
5161. *Priocnemis diversa* Junco,1946 (Pompilidae)  
5162. *Priocnemis enslini* Haupt,1927 (Pompilidae)  
5163. *Priocnemis exaltata* (Fabricius,1775) (Pompilidae)  
5164. *Priocnemis fahringeri* Wolf,1963 (Pompilidae)  
5165. *Priocnemis fallax* Verhoeff,1892 (Pompilidae)  
5166. *Priocnemis fastigiata* Haupt,1934 (Pompilidae)  
5167. *Priocnemis fennica* Haupt,1927 (Pompilidae)  
5168. *Priocnemis gracilis* Haupt,1927 (Pompilidae)  
5169. *Priocnemis hankoi* Moczar,1944 (Pompilidae)  
5170. *Priocnemis hyalinata* Fabricius,1793 (Pompilidae)  
5171. *Priocnemis massaliensis* Soyer,1945 (Pompilidae)  
5172. *Priocnemis minuta* (Van der Linden,1827) (Pompilidae)  
5173. *Priocnemis parvula* Dahlbom,1845 (Pompilidae)  
5174. *Priocnemis perturbator* (Harris,1776) (Pompilidae)  
5175. *Priocnemis pillichi* Priesner,1960 (Pompilidae)  
5176. *Priocnemis propinqua* (Lepeletier,1847) (Pompilidae)  
5177. *Priocnemis pusilla* (Schioedte,1837) (Pompilidae)  
5178. *Priocnemis rugosa* Sustera,1922 (Pompilidae)  
5179. *Priocnemis schoedtei* Haupt,1926 (Pompilidae)  
5180. *Priocnemis sulci* Balthasar,1943 (Pompilidae)

5181. *Priocnemis vulgaris* (Dufour,1841) (Pompilidae)  
5182. *Pseudopompilus humboldti* (Dahlbom,1845) (Pompilidae)  
5183. *Schistonyx modestus* Priesner,1967 (Pompilidae)  
5184. *Tachyagetes aegyptiacus* (Priesner,1955) (Pompilidae)  
5185. *Tachyagetes alicantus* Wolf,1987 (Pompilidae)  
5186. *Tachyagetes bytinskii* Haupt,1962 (Pompilidae)  
5187. *Tachyagetes exortivus* Wolf,1987 (Pompilidae)  
5188. *Tachyagetes filicornis* (Tornier,1890) (Pompilidae)  
5189. *Tachyagetes furvescens* Wahis,1970 (Pompilidae)  
5190. *Tachyagetes gusenleitneri* (Priesner,1973) (Pompilidae)  
5191. *Tachyagetes kebdanus* Wolf,1987 (Pompilidae)  
5192. *Tachyagetes konyanus* Wolf,1987 (Pompilidae)  
5193. *Tachyagetes kurdasi* Priesner,1965 (Pompilidae)  
5194. *Tachyagetes leucocnemis* Haupt,1930 (Pompilidae)  
5195. *Tachyagetes navalperalus* Wolf,1987 (Pompilidae)  
5196. *Tachyagetes nomadashwarzi* Wolf,1987 (Pompilidae)  
5197. *Tachyagetes turocuranicus* Wolf,1986 (Pompilidae)  
5198. *Telostegus cretensis* Priesner,1965 (Pompilidae)  
5199. *Telostegus excisus* (Haupt,1930) (Pompilidae)  
5200. *Telostegus fumigatus* (Klug,1834) (Pompilidae)  
5201. *Telostegus imitator* Priesner,1955 (Pompilidae)  
5202. *Telostegus inermis* (Brullé,1832) (Pompilidae)  
5203. *Xenaporus schmidtii* Priesner,1967 (Pompilidae)

**Pteromalidae**

5204. *Anisopteromalus calandrae* (Howard,1881) (Pteromalidae)  
5205. *Arthrolytus discoideus* (Nees ab Esenbeck,1834) (Pteromalidae)  
5206. *Asaphes suspensus* (Nees ab Esenbeck,1834) (Pteromalidae)  
5207. *Asaphes vulgaris* Walker,1834 (Pteromalidae)  
5208. *Caenocrepis arenicola* (Thomson,1878) (Pteromalidae)  
5209. *Caenocrepis bothynoderi* (Gromakov,1940) (Pteromalidae)  
5210. *Catolaccus ater* (Ratzeburg,1852) (Pteromalidae)  
5211. *Cea pulicaris* Walker,1837 (Pteromalidae)  
5212. *Cheirpachus quadrum* (Fabricius,1787) (Pteromalidae)  
5213. *Chlorocyrtus diversus* (Walker,1836) (Pteromalidae)  
5214. *Chlorocyrtus phalaridis* Graham,1965 (Pteromalidae)  
5215. *Chlorocyrtus ultionicus* Graham,1965 (Pteromalidae)  
5216. *Coelopisthia caledonica* Askew,1980 (Pteromalidae)  
5217. *Colotrechnus subcoeruleus* Thomson,1878 (Pteromalidae)  
5218. *Colotrechnus viridis* (Masi,1921) (Pteromalidae)  
5219. *Conomorium patulum* (Walker,1835) (Pteromalidae)  
5220. *Conomorium pityocampae* Graham,1992 (Pteromalidae)  
5221. *Cyrtogaster vulgaris* Walker,1833 (Pteromalidae)  
5222. *Cyrtoptyx latipes* (Rondani,1874) (Pteromalidae)  
5223. *Cyrtoptyx robustus* (Masi,1907) (Pteromalidae)  
5224. *Dibrachoides dynastes* (Förster,1841) (Pteromalidae)  
5225. *Dibrachys affinis* Masi,1907 (Pteromalidae)  
5226. *Dibrachys microgastri* (Bouché,1834) (Pteromalidae)  
5227. *Dibrachys palandoekenus* Doğanlar,1987 (Pteromalidae)  
5228. *Dinarmus acutus* (Thomson,1878) (Pteromalidae)  
5229. *Dinarmus italicus* (Masi,1922) (Pteromalidae)  
5230. *Dinocistus eupterus* (Walker,1836) (Pteromalidae)  
5231. *Dipara claviger* (Kieffer,1906) (Pteromalidae)  
5232. *Erdoesina albuannulata* (Ratzeburg,1852) (Pteromalidae)  
5233. *Eunotus areolatus* (Ratzeburg,1852) (Pteromalidae)  
5234. *Gastrancistrus glabellus* (Nees ab Esenbeck,1834) (Pteromalidae)  
5235. *Gastrancistrus hirtulus* Graham,1969 (Pteromalidae)  
5236. *Gastrancistrus latifrons* (Thomson,1876) (Pteromalidae)  
5237. *Goidanichium atrum* Boucek,1970 (Pteromalidae)  
5238. *Gugolzia bademia* Doğanlar,2004 (Pteromalidae)  
5239. *Gugolzia harmolitae* Delucchi & Steffan,1956 (Pteromalidae)  
5240. *Gugolzia karadagae* M.Doğanlar & O.Doğanlar,2010 (Pteromalidae)  
5241. *Gugolzia melengicia* M.Doğanlar & O.Doğanlar,2010 (Pteromalidae)  
5242. *Halticoptera adanacus* Doğanlar,2006 (Pteromalidae)  
5243. *Halticoptera aenea* (Walker,1833) (Pteromalidae)  
5244. *Halticoptera circulus* (Walker,1833) (Pteromalidae)  
5245. *Halticoptera crius* (Walker,1839) (Pteromalidae)  
5246. *Halticoptera dimidiata* (Förster,1841) (Pteromalidae)  
5247. *Halticoptera kemaliyensis* Doğanlar,2006 (Pteromalidae)  
5248. *Halticoptera laevigata* Thomson,1876 (Pteromalidae)  
5249. *Halticoptera longipetiolus* Hedqvist,1975 (Pteromalidae)  
5250. *Halticoptera patellana* (Dalman,1818) (Pteromalidae)  
5251. *Halticoptera polita* (Walker,1834) (Pteromalidae)  
5252. *Halticoptera poreia* (Walker,1848) (Pteromalidae)  
5253. *Halticoptera sakipagai* Doğanlar,2006 (Pteromalidae)  
5254. *Halticoptera yoncacus* Doğanlar,2006 (Pteromalidae)  
5255. *Halticopterina moczari* Erdős,1954 (Pteromalidae)

5256. *Halticopterina triannulata* Erdős,1946 (Pteromalidae)  
5257. *Hobbya stenonota* (Ratzeburg,1848) (Pteromalidae)  
5258. *Homoporus arestor* (Walker,1848) (Pteromalidae)  
5259. *Homoporus fulviventris* (Walker,1835) (Pteromalidae)  
5260. *Homoporus subniger* (Walker,1835) (Pteromalidae)  
5261. *Ksenoplatia quadrata* Boucek,1965 (Pteromalidae)  
5262. *Lampoterma viride* (Thomson,1876) (Pteromalidae)  
5263. *Lamprotatus truncatus* (Fonscolombe,1832) (Pteromalidae)  
5264. *Lariophagus distinguendus* (Förster,1841) (Pteromalidae)  
5265. *Macroglenes varicornis* (Haliday,1833) (Pteromalidae)  
5266. *Merisus splendidus* Walker,1834 (Pteromalidae)  
5267. *Mesopolobus diffinis* (Walker,1834) (Pteromalidae)  
5268. *Mesopolobus graminum* (Hardh,1950) (Pteromalidae)  
5269. *Mesopolobus incultus* (Walker,1874) (Pteromalidae)  
5270. *Mesopolobus laticornis* (Walker,1834) (Pteromalidae)  
5271. *Mesopolobus mediterraneus* (Mayr,1903) (Pteromalidae)  
5272. *Mesopolobus morys* (Walker,1848) (Pteromalidae)  
5273. *Mesopolobus nobilis* (Walker,1834) (Pteromalidae)  
5274. *Mesopolobus sericeus* (Forster,1770) (Pteromalidae)  
5275. *Mesopolobus teliformis* (Walker,1834) (Pteromalidae)  
5276. *Miscogaster elegans* Walker,1833 (Pteromalidae)  
5277. *Miscogaster hortensis* Walker,1833 (Pteromalidae)  
5278. *Miscogaster rufipes* Walker,1833 (Pteromalidae)  
5279. *Muscidifurax adanacus* Doğanlar,2007 (Pteromalidae)  
5280. *Nasonia vitripennis* (Walker,1836) (Pteromalidae)  
5281. *Norbanus calabrus* (Masi,1942) (Pteromalidae)  
5282. *Norbanus cerasiops* (Masi,1922) (Pteromalidae)  
5283. *Norbanus obscurus* (Masi,1922) (Pteromalidae)  
5284. *Oxyglypta rugosa* Ruschka,1912 (Pteromalidae)  
5285. *Pachycrepoides vindemmiae* (Rondani,1875) (Pteromalidae)  
5286. *Pachyneuron ahlense* Mani & Saraswat,1974 (Pteromalidae)  
5287. *Pachyneuron aphidis* (Bouché,1834) (Pteromalidae)  
5288. *Pachyneuron erzurumicum* Doğanlar,1986 (Pteromalidae)  
5289. *Pachyneuron formosum* (Walker,1833) (Pteromalidae)  
5290. *Pachyneuron gibbiscuta* Thomson,1878 (Pteromalidae)  
5291. *Pachyneuron groenlandicum* (Holmgren,1872) (Pteromalidae)  
5292. *Pachyneuron leucopiscida* Mani,1939 (Pteromalidae)  
5293. *Pachyneuron muscarum* (Linnaeus,1758) (Pteromalidae)  
5294. *Pachyneuron nelsoni* Girault,1928 (Pteromalidae)  
5295. *Platneptis laeta* (Walker,1848) (Pteromalidae)  
5296. *Pseudocatolaccus nitescens* (Walker,1834) (Pteromalidae)  
5297. *Psilocera obscura* Walker,1833 (Pteromalidae)  
5298. *Psilonotus achaeus* Walker,1848 (Pteromalidae)  
5299. *Psilonotus adamas* Walker,1834 (Pteromalidae)  
5300. *Psilonotus hortensia* Walker,1846 (Pteromalidae)  
5301. *Psychophagus omnivorus* (Walker,1835) (Pteromalidae)  
5302. *Pteromalus albipennis* Walker,1835 (Pteromalidae)  
5303. *Pteromalus apum* (Retzius,1783) (Pteromalidae)  
5304. *Pteromalus bedeguaris* (Thomson,1878) (Pteromalidae)  
5305. *Pteromalus bifoveolatus* Förster,1861 (Pteromalidae)  
5306. *Pteromalus chrysos* Walker,1836 (Pteromalidae)  
5307. *Pteromalus cionobius* (Erdős,1953) (Pteromalidae)  
5308. *Pteromalus elevatus* (Walker,1834) (Pteromalidae)  
5309. *Pteromalus intermedius* (Walker,1834) (Pteromalidae)  
5310. *Pteromalus platyphilus* (Walker,1874) (Pteromalidae)  
5311. *Pteromalus puparum* (Linnaeus,1758) (Pteromalidae)  
5312. *Pteromalus semotus* (Walker,1834) (Pteromalidae)  
5313. *Pteromalus sequester* Walker,1835 (Pteromalidae)  
5314. *Rhaphitelus maculatus* Walker,1834 (Pteromalidae)  
5315. *Rhopalicus guttatus* (Ratzeburg,1844) (Pteromalidae)  
5316. *Rhopalicus tutela* (Walker,1836) (Pteromalidae)  
5317. *Roptrocercus xylophagorum* (Ratzeburg,1844) (Pteromalidae)  
5318. *Schizonotus sieboldi* (Ratzeburg,1848) (Pteromalidae)  
5319. *Scutellista caerulea* (Fonscolombe,1832) (Pteromalidae)  
5320. *Spalangia fuscipes* Nees ab Esenbeck,1834 (Pteromalidae)  
5321. *Spalangia subpunctata* Förster,1850 (Pteromalidae)  
5322. *Sphegigaster aculeata* (Walker,1833) (Pteromalidae)  
5323. *Sphegigaster brevicornis* (Walker,1833) (Pteromalidae)  
5324. *Sphegigaster pallicornis* (Spinola,1808) (Pteromalidae)  
5325. *Sphegigaster pedunculiventris* (Spinola,1808) (Pteromalidae)  
5326. *Spintherus dubius* (Nees ab Esenbeck,1834) (Pteromalidae)  
5327. *Stenomalina communis* (Nees ab Esenbeck,1834) (Pteromalidae)

5328. *Stenomalina favorinus* (Walker,1839) (Pteromalidae)  
5329. *Stenomalina laticeps* (Walker,1850) (Pteromalidae)  
5330. *Syntomopus incisus* Thomson,1878 (Pteromalidae)  
5331. *Syntomopus incurvus* Walker,1833 (Pteromalidae)  
5332. *Systasis encyrtoides* Walker,1834 (Pteromalidae)  
5333. *Theocolax elegans* (Westwood,1874) (Pteromalidae)  
5334. *Thinodytes cyzicus* (Walker,1839) (Pteromalidae)  
5335. *Tomicobia promulus* (Walker,1840) (Pteromalidae)  
5336. *Trichomalopsis hemiptera* (Walker,1835) (Pteromalidae)  
5337. *Trichomalopsis littoralis* (Graham,1969) (Pteromalidae)  
5338. *Trichomalopsis peregrina* (Graham,1969) (Pteromalidae)  
5339. *Trichomalus apertus* (Walker,1835) (Pteromalidae)  
5340. *Trichomalus campestris* (Walker,1834) (Pteromalidae)  
5341. *Trichomalus elongatus* Delucchi & Graham,1956 (Pteromalidae)  
5342. *Trichomalus fulvipes* (Walker,1836) (Pteromalidae)  
5343. *Trichomalus helvipes* (Walker,1834) (Pteromalidae)  
5344. *Trichomalus nanus* (Walker,1836) (Pteromalidae)  
5345. *Trichomalus posticus* (Walker,1834) (Pteromalidae)  
5346. *Trichomalus rufinus* (Walker,1835) (Pteromalidae)  
5347. *Triapitzinia leucomae* Dzhankmen,1975 (Pteromalidae)

**Sapygidae**

5348. *Asmisapya warnckei* Kurzenko,1994 (Sapygidae)  
5349. *Fedtschenkia grossa* Saussure,1880 (Sapygidae)  
5350. *Monosapya clavicornis* (Linnaeus,1758) (Sapygidae)  
5351. *Sapya* (Polosapya) *singla* Kurzenko,1994 (Sapygidae)  
5352. *Sapya* (s.str.) *caucasica* Radoszkowski,1880 (Sapygidae)  
5353. *Sapya* (s.str.) *gusenleitneri* Kurzenko,1994 (Sapygidae)  
5354. *Sapya* (s.str.) *morawitzi* Turner,1911 (Sapygidae)  
5355. *Sapya* (s.str.) *mutica* Kurzenko,1994 (Sapygidae)  
5356. *Sapya* (s.str.) *pulcherrima* Morawitz,1894 (Sapygidae)  
5357. *Sapya* (s.str.) *quinquepunctata* (Fabricius,1781) (Sapygidae)  
5358. *Sapya* (s.str.) *similis* (Fabricius,1793) (Sapygidae)  
5359. *Sapygina decemguttata* (Jurine,1807) (Sapygidae)  
5360. *Sapygina malosiatika* Kurzenko,1994 (Sapygidae)  
5361. *Sapygina schwarzi* Kurzenko,1994 (Sapygidae)

**Scelionidae**

5362. *Trissolcus djadetschko* (Rjachovsky,1959) (Scelionidae)  
5363. *Trissolcus grandis* (Thomson,1860) (Scelionidae)  
5364. *Trissolcus mantero* (Kieffer,1909) (Scelionidae)  
5365. *Trissolcus pseudoturesis* (Rjachovsky,1959) (Scelionidae)  
5366. *Trissolcus rufiventris* (Mayr,1908) (Scelionidae)  
5367. *Trissolcus semistriatus* (Nees ab Esenbeck,1834) (Scelionidae)  
5368. *Trissolcus simoni* (Mayr,1897) (Scelionidae)  
5369. *Trissolcus vassilievi* (Mayr,1903) (Scelionidae)

**Scoliidae**

5370. *Campsomeriella thoracica* (Fabricius,1787) (Scoliidae)  
5371. *Colpa* (s.str.) *sexmaculata* (Fabricius,1782) (Scoliidae)  
5372. *Colpa interrupta* (Fabricius,1781) (Scoliidae)  
5373. *Colpa klugii* (Van der Linden,1827) (Scoliidae)  
5374. *Colpa quinquecincta* (Fabricius,1775) (Scoliidae)  
5375. *Dasycolia ciliata* (Fabricius,1787) (Scoliidae)  
5376. *Megascolia* (Regiscolia) *maculata* (Drury,1773) (Scoliidae)  
5377. *Proscolia archaica* Rasnitsyn,1977 (Scoliidae)  
5378. *Proscolia spectator* Day,1981 (Scoliidae)  
5379. *Scolia* (s.str.) *anatoliae* Osten,2004 (Scoliidae)  
5380. *Scolia* (s.str.) *fallax* Eversmann,1849 (Scoliidae)  
5381. *Scolia* (s.str.) *flaviceps* Eversmann,1846 (Scoliidae)  
5382. *Scolia* (s.str.) *fuciformis* Scopoli,1786 (Scoliidae)  
5383. *Scolia* (s.str.) *sexmaculata* (Müller,1766) (Scoliidae)  
5384. *Scolia asiella* Betrem,1935 (Scoliidae)  
5385. *Scolia erivanensis* (Radoszkowski,1876) (Scoliidae)  
5386. *Scolia galbula* (Pallas,1771) (Scoliidae)  
5387. *Scolia hirta* (Schrank,1781) (Scoliidae)  
5388. *Scolia insubrica* (Scopoli,1786) (Scoliidae)  
5389. *Scolia turkestanica* Betrem,1935 (Scoliidae)

**Signiphoridae**

5390. *Chartocerus novitzkyi* (Domenichini) (Signiphoridae)  
5391. *Chartocerus subaeneus* (Förster) (Signiphoridae)  
5392. *Thysanus ater* Walker (Signiphoridae)

**Sphecidae**

5393. *Ammophila assimilis* Kohl,1901 (Sphecidae)  
5394. *Ammophila barbara* Lepeletier,1845 (Sphecidae)  
5395. *Ammophila campestris* Latreille,1809 (Sphecidae)  
5396. *Ammophila heydeni* Dahlbom,1845 (Sphecidae)  
5397. *Ammophila hungarica* Mocsary,1883 (Sphecidae)

5398. *Ammophila pubescens* Curtis, 1836 (Sphecidae)  
5399. *Ammophila sabulosa* (Linnaeus, 1758) (Sphecidae)  
5400. *Ammophila sabulosa* (Linnaeus, 1758) (Sphecidae)  
5401. *Ammophila sareptana* Kohl, 1894 (Sphecidae)  
5402. *Ammophila sinensis* Sickmann, 1894 (Sphecidae)  
5403. *Ammophila striata* Mocsary, 1878 (Sphecidae)  
5404. *Ammophila terminata* F. Smith, 1856 (Sphecidae)  
5405. *Chilosphex argyrius* (Brullé, 1833) (Sphecidae)  
5406. *Chilosphex pseudargyrius* (Roth, 1967) (Sphecidae)  
5407. *Eremochares dives* (Brullé, 1833) (Sphecidae)  
5408. *Hoplammophila anatolica* (de Beaumont, 1960) (Sphecidae)  
5409. *Hoplammophila armata* (Illiger, 1807) (Sphecidae)  
5410. *Hoplammophila clypeata* (Mocsary, 1883) (Sphecidae)  
5411. *Isodontia paludosa* (Rossi, 1790) (Sphecidae)  
5412. *Isodontia splendidula* (A. Costa, 1858) (Sphecidae)  
5413. *Palmodus melanarius* (Mocsary, 1883) (Sphecidae)  
5414. *Palmodus minor* (F. Morawitz, 1890) (Sphecidae)  
5415. *Palmodus occitanicus* (Lepelletier & Audinet-Serville, 1828) (Sphecidae)  
5416. *Palmodus parvulus* (Roth, 1967) (Sphecidae)  
5417. *Palmodus strigosus* (A. Costa, 1861) (Sphecidae)  
5418. *Parapsammophila caspica* (Gussakowski, 1930) (Sphecidae)  
5419. *Podalonia affinis* (W. Kirby, 1798) (Sphecidae)  
5420. *Podalonia alpina* (Kohl, 1888) (Sphecidae)  
5421. *Podalonia ebenina* (Spinola, 1839) (Sphecidae)  
5422. *Podalonia fera* (Lepelletier, 1845) (Sphecidae)  
5423. *Podalonia harveyi* (de Beaumont, 1967) (Sphecidae)  
5424. *Podalonia hirsuta* (Scopoli, 1763) (Sphecidae)  
5425. *Podalonia luffii* (E. Saunders, 1903) (Sphecidae)  
5426. *Podalonia rothi* (de Beaumont, 1951) (Sphecidae)  
5427. *Podalonia tydei* (Le Guillou, 1841) (Sphecidae)  
5428. *Prionyx crudelis* (F. Smith, 1856) (Sphecidae)  
5429. *Prionyx guichardi* (de Beaumont, 1967) (Sphecidae)  
5430. *Prionyx kirbii* (Vander Linden, 1827) (Sphecidae)  
5431. *Prionyx lividocincta* (A. Costa, 1861) (Sphecidae)  
5432. *Prionyx niveatus* (Dufour, 1854) (Sphecidae)  
5433. *Prionyx nudatus* (Kohl, 1885) (Sphecidae)  
5434. *Prionyx songaricus* (Eversmann, 1849) (Sphecidae)  
5435. *Prionyx subfuscatus* (Dahlbom, 1845) (Sphecidae)  
5436. *Prionyx Vander Linden*, 1827 (Sphecidae)  
5437. *Prionyx vidiatus* (Christ, 1791) (Sphecidae)  
5438. *Prionyx vittatus* (Kohl, 1884) (Sphecidae)  
5439. *Sceliphron* (Henssenia) *funestum* Kohl, 1918 (Sphecidae)  
5440. *Sceliphron* (s.str.) *arabs* (Lepelletier, 1845) (Sphecidae)  
5441. *Sceliphron* (s.str.) *destillatorium* (Illiger, 1807) (Sphecidae)  
5442. *Sceliphron* (s.str.) *madraspatanum* (Fabricius, 1781) (Sphecidae)  
5443. *Sceliphron* (s.str.) *sprifex* (Linnaeus, 1758) (Sphecidae)  
5444. *Spheg* (Fernaldina) *melanoenemis* Kohl, 1885 (Sphecidae)  
5445. *Spheg* (s.str.) *atropilosus* Kohl, 1885 (Sphecidae)  
5446. *Spheg* (s.str.) *flavipennis* Fabricius, 1793 (Sphecidae)  
5447. *Spheg* (s.str.) *fulvipes* Christ, 1791 (Sphecidae)  
5448. *Spheg* (s.str.) *funerarius* Gussakowski, 1934 (Sphecidae)  
5449. *Spheg* (s.str.) *leuconotus* Brullé, 1833 (Sphecidae)  
5450. *Spheg* (s.str.) *oxianus* Gussakowski, 1928 (Sphecidae)  
5451. *Spheg* (s.str.) *pruinosis* Germar, 1817 (Sphecidae)

**Stephanidae**

5452. *Foenatopus hesperophagus* Aguiar, 2010 (Stephanidae)

**Tenthredinidae**

5453. *Aglaostigma* (Astochus) *aucupariae* (Klug, 1817) (Tenthredinidae)  
5454. *Allantus balteatus* (Klug, 1818) (Tenthredinidae)  
5455. *Allantus basalis* (Klug, 1818) (Tenthredinidae)  
5456. *Allantus cinctus* (Linnaeus, 1758) (Tenthredinidae)  
5457. *Allantus cingulatus* (Scopoli, 1763) (Tenthredinidae)  
5458. *Allantus didymus* (Klug, 1818) (Tenthredinidae)  
5459. *Allantus togatus* (Panzer, 1801) (Tenthredinidae)  
5460. *Allantus viennensis* (Schränk, 1781) (Tenthredinidae)  
5461. *Ametastegia carpini* (Hartig, 1837) (Tenthredinidae)  
5462. *Ametastegia glabrata* (Fallén, 1808) (Tenthredinidae)  
5463. *Ametastegia pallipes* (Spinola, 1808) (Tenthredinidae)  
5464. *Apethymus apicalis* (Klug, 1818) (Tenthredinidae)  
5465. *Athalia ahngerii* Kokujev, 1909 (Tenthredinidae)  
5466. *Athalia bicolor* Audinet-Serville, 1823 (Tenthredinidae)  
5467. *Athalia circularis* (Klug, 1815) (Tenthredinidae)  
5468. *Athalia cordata* Audinet-Serville, 1823 (Tenthredinidae)  
5469. *Athalia cornubiae* Benson, 1931 (Tenthredinidae)  
5470. *Athalia dimidiata* Konow, 1891 (Tenthredinidae)  
5471. *Athalia liberta* (Klug, 1815) (Tenthredinidae)  
5472. *Athalia maculata* Mocsary, 1879 (Tenthredinidae)  
5473. *Athalia paradoxa* Konow, 1886 (Tenthredinidae)  
5474. *Athalia paveli* Mocsary, 1879 (Tenthredinidae)  
5475. *Athalia rosae* (Linnaeus, 1758) (Tenthredinidae)  
5476. *Athalia rufoscutellata* Mocsary, 1879 (Tenthredinidae)  
5477. *Caliroa cerasi* (Linnaeus, 1758) (Tenthredinidae)  
5478. *Cladius pectinicornis* (Geoffroy, 1785) (Tenthredinidae)

5479. *Cuneala amasiensis* (Kriechbaumer, 1869) (Tenthredinidae)  
5480. *Cuneala confinis* (Konow, 1886) (Tenthredinidae)  
5481. *Cuneala koehleri* Klug, 1817 (Tenthredinidae)  
5482. *Dolerus germanicus* (Fabricius, 1775) (Tenthredinidae)  
5483. *Dolerus haematodes* (Schränk, 1781) (Tenthredinidae)  
5484. *Dolerus puncticolis* C.G. Thomson, 1871 (Tenthredinidae)  
5485. *Dolerus triplicatus* (Klug, 1818) (Tenthredinidae)  
5486. *Elinora asiatica* Enslin, 1910 (Tenthredinidae)  
5487. *Elinora baetica* Spinola, 1843 (Tenthredinidae)  
5488. *Elinora ornata* André, 1881 (Tenthredinidae)  
5489. *Eriocampa ovata* (Linnaeus, 1761) (Tenthredinidae)  
5490. *Eriocampa umbratica* (Klug, 1816) (Tenthredinidae)  
5491. *Eutomostethus ephippium* (Panzer, 1798) (Tenthredinidae)  
5492. *Fenusa pusilla* Lepeletier, 1823 (Tenthredinidae)  
5493. *Macrophya albicincta* (Schränk, 1776) (Tenthredinidae)  
5494. *Macrophya annulata* Geoffroy, 1785 (Tenthredinidae)  
5495. *Macrophya blanda* Fabricius, 1775 (Tenthredinidae)  
5496. *Macrophya crassula* (Klug, 1817) (Tenthredinidae)  
5497. *Macrophya cyrus* Benson, 1954 (Tenthredinidae)  
5498. *Macrophya diversipes* (Schränk, 1782) (Tenthredinidae)  
5499. *Macrophya duodecimpunctata* (Linnaeus, 1758) (Tenthredinidae)  
5500. *Macrophya erythronema* A. Costa, 1859 (Tenthredinidae)  
5501. *Macrophya militaris* Klug, 1817 (Tenthredinidae)  
5502. *Macrophya montana* (Scopoli, 1763) (Tenthredinidae)  
5503. *Macrophya ottomana* Mocsary, 1881 (Tenthredinidae)  
5504. *Macrophya postica* Brullé, 1832 (Tenthredinidae)  
5505. *Macrophya rufipes* Linnaeus, 1758 (Tenthredinidae)  
5506. *Macrophya suberba* Tischbein, 1852 (Tenthredinidae)  
5507. *Macrophya teutonia* Panzer, 1799 (Tenthredinidae)  
5508. *Messa hortulana* (Klug, 1818) (Tenthredinidae)  
5509. *Monophadnoides punctipes* (Konow, 1886) (Tenthredinidae)  
5510. *Monophadnus pallens* (Gmelin, 1790) (Tenthredinidae)  
5511. *Pachyprotasis rapae* Linnaeus, 1767 (Tenthredinidae)  
5512. *Rhogogaster auctor* Weiffenbach, 1967 (Tenthredinidae)  
5513. *Rhogogaster chambersi* Benson, 1947 (Tenthredinidae)  
5514. *Rhogogaster chlorosoma* (Benson, 1943) (Tenthredinidae)  
5515. *Rhogogaster dryas* (Benson, 1943) (Tenthredinidae)  
5516. *Rhogogaster naias* Benson, 1965 (Tenthredinidae)  
5517. *Rhogogaster picta* (Klug, 1817) (Tenthredinidae)  
5518. *Rhogogaster punctulata* (Klug, 1817) (Tenthredinidae)  
5519. *Sciapteryx cirassica* Dovnar-Zapolski, 1930 (Tenthredinidae)  
5520. *Sciapteryx laeta* Konow, 1891 (Tenthredinidae)  
5521. *Selandria serva* (Fabricius, 1793) (Tenthredinidae)  
5522. *Seljukia tenebrosa* Benson, 1966 (Tenthredinidae)  
5523. *Stethomostus fuliginosus* (Schränk, 1781) (Tenthredinidae)  
5524. *Tenthredo* (Cephalo) *bifasciata* O. Müller, 1766 (Tenthredinidae)  
5525. *Tenthredo* (Cephalo) *caucasica* Eversmann, 1847 (Tenthredinidae)  
5526. *Tenthredo* (Cephalo) *costata* Klug, 1817 (Tenthredinidae)  
5527. *Tenthredo* (Cephalo) *excellens* Konow, 1886 (Tenthredinidae)  
5528. *Tenthredo* (Elinora) *amasiensis* (Kriechbaumer, 1869) (Tenthredinidae)  
5529. *Tenthredo* (Elinora) *parvula* (Kriechbaumer, 1869) (Tenthredinidae)  
5530. *Tenthredo* (s.str.) *scrophulariae* Linnaeus, 1758 (Tenthredinidae)  
5531. *Tenthredo* (Zonuledo) *flavipennis* (Brullé, 1832) (Tenthredinidae)  
5532. *Tenthredo* (Zonuledo) *zonula* Klug, 1817 (Tenthredinidae)  
5533. *Tenthredo* *acerrima* Benson, 1952 (Tenthredinidae)  
5534. *Tenthredo* *albiventris* Mocsary, 1880 (Tenthredinidae)  
5535. *Tenthredo* *albopicta* Puls, 1870 (Tenthredinidae)  
5536. *Tenthredo* *arcuata* Forster, 1771 (Tenthredinidae)  
5537. *Tenthredo* *caligator* Eversmann, 1847 (Tenthredinidae)  
5538. *Tenthredo* *colon* Klug, 1817 (Tenthredinidae)  
5539. *Tenthredo* *discochophora* Konow, 1896 (Tenthredinidae)  
5540. *Tenthredo* *frauenfeldii* Giraud, 1857 (Tenthredinidae)  
5541. *Tenthredo* *hyrcana* Benson, 1968 (Tenthredinidae)  
5542. *Tenthredo* *litturata* (Mocsary, 1886) (Tenthredinidae)  
5543. *Tenthredo* *livida* Linnaeus, 1758 (Tenthredinidae)  
5544. *Tenthredo* *luteipennis* Eversmann, 1847 (Tenthredinidae)  
5545. *Tenthredo* *maculata* Geoffroy, 1785 (Tenthredinidae)  
5546. *Tenthredo* *marginella* Fabricius, 1793 (Tenthredinidae)  
5547. *Tenthredo* *mesomelas* Linnaeus, 1758 (Tenthredinidae)  
5548. *Tenthredo* *notha* Klug, 1817 (Tenthredinidae)

5549. *Tenthredo omisa* Förster, 1844 (Tenthredinidae)  
5550. *Tenthredo propinqua* Klug, 1817 (Tenthredinidae)  
5551. *Tenthredo thompsoni* Curtis, 1839 (Tenthredinidae)  
5552. *Tenthredo vespa* Retzius, 1783 (Tenthredinidae)  
5553. *Tenthredo vespiformis* Schrank, 1781 (Tenthredinidae)  
5554. *Tenthredopsis albonotata* (Brullé, 1832) (Tenthredinidae)  
5555. *Tenthredopsis festiva* Konow, 1890 (Tenthredinidae)  
5556. *Tenthredopsis harveyi* Benson, 1968 (Tenthredinidae)  
5557. *Tenthredopsis nassata* Linnaeus, 1767 (Tenthredinidae)  
5558. *Tenthredopsis nigella* Konow, 1891 (Tenthredinidae)  
5559. *Tenthredopsis sordida* Klug, 1817 (Tenthredinidae)  
5560. *Tenthredopsis tessellata* Klug, 1817 (Tenthredinidae)  
5561. *Tomostethus nigrus* (Fabricius, 1804) (Tenthredinidae)

**Tetracampidae**

5562. *Epiclerus alahanensis* Doğanlar, 2003 (Tetracampidae)  
5563. *Epiclerus guemenekus* Doğanlar, 2003 (Tetracampidae)  
5564. *Epiclerus panyas* (Walker, 1839) (Tetracampidae)  
5565. *Epiclerus tokatus* Doğanlar, 2003 (Tetracampidae)  
5566. *Eremocampe choresmiana* Sugonjaev, 1986 (Tetracampidae)  
5567. *Foersterella seyhanensis* Doğanlar, 2003 (Tetracampidae)  
5568. *Platynocheilus cuprifrons* (Nees ab Esenbeck, 1834) (Tetracampidae)  
5569. *Platynocheilus karsensis* Doğanlar, 2003 (Tetracampidae)

**Tiphiidae**

5570. *Icronatha caucasica* (Mocsary, 1883) (Tiphiidae)  
5571. *Ludita fulvipennis* (Smith, 1879) (Tiphiidae)  
5572. *Ludita villosa* (Fabricius, 1793) (Tiphiidae)  
5573. *Meria anatolica* Bartalucci, 2004 (Tiphiidae)  
5574. *Meria askhabadensis* Radoszkowski, 1886 (Tiphiidae)  
5575. *Meria aurantiaca* Guérin-Ménéville, 1837 (Tiphiidae)  
5576. *Meria dorsalis* (Fabricius, 1804) (Tiphiidae)  
5577. *Meria geniculata* (Brullé, 1832) (Tiphiidae)  
5578. *Meria nitidula* Klug, 1810 (Tiphiidae)  
5579. *Meria orotaura* Elçin, Bağrıçık & Bartalucci, 2013 (Tiphiidae)  
5580. *Meria tripunctata* (Rossi, 1790) (Tiphiidae)  
5581. *Mesa palestina* Guiglia, 1963 (Tiphiidae)  
5582. *Methocha articulata* (Latreille, 1792) (Tiphiidae)  
5583. *Poecilotiphia melana* Bartalucci, 2013 (Tiphiidae)  
5584. *Poecilotiphia parvula* (Smith, 1855) (Tiphiidae)  
5585. *Silifka fatima* Argaman & Özbek, 1992 (Tiphiidae)  
5586. *Tiphia bahattini* Yıldırım, 2009 (Tiphiidae)  
5587. *Tiphia bituberculata* Yıldırım, 2009 (Tiphiidae)  
5588. *Tiphia femorata* Fabricius, 1775 (Tiphiidae)  
5589. *Tiphia minuta* Van der Linden, 1827 (Tiphiidae)  
5590. *Tiphia persica* Turner, 1908 (Tiphiidae)  
5591. *Tiphia ruficornis* Klug, 1810 (Tiphiidae)

**Torymidae**

5592. *Adontomerus amygdali* (Boucek, 1958) (Torymidae)  
5593. *Adontomerus impolitus* (Askew & Nieves-Aldrey, 1988) (Torymidae)  
5594. *Exopristoides dentatus* Boucek, 1982 (Torymidae)  
5595. *Exopristus trigonomerus* (Masi, 1916) (Torymidae)  
5596. *Glyptomerus stigma* (Fabricius, 1793) (Torymidae)  
5597. *Glyptomerus tibialis* Förster, 1856 (Torymidae)  
5598. *Idiomacromerus pannonicus* (Ruschka, 1923) (Torymidae)  
5599. *Idiomacromerus papaveris* (Förster, 1856) (Torymidae)  
5600. *Megastigmus almusiensis* Doğanlar, 1989 (Torymidae)  
5601. *Megastigmus dorsalis* (Fabricius, 1798) (Torymidae)  
5602. *Megastigmus juniperi* Niko'skaya, 1952 (Torymidae)  
5603. *Megastigmus pistaciae* Walker, 1871 (Torymidae)  
5604. *Megastigmus rosae* Boucek, 1971 (Torymidae)  
5605. *Megastigmus schimitscheki* Novicky, 1954 (Torymidae)  
5606. *Megastigmus suspectus* Borries, 1895 (Torymidae)  
5607. *Megastigmus wachtl* Seintner, 1916 (Torymidae)  
5608. *Microdontomerus annulatus* (Spinola, 1808) (Torymidae)  
5609. *Monodontomerus aereus* Walker, 1834 (Torymidae)  
5610. *Monodontomerus obscurus* Westwood, 1833 (Torymidae)  
5611. *Oopristus turkestanicus* (Skriptshinsky, 1929) (Torymidae)  
5612. *Podagrion splendens* Spinola, 1811 (Torymidae)  
5613. *Podagrionella ereimiphilae* O. Doğanlar & M. Doğanlar, 2009 (Torymidae)  
5614. *Podagrionella konyaensis* O. Doğanlar & M. Doğanlar, 2009 (Torymidae)  
5615. *Pseudotorymus militaris* (Boheman, 1834) (Torymidae)  
5616. *Pseudotorymus pannonicus* (Mayr, 1874) (Torymidae)  
5617. *Pseudotorymus sapphyrinus* (Fonscolombe, 1832) (Torymidae)  
5618. *Torymoides dispar* (Masi, 1916) (Torymidae)



5619. *Torymoides kiesenwetteri* (Mayr,1874) (Torymidae)  
5620. *Torymoides yumurtalikiensis* (Doğanlar,1989) (Torymidae)  
5621. *Torymus arcella* Graham & Gijswijt,1998 (Torymidae)  
5622. *Torymus bedeguaris* (Linnaeus,1758) (Torymidae)  
5623. *Torymus cultratus* Graham & Gijswijt,1998 (Torymidae)  
5624. *Torymus cultriventris* Ratzeburg,1844 (Torymidae)  
5625. *Torymus nitidulus* (Walker,1833) (Torymidae)  
5626. *Torymus rubi* (Schrank,1781) (Torymidae)

**Trichogrammatidae**

5627. *Aphelinoidea anatolica* Novicki,1936 (Trichogrammatidae)  
5628. *Bloodiella andalusica* Nowicki (Trichogrammatidae)  
5629. *Chaetostricha steineri* (Nowicki) (Trichogrammatidae)  
5630. *Monorthochaeta adanaensis* Doğanlar,2002 (Trichogrammatidae)  
5631. *Monorthochaeta galatica* Nowicki,1935 (Trichogrammatidae)  
5632. *Oligosita collina* Walker,1851 (Trichogrammatidae)  
5633. *Oligosita foersteri* Girault,1914 (Trichogrammatidae)  
5634. *Oligosita pallida* Kryger,1919 (Trichogrammatidae)  
5635. *Pseudoligosita gracilior* (Nowicki,1935) (Trichogrammatidae)  
5636. *Pseudoligosita paphlagonica* (Nowicki,1935) (Trichogrammatidae)  
5637. *Pterandrophysalis levantina* Nowicki,1935 (Trichogrammatidae)  
5638. *Trichogramma brassicae* Bezdenko (Trichogrammatidae)  
5639. *Trichogramma buluti* Bulut & Kılınçer,1991 (Trichogrammatidae)  
5640. *Trichogramma cacaeciae* Marchal,1927 (Trichogrammatidae)  
5641. *Trichogramma dendrolimi* Matsumura,1926 (Trichogrammatidae)  
5642. *Trichogramma embryophagum* (Hartig,1838) (Trichogrammatidae)  
5643. *Trichogramma evanescens* Westwood,1833 (Trichogrammatidae)  
5644. *Trichogramma kilinceri* Bulut & Kılınçer,1991 (Trichogrammatidae)  
5645. *Trichogramma pintoi* Voegelé,1982 (Trichogrammatidae)  
5646. *Trichogramma turkeiensis* Bulut & Kılınçer,1991 (Trichogrammatidae)  
5647. *Trichogramma turkestanicum* Meyer,1940 (Trichogrammatidae)  
5648. *Ufens foersteri* (Kryger,1919) (Trichogrammatidae)  
5649. *Ufens similis* (Kryger,1932) (Trichogrammatidae)  
5650. *Uscana johnstoni* (Waterston,1926) (Trichogrammatidae)


**Vespidae**

5651. *Acanthodynerus giordanii* Gusenleitner,1969 (Vespidae)  
5652. *Alator* (Megalastor) *esfandiarii* Giordani Soika,1970 (Vespidae)  
5653. *Alator* (Megalastor) *mediomaculatus* Giordani Soika,1952 (Vespidae)  
5654. *Alator* (s.str.) *mocsaryi* (André,1884) (Vespidae)  
5655. *Alator* (s.str.) *pentheri* Kohl,1905 (Vespidae)  
5656. *Alator ardens* Kostylev,1935 (Vespidae)  
5657. *Alator ruficornis* Gusenleitner,2001 (Vespidae)  
5658. *Alator schwarzi* Gusenleitner,1967 (Vespidae)  
5659. *Alator thymbrinus* Blüthgen,1956 (Vespidae)  
5660. *Allodynerus delphinalis* (Giraud,1866) (Vespidae)  
5661. *Allodynerus floricola* (Saussure,1853) (Vespidae)  
5662. *Allodynerus nigricornis* (Morawitz,1885) (Vespidae)  
5663. *Allodynerus rossii* (Lepelletier,1841) (Vespidae)  
5664. *Ancistrocerus antelope* (Panzer,1789) (Vespidae)  
5665. *Ancistrocerus auctus* (Fabricius,1793) (Vespidae)  
5666. *Ancistrocerus claripennis* Thomson,1874 (Vespidae)  
5667. *Ancistrocerus dusmetiolus* (Strand,1914) (Vespidae)  
5668. *Ancistrocerus gazella* (Panzer,1798) (Vespidae)  
5669. *Ancistrocerus nigricornis* (Curtis,1826) (Vespidae)  
5670. *Ancistrocerus oviventris* (Wesmael,1836) (Vespidae)  
5671. *Ancistrocerus parietinus* (Linnaeus,1761) (Vespidae)  
5672. *Ancistrocerus parietum* (Linnaeus,1758) (Vespidae)  
5673. *Ancistrocerus scoticus* (Curtis,1826) (Vespidae)  
5674. *Antepipona albosignata* Gusenleitner,1986 (Vespidae)  
5675. *Antepipona cribrata* (Morawitz,1885) (Vespidae)  
5676. *Antepipona deflenda* (Saunders,1853) (Vespidae)  
5677. *Antepipona iconia* (Blüthgen,1951) (Vespidae)  
5678. *Antepipona insana* (Giordani Soika,1943) (Vespidae)  
5679. *Antepipona laevigata* (Blüthgen,1951) (Vespidae)  
5680. *Antepipona orbitalis* (Herrich-Schäffer,1839) (Vespidae)  
5681. *Antepipona osmania* Gusenleitner,1986 (Vespidae)  
5682. *Antepipona tenuis* Gusenleitner,1988 (Vespidae)  
5683. *Antodynerus incomparabilis* Giordani Soika,1970 (Vespidae)  
5684. *Brachyodynerus chloroticus* Gusenleitner,2004 (Vespidae)  
5685. *Brachyodynerus kopetdagicus* (Kostylev,1940) (Vespidae)  
5686. *Brachyodynerus kurdasi* Gusenleitner,1967 (Vespidae)


5687. *Brachyodynerus quadrimaculatus* (André,1884) (Vespidae)  
5688. *Brachypipona orientalis* Gusenleitner,2004 (Vespidae)  
5689. *Brachypipona schmidtii* (Gusenleitner,1967) (Vespidae)  
5690. *Celonites* (Eucelonites) *cyprius* Saussure,1854 (Vespidae)  
5691. *Celonites* (Eucelonites) *foveolatus* Kostylev,1935 (Vespidae)  
5692. *Celonites* (Eucelonites) *hamanni* Gusenleitner,1973 (Vespidae)  
5693. *Celonites* (Eucelonites) *rugiceps* Bischoff,1928 (Vespidae)  
5694. *Celonites* (Eucelonites) *tenebricosus* Gusenleitner,2012 (Vespidae)  
5695. *Celonites* (s.str.) *abbreviatus* (Villers,1789) (Vespidae)  
5696. *Celonites* (s.str.) *phlomis* Gusenleitner,1973 (Vespidae)  
5697. *Celonites* (s.str.) *spinosus* Gusenleitner,1966 (Vespidae)  
5698. *Cephalochilus draco* Giordani Soika,1970 (Vespidae)  
5699. *Ceramius bureschi* Atanassov,1938 (Vespidae)  
5700. *Ceramius caucasicus* André,1884 (Vespidae)  
5701. *Ceramius palaestiniensis* Giordani Soika,1957 (Vespidae)  
5702. *Chlorodynerus ypsilon* (Kostylev,1929) (Vespidae)  
5703. *Cyrtolabulus iranus* (Giordani Soika,1968) (Vespidae)  
5704. *Cyrtolabulus zarudnyi* (Kostylev,1939) (Vespidae)  
5705. *Delta dimidiatipenne* (Saussure,1852) (Vespidae)  
5706. *Delta unguiculatum* (Villers,1789) (Vespidae)  
5707. *Delta viatrix* (Nurse,1903) (Vespidae)  
5708. *Discoelius dufourii* Lepelletier,1841 (Vespidae)  
5709. *Dolichovespula adulterina* (Du Buysson,1905) (Vespidae)  
5710. *Dolichovespula media* (Retzius,1783) (Vespidae)  
5711. *Dolichovespula norwegica* (Fabricius,1781) (Vespidae)  
5712. *Dolichovespula omisica* (Bischoff,1931) (Vespidae)  
5713. *Dolichovespula saxonica* (Fabricius,1793) (Vespidae)  
5714. *Dolichovespula sylvestris* (Scopoli,1763) (Vespidae)  
5715. *Eumenes coarctatus* (Linnaeus,1758) (Vespidae)  
5716. *Eumenes coronatus* (Panzer,1799) (Vespidae)  
5717. *Eumenes dubius* Saussure,1852 (Vespidae)  
5718. *Eumenes jarkandensis* Blüthgen,1938 (Vespidae)  
5719. *Eumenes lunulatus* (Fabricius,1804) (Vespidae)  
5720. *Eumenes mediterraneus* (Kriechbaumer,1879) (Vespidae)  
5721. *Eumenes papillarius* (Christ,1791) (Vespidae)  
5722. *Eumenes pedunculatus* (Panzer,1799) (Vespidae)  
5723. *Eumenes pomiformis* (Fabricius,1781) (Vespidae)  
5724. *Eumenes punctaticeps* Giordani Soika,1943 (Vespidae)  
5725. *Eumenes sareptanus* André,1884 (Vespidae)  
5726. *Eumenes subpomiformis* Blüthgen,1938 (Vespidae)  
5727. *Euodynerus* (Pareuodynerus) *notatus* (Jurine,1807) (Vespidae)  
5728. *Euodynerus* (Pareuodynerus) *posticus* (Herrich-Schäffer,1841) (Vespidae)  
5729. *Euodynerus* (Pareuodynerus) *quadrifasciatus* (Fabricius,1793) (Vespidae)  
5730. *Euodynerus* (s.str.) *clatratus* Blüthgen,1951 (Vespidae)  
5731. *Euodynerus* (s.str.) *curictensis* Blüthgen,1940 (Vespidae)  
5732. *Euodynerus* (s.str.) *dantici* (Rossi,1790) (Vespidae)  
5733. *Euodynerus* (s.str.) *disconotatus* (Lichtenstein,1884) (Vespidae)  
5734. *Euodynerus* (s.str.) *fastidiosus* (Saussure,1853) (Vespidae)  
5735. *Euodynerus* (s.str.) *maxmillianus* Gusenleitner,1998 (Vespidae)  
5736. *Euodynerus* (s.str.) *semisaeularis* Dalla Torre,1889 (Vespidae)  
5737. *Euodynerus* (s.str.) *velutinus* Blüthgen,1951 (Vespidae)  
5738. *Euodynerus hellenicus* Blüthgen,1942 (Vespidae)  
5739. *Eustenancistrocerus* (Parastenancistrocerus) *amadanensis* (Saussure,1855) (Vespidae)  
5740. *Eustenancistrocerus* (s.str.) *israelensis* Giordani Soika,1938 (Vespidae)  
5741. *Eustenancistrocerus jerichoensis* Bytinski-Salz,1956 (Vespidae)  
5742. *Gymnomerus laevipes* (Shuckard,1837) (Vespidae)  
5743. *Hemipterochilus aberrans* (Morawitz,1885) (Vespidae)  
5744. *Hemipterochilus bembeciformis* (Morawitz,1867) (Vespidae)  
5745. *Hemipterochilus bicoloricornis* (Giordani Soika,1952) (Vespidae)  
5746. *Ischnogasteroides picteti* (Saussure,1852) (Vespidae)  
5747. *Ischnogasteroides zarudnyi* (Kostylev,1939) (Vespidae)  
5748. *Jucancistrocerus citreodecoratus* Giordani Soika,1970 (Vespidae)  
5749. *Jucancistrocerus jucundus* (Mocsary,1883) (Vespidae)  
5750. *Jugurtia escalerae* Meade-Waldo,1910 (Vespidae)  
5751. *Jugurtia eurycara* Kostylev,1935 (Vespidae)  
5752. *Katamenes dimidiatus* (Brullé,1832) (Vespidae)  
5753. *Katamenes flavigularis* (Blüthgen,1951) (Vespidae)  
5754. *Katamenes sichelii* (Saussure,1852) (Vespidae)

5755. *Knemodynerus euodyneroides* Gusenleitner,1997 (Vespidae)  
5756. *Leptochilus* (Euleptochilus) *limbiferus* (Morawitz,1867) (Vespidae)  
5757. *Leptochilus* (Lionotulus) *aegincticus* Gusenleitner,1970 (Vespidae)  
5758. *Leptochilus* (Lionotulus) *alpestris* (Saussure,1855) (Vespidae)  
5759. *Leptochilus* (Lionotulus) *hethiticus* Gusenleitner,1985 (Vespidae)  
5760. *Leptochilus* (Lionotulus) *membranaceus* (Morawitz,1867) (Vespidae)  
5761. *Leptochilus* (Lionotulus) *mimulus* Gusenleitner,1970 (Vespidae)  
5762. *Leptochilus* (Lionotulus) *osmanicus* Gusenleitner,1988 (Vespidae)  
5763. *Leptochilus* (Lionotulus) *ressli* Gusenleitner,1985 (Vespidae)  
5764. *Leptochilus* (Lionotulus) *tarsatellus* Giordani Soika,1970 (Vespidae)  
5765. *Leptochilus* (Neoleptochilus) *regulus* Saussure,1855 (Vespidae)  
5766. *Leptochilus fuscipes* Gusenleitner,1985 (Vespidae)  
5767. *Leptochilus gusenleitneri* Yıldırım & Özbek,1995 (Vespidae)  
5768. *Leptochilus kemali* Gusenleitner,1977 (Vespidae)  
5769. *Leptochilus neutraliformis* Gusenleitner,1977 (Vespidae)  
5770. *Leptochilus neutralis* (Giordani Soika,1943) (Vespidae)  
5771. *Leptochilus nigroclypeus* Gusenleitner,1985 (Vespidae)  
5772. *Leptochilus ornatus* Gusenleitner,1977 (Vespidae)  
5773. *Leptochilus palandokenicus* Yıldırım & Özbek,1995 (Vespidae)  
5774. *Leptochilus tarsatiformis* (Giordani Soika,1943) (Vespidae)  
5775. *Microdynerus* (Alastoryneus) *microdynerus* (Dalla Torre,1889) (Vespidae)  
5776. *Microdynerus* (Pseudomicrodynerus) *eurasius* Blüthgen,1938 (Vespidae)  
5777. *Microdynerus* (Pseudomicrodynerus) *parvulus* (Herrich-Schäffer,1838) (Vespidae)  
5778. *Microdynerus* (s.str.) *abdelkader* Saussure,1856 (Vespidae)  
5779. *Microdynerus* (s.str.) *appenninicus* Giordani Soika,1960 (Vespidae)  
5780. *Microdynerus* (s.str.) *atriceps* Morawitz,1895 (Vespidae)  
5781. *Microdynerus* (s.str.) *confinis* Gusenleitner,1979 (Vespidae)  
5782. *Microdynerus* (s.str.) *longicollis* Morawitz,1895 (Vespidae)  
5783. *Microdynerus* (s.str.) *mirandus* (Giordani Soika,1947) (Vespidae)  
5784. *Microdynerus* (s.str.) *nugundensis* (Saussure,1855) (Vespidae)  
5785. *Microdynerus anatolicus* (Blüthgen,1938) (Vespidae)  
5786. *Microdynerus curdistanicus* Gusenleitner,1988 (Vespidae)  
5787. *Microdynerus erzincanensis* Yıldırım & Özbek,1995 (Vespidae)  
5788. *Odynerus* (s.str.) *femoratus* Saussure,1856 (Vespidae)  
5789. *Odynerus* (s.str.) *melanocephalus* (Gmelin,1790) (Vespidae)  
5790. *Odynerus* (s.str.) *poecilus* Saussure,1856 (Vespidae)  
5791. *Odynerus* (s.str.) *spinipes* (Linnaeus,1758) (Vespidae)  
5792. *Odynerus* (Spinicoxa) *albopictus* Saussure,1856 (Vespidae)  
5793. *Odynerus* (Spinicoxa) *simillimus* Morawitz,1967 (Vespidae)  
5794. *Onychopterocheilus hellenicus* (Morawitz,1885) (Vespidae)  
5795. *Paragymnomerus amitorum* Blüthgen,1938 (Vespidae)  
5796. *Parapolybia escalerae* (Meade-Waldo,1911) (Vespidae)  
5797. *Paravespa mimetica* (Schulthess,1924) (Vespidae)  
5798. *Pareumenes laminatus* (Kriechbaumer,1879) (Vespidae)  
5799. *Parodontodynerus ephippium* (Klug,1817) (Vespidae)  
5800. *Polistes* (s.str.) *associus* Kohl,1898 (Vespidae)  
5801. *Polistes* (s.str.) *atrimandibularis* (Zimmermann,1930) (Vespidae)  
5802. *Polistes* (s.str.) *biglumis* (Linnaeus,1758) (Vespidae)  
5803. *Polistes* (s.str.) *bischoffi* (Weyrauch,1937) (Vespidae)  
5804. *Polistes* (s.str.) *dominula* (Christ,1791) (Vespidae)  
5805. *Polistes* (s.str.) *gallicus* (Linnaeus,1767) (Vespidae)  
5806. *Polistes* (s.str.) *nimphus* (Christ,1791) (Vespidae)  
5807. *Polistes* (s.str.) *semenowi* Morawitz,1889 (Vespidae)  
5808. *Polistes* (s.str.) *sulcifer* (Zimmermann,1930) (Vespidae)  
5809. *Pseudepipona* (Deuterepipona) *ankarensis* Giordani Soika,1970 (Vespidae)  
5810. *Pseudepipona* (Deuterepipona) *ionia* (Saussure,1855) (Vespidae)  
5811. *Pseudepipona* (s.str.) *lativentris* (Saussure,1855) (Vespidae)  
5812. *Pseudepipona* (s.str.) *pseudominuta* Gusenleitner,1972 (Vespidae)  
5813. *Pseudepipona herichii* (Saussure,[1856]) (Vespidae)

- |  |  |   |
|--|--|---|
| <p>5814. <i>Pseudosymmorphus adnexus</i> (Gusenleitner,1969) (Vespidae)<br/> 5815. <i>Pseudosymmorphus prophetus</i> (Giordani Soika,1952) (Vespidae)<br/> 5816. <i>Psiliglossa anatolica</i> Giordani Soika,1979 (Vespidae)<br/> 5817. <i>Psiliglossa odyneroides</i> (Saunders,1872) (Vespidae)<br/> 5818. <i>Pterocheilus atrohirtus</i> Morawitz,1885 (Vespidae)<br/> 5819. <i>Pterocheilus fausti</i> Morawitz,1873 (Vespidae)<br/> 5820. <i>Pterocheilus mavromoustakisi</i> Giordani Soika,1979 (Vespidae)<br/> 5821. <i>Pterocheilus multimaculatus</i> Gusenleitner,2004 (Vespidae)<br/> 5822. <i>Quartinia araxana</i> Giordani Soika,1960 (Vespidae)<br/> 5823. <i>Quartinia popovi</i> Gussakovskii,1936 (Vespidae)<br/> 5824. <i>Quartinia separata</i> Gusenleitner,1997 (Vespidae)<br/> 5825. <i>Raphiglossa eumenoides</i> Saunders,1850 (Vespidae)<br/> 5826. <i>Rhynchium oculatum</i> (Fabricius,1781) (Vespidae)<br/> 5827. <i>Stenodynerus aequisculptus</i> (Kostylev,1940) (Vespidae)<br/> 5828. <i>Stenodynerus bluethgeni</i> Van der Vecht,1971 (Vespidae)<br/> 5829. <i>Stenodynerus chevieranus</i> (Saussure,1855) (Vespidae)</p> | <p>5830. <i>Stenodynerus chitgarensis</i> Giordani Soika,1970 (Vespidae)<br/> 5831. <i>Stenodynerus claviger</i> Gusenleitner,1981 (Vespidae)<br/> 5832. <i>Stenodynerus fastidiosissimus</i> (Saussure,1855) (Vespidae)<br/> 5833. <i>Stenodynerus orenburgensis</i> (André,1884) (Vespidae)<br/> 5834. <i>Stenodynerus pannosus</i> Gusenleitner,1985 (Vespidae)<br/> 5835. <i>Stenodynerus simulatus</i> Gusenleitner,1981 (Vespidae)<br/> 5836. <i>Symmorphus bifasciatus</i> (Linnaeus,1761) (Vespidae)<br/> 5837. <i>Symmorphus connexus</i> (Curtis,1826) (Vespidae)<br/> 5838. <i>Symmorphus crassicornis</i> (Panzer,1798) (Vespidae)<br/> 5839. <i>Symmorphus gracilis</i> (Brullé,1832) (Vespidae)<br/> 5840. <i>Symmorphus murarius</i> (Linnaeus,1758) (Vespidae)<br/> 5841. <i>Syneuodynerus egregius</i> (Herrich-Schäffer,1839) (Vespidae)<br/> 5842. <i>Syneuodynerus erichi</i> Gusenleitner,1967 (Vespidae)<br/> 5843. <i>Syneuodynerus siegberti</i> (Gusenleitner,1967) (Vespidae)<br/> 5844. <i>Tachyancistrocerus komarowi</i> (Morawitz,1885) (Vespidae)</p> | <p>5845. <i>Tachyancistrocerus rhodensis</i> (Saussure,1855) (Vespidae)<br/> 5846. <i>Tachyancistrocerus schmidtii</i> (Kokujev,1912) (Vespidae)<br/> 5847. <i>Tachyancistrocerus syriacus</i> Giordani Soika,1970 (Vespidae)<br/> 5848. <i>Tropidodynerus interruptus</i> (Brullé,1832) (Vespidae)<br/> 5849. <i>Vespa crabro</i> Linnaeus,1758 (Vespidae)<br/> 5850. <i>Vespa orientalis</i> Linnaeus,1771 (Vespidae)<br/> 5851. <i>Vespula austriaca</i> (Panzer,1799) (Vespidae)<br/> 5852. <i>Vespula germanica</i> (Fabricius,1793) (Vespidae)<br/> 5853. <i>Vespula rufa</i> (Linnaeus,1758) (Vespidae)<br/> 5854. <i>Vespula vulgaris</i> (Linnaeus,1758) (Vespidae)</p> <p><b>Xyelidae</b></p> <p>5855. <i>Xyela curva</i> Benson,1938 (Xyelidae)<br/> 5856. <i>Xyela graeca</i> Stein,1876 (Xyelidae)<br/> 5857. <i>Xyela julii</i> (Brébisson,1818) (Xyelidae)<br/> 5858. <i>Xyela menelaus</i> Benson,1960 (Xyelidae)</p> |
|--|--|---|




Map. 1 (8) - *Acrodactyla quadrisculpta* (Gravenhorst, 1820)




Map. 2 (12) - *Acrorienus stylator* (Thunberg, 1822)






Map. 3 (20) - *Agrypon flaveolatum* (Gravenhorst, 1807)




Map. 4 (35) - *Aneucelis melanaria* (Holmgren, 1860)






Map. 5 (44) - *Anomalon cruentatum* (Geoffroy, 1785)




Map. 6 (62) - *Aritranis nigripes* (Gravenhorst, 1829)






Map. 7 (85) - *Barycnemis harpura* (Schrank, 1802)




Map. 8 (89) - *Barylypa propugnator* (Förster, 1855)






Map. 9 (99) - *Bathyplectes anurus* Thomson, 1887




Map. 10 (102) - *Bathyplectes curculionis* (Thomson, 1887)






Map. 11 (116) - *Buathra laborator* (Thunberg, 1822)




Map. 12 (120) - *Campoletis cognata* Tschek, 1871






Map. 13 (130) - *Casinaria tenuiventris* (Gravenhorst, 1829)




Map. 14 (145) - *Coelichneumon comitator* (Linnaeus, 1758)






Map. 15 (151) - *Coelichneumon leucocerus* (Gravenhorst, 1820)




Map. 16 (165) - *Coelichneumon subviolaceiventris* (Pic, 1908)






Map. 17 (167) - *Collyria coxator* (Villers, 1789)




Map. 18 (178) - *Craticheumon viator* (Scopoli, 1763)





Map. 19 (202) - *Cryptus spiralis* (Geoffroy, 1785)




Map. 20 (205) - *Cryptus tuberculatus* Gravenhorst, 1829






Map. 21 (207) - *Cryptus vitreifrontalis* Schwarz, 2015




Map. 22 (214) - *Ctenichneumon panzeri* (Wesmael, 1845)






Map. 23 (220) - *Cylloceria melancholica* (Gravenhorst, 1820)




Map. 24 (224) - *Delomerista mandibularis* (Gravenhorst, 1829)






Map. 25 (226) - *Diadegma armillatum* (Gravenhorst, 1829)






Map. 26 (232) - *Diadegma fenestralis* (Holmgren, 1860)




Map. 27 (257) - *Dichrogaster longicaudata* (Thomson, 1884)






Map. 28 (262) - *Diphyus amatorius* (Müller, 1776)






Map. 29 (276) - *Diplazon laetatorius* (Fabricius, 1781)




Map. 30 (287) - *Dolichomitrus mesocentrus* (Gravenhorst, 1829)






Map. 31 (288) - *Dolichomitrus messor* (Gravenhorst, 1829)






Map. 32 (317) - *Endromopoda arundinator* (Fabricius, 1804)




Map. 33 (318) - *Endromopoda detrita* (Holmgren, 1860)






Map. 34 (326) - *Enizemum ornatum* (Gravenhorst, 1829)






Map. 35 (338) - *Erromenus punctulatus* Holmgren, 1857




Map. 36 (349) - *Euryproctus mundus* (Gravenhorst, 1820)






Map. 37 (355) - *Eutanyacra picta* (Schränk, 1776)






Map. 38 (362) - *Exeristes roborator* (Fabricius, 1793)




Map. 39 (368) - *Exetastes fornicator* (Fabricius, 1781)






Map. 40 (373) - *Exetastes nigripes* Gravenhorst, 1829






Map. 41 (380) - *Exochus castaniventris* Brauns, 1896




Map. 42 (390) - *Exochus lictor* Haliday, 1838






Map. 43 (392) - *Exochus mitratus* Gravenhorst, 1829






Map. 44 (460) - *Homotropus nigratarsus* (Gravenhorst, 1829)




Map. 45 (461) - *Homotropus signatus* (Gravenhorst, 1829)






Map. 46 (462) - *Hoplismenus axillatorius* (Thunberg, 1822)






Map. 47 (475) - *Hyposoter didymator* (Thunberg, 1822)




Map. 48 (481) - *Hypsicera femoralis* (Geoffroy, 1785)






Map. 49 (508) - *Ichneumon sarcitorius* Linnaeus, 1758






Map. 50 (520) - *Idiolispa analis* (Gravenhorst, 1807)




Map. 51 (523) - *Ischnus inquisitorius* (Müller, 1776)






Map. 52 (525) - *Iseropus stercorator* (Fabricius, 1793)






Map. 53 (526) - *Itoplectis alternans* (Gravenhorst, 1829)




Map. 54 (528) - *Itoplectis maculator* (Fabricius, 1775)






Map. 55 (560) - *Lissonota (s.str.) clypeator* (Gravenhorst, 1820)






Map. 56 (591) - *Mesochorus discitergus* (Say, 1835)




Map. 57 (605) - *Mesochorus vittator* (Zetterstedt, 1839)






Map. 58 (613) - *Mesostenus grammicus* Gravenhorst, 1829






Map. 59 (636) - *Netelia (Bessobates) virgata* (Fourcroy, 1785)




Map. 60 (643) - *Netelia (s.str.) dilatata* (Thomson, 1888)






Map. 61 (645) - *Netelia* (s.str.) *testacea* (Gravenhorst, 1829)






Map. 62 (654) - *Opheltes glaucopterus* (Linnaeus, 1758)




Map. 63 (661) - *Ophion luteus* (Linnaeus, 1758)






Map. 64 (662) - *Ophion minutus* Kriechbaumer, 1879






Map. 65 (665) - *Ophion obscuratus* Fabricius, 1798




Map. 66 (678) - *Pantorhaestes xanthostomus* (Gravenhorst, 1829)






Map. 67 (681) - *Parania geniculata* (Holmgren, 1857)






Map. 68 (691) - *Perithous scurra* (Panzer, 1804)




Map. 69 (692) - *Perithous septemcinctorius* (Thunberg, 1822)






Map. 70 (698) - *Phaenolobus saltans* (Gravenhorst, 1829)






Map. 71 (716) - *Pimpla aquilonia* Cresson, 1870




Map. 72 (726) - *Pimpla spuria* Gravenhorst, 1829






Map. 73 (727) - *Pimpla turionellae* (Linnaeus, 1758)






Map. 74 (742) - *Polyblastus varitarsus* (Gravenhorst, 1829)




Map. 75 (762) - *Promethes sulcator* (Gravenhorst, 1829)






Map. 76 (770) - *Rhyssa persuasoria* (Linnaeus, 1758)






Map. 77 (773) - *Scambus* (s.str.) *brevicornis* (Gravenhorst, 1829)




Map. 78 (775) - *Scambus* (s.str.) *calobatus* (Gravenhorst, 1829)






Map. 79 (816) - *Syrphoctonus tarsatorius* (Panzer, 1809)






Map. 80 (818) - *Syrphophilus bizonarius* (Gravenhorst, 1829)




Map. 81 (855) - *Therion circumflexum* (Linnaeus, 1758)






Map. 82 (857) - *Theronia atalantae* (Poda, 1761)






Map. 83 (881) - *Tromatobia ovivora* (Boheman, 1821)




Map. 84 (882) - *Tromatobia variabilis* (Holmgren, 1856)






Map. 85 (893) - *Tryphon* (s.str.) *latrator* (Fabricius, 1781)






Map. 86 (896) - *Tryphon (s.str.) relator* (Thunberg, 1822)




Map. 87 (897) - *Tryphon (s.str.) rutilator* (Linnaeus, 1761)






Map. 88 (906) - *Venturia canescens* (Gravenhorst, 1829)





Map. 89 (926) - *Zaglyptus varipes* (Gravenhorst, 1829)



Map. 90 (930) - *Zatypota percontatoria* (Müller, 1776)

**Priamus Supplement** is the first international, online publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals online, as PDF format, archived in the "Internet Archive" regularly.

It includes larger original articles and theses of the research workers of the Centre, regarding morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

## Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243)<sup>1</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>2</sup>, Memoirs (ISSN-8227)<sup>3</sup>, DVD Films<sup>4</sup>, Iconographia Insectorum<sup>5</sup>, Cesa Publications on African Lepidoptera (series)<sup>6</sup>, Cesa News [online]<sup>7</sup>, Cesa Books<sup>8</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

**ALL RIGHTS RESERVED**

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

All serials are recorded regularly by the Zoological Record,  
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom  
[ts-emea-york.dcsadmins@thomson.com](mailto:ts-emea-york.dcsadmins@thomson.com)

Priamus Supplement is regularly archived online in the Internet Archive: <https://archive.org/>



Cesa © 1966-2015

<sup>1</sup> <http://www.cesa-tr.org/Pri.htm> - earlier issues of Priamus as pdf available after corresponding ; Priamus Supplement (online) pdf available

<sup>2</sup> <http://www.cesa-tr.org/Miscell.htm> - earlier issues as pdf available after corresponding

<sup>3</sup> <http://www.cesa-tr.org/Memoirs.htm> - pdf available

<sup>4</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>5</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>6</sup> [http://www.metafro.be/Members/Cesa/internet\\_sayfas305/base\\_view](http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view) - pdf available

<sup>7</sup> <http://www.cesa-tr.org/Cesanews.htm> pdf available

<sup>8</sup> <http://www.cesa-tr.org/Cesabooks.htm> CD format